




**List No: S.253** with  
**List No: K.515** Knob added  
SEE PAGES 178-179 FOR  
EQUIVALENT MOULDED TYPE  
S.M.253



**List No: S565**  
SEE PAGES 178-179 FOR  
EQUIVALENT MOULDED TYPE  
S.M.253/TERM




**List No: S.254**  
SEE PAGES 178-179 FOR  
EQUIVALENT MOULDED TYPE  
S.M.254




**List No: 566**  
SEE PAGES 178-179 FOR  
EQUIVALENT MOULDED TYPE  
S.M.254/TERM

Also retained for the convenience of our customers as are other Laminated Switches, are the Semi-Rotary types shown here. The range includes Single-Pole types with Solder Tags or Terminal connections and M.B. or C.O. contacting. Any suitable grub screw fixing knob accepting  $\frac{1}{4}$ "  $\varnothing$  shafts may be used to operate these switches, such as the **K.515** type shown here. **Part No: 8780** escutcheon, printed in black on frosted aluminium, can be used with many knobs (**K.107** is shown) to give ON-OFF indication. This may also be obtained by using knob **K.370** with escutcheon **K.378** (see pages 56-57). Maximum panel accepted is  $\frac{1}{4}$ " (6.3 mm.) and Max. Wkg. V. = 250V. Max. test V. = 1KV. Insulation Resistance  $\leq$  40 M  $\Omega$ . Angle of operation =  $60^\circ \pm 10^\circ$ .


## Switches, Slide Action




**List No: S.591**  
SEE PAGES 178-179 FOR  
EQUIVALENT MOULDED TYPE S.M.591



**List No: S.593**  
SEE PAGES 178-179 FOR  
EQUIVALENT MOULDED TYPE S.M.593



**List No: S.594**



**List No: S.596**

The Bulgin Slide-and-Snap Action Toggle Switches have the sturdy laminated bakelite insulation, similar to many other Bulgin switches proved dependable by customers throughout the world, further reinforced by means of a steel-clad case, for robustness and shock resistance. They also have the very reliable Q.M.B. spring and roller contact snap action and are suitable for use in all classes of light mains appliances, radio, electronic equipment etc. Moulded dolly slides  $\frac{1}{4}$ " (6.35 mm.) and projects  $\frac{3}{8}$ " (9.5mm.). Single and Double Pole ON-OFF and CHANGE-OVER types are all manufactured as standard. Also illustrated is Part No.8298 finished in polished aluminium and matt black which is suitable for use with these slide switches, see pages 172-173.