



SUHNER® COAXIAL CONNECTOR DATA SHEET

TYPE 24_BNC-50-2-29/133_N

Description

Straight panel bulkhead cable jack, flange mount

SUHNER full crimp cable attachement
Front mount chassis connector



General Information

348A/301_CECC 22120

BNC Interface dims acc. to:

IEC 60169-8_MIL-STD-

Weight:

0.0118 Kg / 0.42 oz

Cable

Cable type:

RG_316U

Cable type:

EF_316

Cable type:

RG_188A/U

Cable type:

RG 174 /U

Cable Entry

Centre contact:

crimped

Outer contact:

crimped

Electrical Data

Impedance:

50Ω

Interface frequency max.:

4 GHz

Piece Parts

Center contact:

Outer contact:

Body:

Material

Copper Beryllium / Brass

Brass

Brass

Surface Plating

Gold Plating (Nickel underplated)

SUCOPLATE (R) Plating

SUCOPLATE (R) Plating

Insulator:

PFA / PTFE

Fastening nut:

Brass

SUCOPLATE (R) Plating

Washer:

Bronze

SUCOPLATE (R) Plating

Crimp Ferrule:

Copper

SUCOPLATE (R) Plating

Attachments

Outline drawing:

DOU-00015150

Catalogue drawing:

DCA-00009587

Assembly instruction:

DOC-0000179123

Notes

Mounting hole:

DOU-00008742

WAIVER!

While the information contained in this folder has been carefully compiled to the best of our present knowledge, it is not intended as representation or warranty of any kind on our part regarding the fitness of the products concerned for any particular use or purpose and neither shall any statement contained herein be construed as a recommendation to infringe any industrial property rights or as a license to use any such rights. The fitness of each product for any particular purpose must be checked beforehand with our specialists.

Issued: 03.10.03 11:05

Document: DOC-0000186253

RF_Ca_Pa_C_PDF

uncontrolled copy

Page 1



HUBER+SUHNER

HUBER+SUHNER AG

Interconnect Division

CH-9100 Herisau

Phone +41 (0)71 353 41 11

Fax +41 (0)71 353 45 90

<http://www.hubersuhner.com>



SUHNER® COAXIAL CONNECTOR DATA SHEET

Order as **24_BNC-50-2-29/133_NE** for Single

WAIVER!
While the information contained in this folder has been carefully compiled to the best of our present knowledge, it is not intended as representation or warranty of any kind on our part regarding the fitness of the products concerned for any particular use or purpose and neither shall any statement contained herein be constructed as a recommendation to infringe any industrial property rights or as a license to use any such rights. The fitness of each product for any particular purpose must be checked beforehand with our specialists.

Issued: 03.10.03 11:05

Document: DOC-0000186253

RF_Ca_Pa_C_PDF

uncontrolled copy

Page 2



HUBER+SUHNER

HUBER+SUHNER AG

Interconnect Division

CH-9100 Herisau

Phone +41 (0)71 353 41 11

Fax +41 (0)71 353 45 90

<http://www.hubersuhner.com>