

HEADING EXPLANATIONS :

Avail = Actual AVAILABLE stock for sale (include stock to arrive, stock in production, less customers forward order)
Un = Unit of supply / pricing (M = Metre, M2 = Square Metre, Kg = Kilogram etc.)
Price = List Price for 1 Unit in NZ\$ (quantity prices will be supplied based upon customer requirements)
TypeNo = CASA's Product reference number (either the manufacturers OEM Number or produced from CASA's Part Number Composer see separate chart/table for explanation of the rules and nomenclature)

Connectors : LOOK UP & ALPHA Listing

Report Name:- CONN_LS1.RSL (01/12/04) AWD

	PCode	P2I	P3I	TypeNo	Description	Brand	Price	Un	Avail
1	CON	MULT	MS	23-AB-12S-TRAILER-AB	12 Pole trailer quick-coupling military connector in square box fixing	AB-Engineering	47.34	E	100
2	CON	MP	MS	SKT-0AWG-MILC5015-AMPH-R	Circular screw-coupling cable-mounting plug with 2 x #0 solder-spill pin-contacts 100-150 Amp rated, serviceable to 900Vrms. Phenolic insulation moulding - complete with reducing back-shell and MS3057-20A cable clamp.	Amphenol	9.38	E	50
3	CON	MP	MS	PT07E8-33P(3PIN)	3 Pin size #20 bulkhead bayonet receptical (std-key) with rear-gland bushing assembly - Thorn or Amphenol - 26482 to MIL-DTL-26482	Military	147.83	E	1
4	CON	MP	MS	PIN-0AWG-MILC5015-AMPH-R	Mil-C-5015 Type (solder style) spare/replacement size # 0 PIN-contact rated up too 150 Amps and solder-well suitable for wires up too 0 AWG (11.9mm ID). See maker's data sheets for full specification.	Amphenol	9.38	E	50
5	CON	MP	MS	MS52000-5-MILCON	Gasket for panel Jack/Socket Size 16 or 16S environmental MS3102A/E/R/F-16-10S (mil-5015)	MILCON	0.81	E	20
6	CON	MP	MS	MS3420-8-MILCON	Bushing-Sleeve 11.1mm ID for #16 & 16S Shell sizes and telescope with larger	MILCON	1.62	E	32
7	CON	MP	MS	MS3420-8	Rubber-Bushing 11.1mm ID (telescoping fit) for MS3057 series clamp-shell and other back-shells		3.75	E	5
8	CON	MP	MS	MS3420-20	Rubber-Bushing 23.83mm ID (telescoping fit) for MS3057 series clamp-shell and other back-shells		13.13	E	5
9	CON	MP	MS	MS3420-16	Rubber-Bushing 19mm ID (telescoping fit) for MS3057 series clamp-shell and other back-shells		4.31	E	5
10	CON	MP	MS	MS3420-12-MILCON	Bushing-Sleeve 15.83mm ID for #20 & 22S Shell sizes or telescoping with other sleeves	MILCON	1.89	E	20
11	CON	MP	MS	MS3420-12	Rubber-Bushing 15.83mm ID (telescoping fit) for MS3057 series clamp-shell and other back-shells		4.31	E	5
12	CON	MP	MS	MS3420-10	Rubber-Bushing 14.3mm ID (telescoping fit) for MS3057 series clamp-shell and other back-shells		3.75	E	5
13	CON	MP	MS	MS3181-20C	Cap & chain for size 20 bayonet JACKs Receptical (internal-grooves)	Military	93.75	E	1
14	CON	MP	MS	MS3181-18C	Cap & chain for size 18 bayonet JACKs Receptical (internal-grooves)	Military	93.75	E	1
15	CON	MP	MS	MS3181-12C	Cap & chain for size 12 bayonet JACKs Receptical (internal-grooves)	Military	75.00	E	1
16	CON	MP	MS	MS3181-10C	Cap & chain for size 10 bayonet JACKs Receptical (internal-grooves)	Military	56.10	E	1
17	CON	MP	MS	MS3180-20C	Cap & chain for size 20 bayonet for PLUGS (external-pegs)	Military	93.75	E	1
18	CON	MP	MS	MS3180-18C	Cap & chain for size 18 bayonet for PLUGS (external-pegs)	Military	93.75	E	1
19	CON	MP	MS	MS3180-12C	Cap & chain for size 12 bayonet for PLUGS (external-pegs)	Military	75.00	E	1
20	CON	MP	MS	MS3180-10C	Cap & chain for size 10 bayonet PLUGS (external-pegs)	Military	56.10	E	1
21	CON	MP	MS	MS3112E8-2P	2 pole environmental panel/box receptical series MS3112E (shell-8) with #20 solder pin-contacts (2P) to MIL-C-26482, Series 1	Cannon	16.83	E	25
22	CON	MP	MS	MS3108A24-11P(9POLE)	Cable plug angle back-shell 9 pin contacts (3 x #8 + 6 x #12 AWG) non-environmental (optional cable-clamp extra (according to current availability)	Allied-Amphenol	173.59	E	20
23	CON	MP	MS	MS3108-32-90DEG-BACKSHEL	Angle (90 deg) back-shell for size 32 plugs with MS3057-20A cable-clamp	Bendix etc.	93.32	E	0
24	CON	MP	MS	MS3108-24-ANGLE-BACKSHEL	Angle back-shell (one-part) for size 24 plugs (and recepticals) without cable-clamp	Bendix etc.	45.45	E	0

Connectors : LOOK UP & ALPHA Listing

Report Name:- CONN_LS1.RSL (01/12/04) AWD

	PCode	P2I	P3I	TypeNo	Description	Brand	Price	Un	Avail
25	CON	MP	MS	MS3106R28-3S-MIL	Cable plug 3 x #8 socket-contacts to MS3101R28-3S with cable clamp back-shell and O-ring (optional 3420-16 Size 24/28 telescoping bushing)	Military	63.44	E	0
26	CON	MP	MS	MS3106R20-27S-AMPHENOL	Circular screw-coupling socket-connector, 14 pole socket-contact complete with sealed-back-shell assembly (without cable clamp)	Amphenol	82.67	E	3
27	CON	MP	MS	MS3106R16S-1P-MILCON	Cable Plug 7 pin MS3106R16-1P with cable clamp/Cable bushing MS3057-8A	Military	73.12	E	2
28	CON	MP	MS	MS3106F32-5P-CTAU	Circular screw-coupling cable-mounting plug with 2 x #0 solder-spill pin-contacts 100~150 Amp rated, serviceable to 900Vrms. Elastomeric insulation moulding - complete with reducing back-shell and MS3057-20A cable clamp.	Amphenol	287.99	E	0
29	CON	MP	MS	MS3106F28-6S-ALLIED	Cable plug 3 x #4 socket contacts to MS3106F28-22P with cable clamp back-shell and O-ring (optional 3420-16 Size 24/28 telescoping bushing)	ALLIED	435.58	E	0
30	CON	MP	MS	MS3106F28-22P-YEONHAB	Cable plug 3 x #4 + 3 x #16 pin contacts to MS3106F28-22P with cable clamp back-shell and O-ring (optional 3420-16 Size 24/28 telescoping bushing)	YEONHAB	376.70	E	4
31	CON	MP	MS	MS3106F24-22P-MSA	Circular screw-coupling plug-connector, 4 pole plug-contact complete with: 1 x sealing-gland assembly (20-4) 1 x back-shell assembly with integral	Military	233.95	E	0
32	CON	MP	MS	MS3106F24-22P-ALLIED	Cable plug 4 x #8 pin contacts to MS3106F24-22P with cable clamp back-shell and O-ring (optional 3420-16 Size 24/28 telescoping bushing)	ALLIED	249.33	E	0
33	CON	MP	MS	MS3106F22-6P(4PIN)	Cable Plug 4 pin MS3106F22-6P with cable clamp/Cable bushing MS3420-4	Military	69.38	E	8
34	CON	MP	MS	MS3106F22-2P-YEONHAB	Cable Plug 3 x #8 pins to MS3106F22-2P with cable clamp/Cable bushing MS3420-8 Size 16	Yeonhab	72.98	E	2
35	CON	MP	MS	MS3106F22-2P-MSA	Cable plug 3 x #8 socket-contacts to MS3106F22-2P with cable clamp MS3057-16A and optional 3420-16 Size 24/28 telescoping bushing	Military	144.94	E	2
36	CON	MP	MS	MS3106F22-2P(3PIN)	Cable Plug 3 x #8 pins to MS3106F22-2P with cable clamp/Cable bushing MS3420-8 Size 16	Yeonhab	77.96	E	2
37	CON	MP	MS	MS3106F22-22P-101E-ALLIED	Cable plug 4 x #8 pin contacts to MS3106F22-22P (GreenZn) with cable clamp back-shell and O-ring (optional 3420-16 Size 24/28 telescoping bushing)	ALLIED	157.83	E	0
38	CON	MP	MS	MS3106F20-8P-AMPH	Cable Plug 6 pin (2 x #8 + 4 x #12) MS3106F20-8P (boyonet-coupling) with cable clamp & cable bushing MS3057-12A	Allied-Amphenol	56.25	E	30
39	CON	MP	MS	MS3106F20-16P-YEONHAB	Cable plug 2 x #12 + 7 x #16 pin-contacts to MS3106F20-16P with cable clamp back-shell and O-ring (optional 3420-16 Size 24/28 telescoping bushing)	YEONHAB	256.92	E	0
40	CON	MP	MS	MS3106F20-16P(9PIN)	Cable Plug 2 x #12 + 7 x #16 pins to MS3106F20-16P with cable clamp/Cable bushing MS3420-8 Size 16	Yeonhab	87.30	E	10
41	CON	MP	MS	MS3106F18-9P(7PIN)	Cable Plug 7 pin MS3106F18-9P with cable clamp/Cable bushing MS3057-10A	Military	69.38	E	8
42	CON	MP	MS	MS3106F18-8S(8SKT)	Cable Plug 1 x #12 + 7 #16 socket contacts to MS3106F18-8S with cable clamp/Cable bushing MS3057-10A	Military	69.38	E	8
43	CON	MP	MS	MS3106F18-8P(8PIN)	Cable Plug 1 #12 + 7 #16 pin contacts to MS3106F18-8P with cable clamp/Cable bushing MS3057-10A	Military	69.38	E	8
44	CON	MP	MS	MS3106F18-1P(10PIN)	Cable Plug 10 pin MS3106F18-1P with cable clamp/Cable bushing MS3057-10A	Military	69.38	E	8
45	CON	MP	MS	MS3106F16S-1P-MILCON	Cable Plug 7 pin MS3106F16-1P with backshell but without cable clamp/Cable bushing MS3057-8A	MILCON	40.72	E	18
46	CON	MP	MS	MS3106F16-1P-MSA	Cable Plug 7 pin MS3106F16-1P with cable clamp/Cable bushing MS3057-8A	Military	73.12	E	3
47	CON	MP	MS	MS3106F14S-2P-YEONHAB	Cable plug 4 x #16 pin contacts to MS3106F14S-2P (Olive-Drab) with cable clamp back-shell and O-ring (optional 3420-? Size telescoping bushing)	Yeonhab	41.00	E	0
48	CON	MP	MS	MS3106F12-3S(2SKT)	Cable Socket 2 pole MS3106F12-3S with cable clamp/Cable bushing MS3420-4	Military	51.00	E	8
49	CON	MP	MS	MS3106F12-3P(4PIN)	Cable Plug 4 pin MS3106F12-3P with cable clamp/Cable bushing MS3420-4	Military	51.00	E	8
50	CON	MP	MS	MS3106E28-66S-16POLE	Cable-Receptical 14 #12 socket + 2 x #8 contacts REFURBISHED to style 28-66S with rear-thread etc.	Bendix etc.	187.50	E	0
51	CON	MP	MS	MS3106E24-22P-AMPH	Cable plug 4 x #8 socket-contacts to MS3106E24-22P with backshell with integrated cable clamp and optional 3420-16 Size 24/28 telescoping bushing	Military	170.43	E	3

Connectors : LOOK UP & ALPHA Listing

Report Name:- CONN_LS1.RSL (01/12/04) AWD

	PCode	P2I	P3I	TypeNo	Description	Brand	Price	Un	Avail
52	CON	MP	MS	MS3106E24-11P-AMPH	Cable plug 4 x #8 socket-contacts to MS3106E24-22P with backshell with integrated cable clamp and optional 3420-16 Size 24/28 telescoping bushing	Military	170.43	E	3
53	CON	MP	MS	MS3106E20-4P-MSA	Circular screw-coupling plug-connector, 4 pole plug-contact complete with: 1 x sealing-gland assembly (20-4) 1 x back-shell assembly with integral	Military	76.75	E	0
54	CON	MP	MS	MS3106E20-4P-CANNON	Circular screw-coupling plug-connector, 4 pole plug-contact complete with: 1 x sealing-gland assembly (20-4) 1 x back-shell assembly with integral	Cannon	80.63	E	14
55	CON	MP	MS	MS3106E18-10P-CANNON	Circular screw-coupling plug-connector, 4 pole plug-contact complete with: 1 x sealing-gland assembly (18-10) 1 x back-shell assembly with integral	Military	65.63	E	1
56	CON	MP	MS	MS3106E16S-1P-MILCON	Cable Plug 7 pin MS3106E16-1P with cable clamp/Cable bushing MS3057-8A	MILCON	87.40	E	0
57	CON	MP	MS	MS3106E14S-2S-AMPHENOL	Cable plug 4 x #16 socket-contacts to style/pettern 14S-2S with integrated backshell etc.	Amphenol	18.75	E	5
58	CON	MP	MS	MS3106E14-7P(3POLE)	Cable plug 3 x #16 pin-contacts REFURBISHED to style 14-7P with backshell etc.	Bendix etc.	16.88	E	20
59	CON	MP	MS	MS3106E10SL-3S(3POLE)-REF	Cable Plug REFURBISHED 3 x socket-contacts MS3106F10-3S with cable clamp/Cable bushing MS3420-4	Military	13.13	E	8
60	CON	MP	MS	MS3106E10SL-3S(3POLE)	Cable Plug 3 x socket-contacts MS3106F10-3S with cable clamp/Cable bushing MS3420-4	Military	13.13	E	8
61	CON	MP	MS	MS3106E10-3S(3POLE)	Cable Plug 3 x socket-contacts MS3106F10-3S with cable clamp/Cable bushing MS3420-4	Military	13.13	E	8
62	CON	MP	MS	MS3106B22-22P(4PIN)	Cable Plug 4 x #8 pin-contacts MS3106A22-22P with split backshell and cable clamp/Cable bushing AN3056-12 commercial/industrial - other cable entry va	JAE	76.88	E	17
63	CON	MP	MS	MS3106A32-5P-AMPH-RE	Circular screw-coupling cable-mounting plug with 2 x #0 solder-spill pin-contacts 100~150 Amp rated, serviceable to 900Vrms. Phenolic insulation moulding - complete with reducing back-shell and MS3057-20A cable clamp.	Amphenol	84.38	E	10
64	CON	MP	MS	MS3106A28-XP(XPIN)-REF	Cable Plug REFURBISHED in shell MS3106A28-XP with cable clamp/Cable MS3057-16A + optional bushing	Amphenol or Canon etc	28.13	E	9
65	CON	MP	MS	MS3106A24-2P(7PIN)	Cable Plug 7 #12 pins MS3106A24-2P with cable clamp/Cable MS3057-16A + optional bushing MS3420-16 for 24/28 shell sizes	Amphenol or Canon etc	84.38	E	9
66	CON	MP	MS	MS3106A24-11P-AMPH	Cable Plug 9 pole (3 x #8 + 6 x #12 pins) with standard back-shell - (optional MS3057-16A + bushing MS3420-16 for 24/28 shell sizes)	Amphenol or Canon etc	46.88	E	50
67	CON	MP	MS	MS3106A22-2P-MILCON	Cable plug 3 x #8 socket-contacts to MS3106A22-2P with END-BELL but without cable clamp MS3057-12A and optional MS3420-12 Size 12~8 telescoping bushing	MILCON	51.94	E	30
68	CON	MP	MS	MS3106A22-22S-JAE-REF	Cable Plug 4 x #8 socket-contacts MS3106A22-22S with split backshell and cable clamp/Cable bushing AN3056-12 commercial/industrial - other cable entry va	JAE	41.34	E	2
69	CON	MP	MS	MS3106A22-1P-AMPHENOL(AL	Cable plug 2 x #8 pin-contacts to MS3106A22-1P with complete coupling-nut (refurbished)	Amphenol	52.50	E	4