

# Miniature Steel Alligator Clip, 5 Amp

## Features

- Nickel Plated
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .190" (4.8mm)

NTE Type No.	Description
72-123	Miniature Steel Alligator Clip



# Miniature Solid Copper Alligator Clip, 5 Amp

## Features

- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .190" (4.8mm)

NTE Type No.	Description
72-125	Miniature Solid Copper Alligator Clip



# PVC Insulator

## Features

- Fits 72-123 & 72-125
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.220" (30.9mm)

NTE Type No.	Description
72-128-0	PVC Insulator for 72-123 & 72-125, Black
72-128-2	PVC Insulator for 72-123 & 72-125, Red
72-128-4	PVC Insulator for 72-123 & 72-125, Yellow
72-128-5	PVC Insulator for 72-123 & 72-125, Green
72-128-6	PVC Insulator for 72-123 & 72-125, Blue
72-128-9	PVC Insulator for 72-123 & 72-125, White




# 72-123 Series Kits

## Features

- 5 Amp Nickel Plated Miniature Alligator Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-123-KIT1	1 Pair of 72-123 Nickel Plated Mini Alligator Clips 1 Pair of 72-128-0 Black Insulators
72-123-KIT2	1 Pair of 72-123 Nickel Plated Mini Alligator Clips 1 Pair of 72-128-2 Red Insulators
72-123-KIT3	1 Pair of 72-123 Nickel Plated Mini Alligator Clips 1 Each of 72-128-0 (Black) and 72-128-2 (Red) Insulators



# 72-125 Series Kits

## Features

- 5 Amp Solid Copper Miniature Alligator Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-125-KIT1	1 Pair of 72-125 Solid Copper Mini Alligator Clips 1 Pair of 72-128-0 Black Insulators
72-125-KIT2	1 Pair of 72-125 Solid Copper Mini Alligator Clips 1 Pair of 72-128-2 Red Insulators
72-125-KIT3	1 Pair of 72-125 Solid Copper Mini Alligator Clips 1 Each of 72-128-0 (Black) and 72-128-2 (Red) Insulators



# Mini Steel Alligator Clip w/Barrel, 5 Amp

## Features

- Nickel Plated
- Crimp or Solder Connection Barrel Tail
- Overall Length: 1.250" (31.7mm)
- Jaw Opening: .190" (4.8mm)

NTE Type No.	Description
72-124	Miniature Steel Alligator Clip with Barrel



# PVC Insulator

## Features

- Fits 72-124 & 72-126
- Flexible PVC Composition
- Overall Length: 1.600" (42.9mm)

NTE Type No.	Description
72-127-0	PVC Insulator for 72-124 & 72-126 Series, Black
72-127-2	PVC Insulator for 72-124 & 72-126 Series, Red
72-127-4	PVC Insulator for 72-124 & 72-126 Series, Yellow
72-127-5	PVC Insulator for 72-124 & 72-126 Series, Green
72-127-6	PVC Insulator for 72-124 & 72-126 Series, Blue
72-127-9	PVC Insulator for 72-124 & 72-126 Series, White



# 72-124 Series Kits

## Features

- 5 Amp Steel Miniature Alligator Clip with Barrel
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-124-KIT	4 Pcs of 72-124 Mini Steel Alligator Clips w/Barrel 2 Each of 72-127-0 (Black) and 72-127-2 (Red) Insulators
72-124-KIT1	1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel 1 Pair of 72-127-0 Black Insulators
72-124-KIT2	1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel 1 Pair of 72-127-2 Red Insulators
72-124-KIT3	1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel 1 Each of 72-127-0 (Black) and 72-127-2 (Red) Insulators



# Mini Steel Alligator Clip w/Threaded Barrel, 5 Amp

## Features

- Nickel Plated
- 6-32 UNC Threaded Barrel Connection
- Overall Length: 1.500" (38.1mm)
- Jaw Opening: .190" (4.8mm)

NTE Type No.	Description
72-126	Miniature Steel Alligator Clip with Threaded Barrel



# Toothless Steel Alligator Clip, 5 Amp

## Features

- Smooth Micro Tipped Jaws
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .220" (5.58mm)

NTE Type No.	Description
72-129	Toothless Steel Alligator Clip




## 72-129 Series Kit

## Features

- 5 Amp Toothless Steel Alligator Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-129-KIT	2 Pair of 72-129 Toothless Steel Alligator Clips 2 Pieces of 72-131-0 Black Insulators 2 Pieces of 72-131-2 Red Insulators



# Toothless Solid Copper Alligator Clip, 5 Amp

## Features

- Smooth Micro Tipped Jaws
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .220" (5.58mm)

NTE Type No.	Description
72-130	Toothless Solid Copper Alligator Clip



## 72-130 Series Kit

## Features

- 5 Amp Toothless Solid Copper Alligator Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-130-KIT	2 Pair of 72-130 Toothless Solid Copper Alligator Clips 2 Pieces of 72-131-0 Black Insulators 2 Pieces of 72-131-2 Red Insulators



# PVC Insulator

## Features

- Fits 72-129 & 72-130
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.250" (31.7mm)

NTE Type No.	Description
72-131-0	PVC Insulator for 72-129 & 72-130, Black
72-131-2	PVC Insulator for 72-129 & 72-130, Red
72-131-4	PVC Insulator for 72-129 & 72-130, Yellow
72-131-5	PVC Insulator for 72-129 & 72-130, Green
72-131-6	PVC Insulator for 72-129 & 72-130, Blue
72-131-9	PVC Insulator for 72-129 & 72-130, White



# Steel Alligator Clip w/Barrel, 10 Amp

## Features

- Nickel Plated
- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-148	Steel Alligator Clip with Barrel



# Solid Copper Alligator Clip w/Barrel, 10 Amp

## Features

- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-149	Solid Copper Alligator Clip with Barrel



# 72-149 Series Kit

## Features

- 10 Amp Solid Copper Alligator Clip w/Barrel
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-149-KIT	2 Pair of 72-149 Solid Copper Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators



# Steel Alligator Clip w/Barrel & Screw, 10 Amp

## Features

- Nickel Plated
- Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-153	Steel Alligator Clip with Barrel & Screw



## 72-153 Series Kit

## Features

- 10 Amp Steel Alligator Clip w/Barrel & Screw
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-153-KIT	2 Pair of 72-153 Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators



# Solid Copper Alligator Clip w/Barrel & Screw, 10 Amp

## Features

- Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-151	Solid Copper Alligator Clip with Barrel & Screw



## 72-151 Series Kit

## Features

- 10 Amp Solid Copper Alligator Clip w/Barrel & Screw
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-151-KIT	2 Pair of 72-151 Solid Copper Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators



# Steel Alligator Clip w/Threaded Barrel, 10 Amp

## Features

- Nickel Plated
- 8-32 UNC Threaded Barrel Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-154	Steel Alligator Clip with Threaded Barrel



# 72-154 Series Kit

## Features

- 10 Amp Steel Alligator Clip w/Threaded Barrel
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-154-KIT	2 Pair of 72-154 Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators



# Stainless Steel Alligator Clip w/Barrel, 10 Amp

## Features

- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-156	Stainless Steel Alligator Clip with Barrel



# 72-156 Series Kit

## Features

- 10 Amp Stainless Steel Alligator Clip w/Barrel
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-156-KIT	2 Pair of 72-156 Stainless Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators



# Steel Alligator Clip w/U-Shaped Tail, 10 Amp

## Features

- Nickel Plated Clip
- Crimp/Solder Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-155	Steel Alligator Clip with U-Shaped Tail



# 72-155 Series Kit

## Features

- 10 Amp Steel Alligator Clip w/U-Shaped Tail
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-155-KIT	2 Pair of 72-155 Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators





# PVC Insulator

## Features

- Fits 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181
- Flexible PVC Composition
- Overall Length: 2.000" (50.8mm)

NTE Type No.	Description
72-157-0	PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Black
72-157-2	PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Red
72-157-4	PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Yellow
72-157-5	PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Green
72-157-6	PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Blue
72-157-9	PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, White



## 72-148 Series Kits

## Features

- 10 Amp Alligator Clip with Barrel
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-148-KIT1	1 Pair of 72-148 Steel Alligator Clips 1 Pair of 72-157-0 Black Insulators
72-148-KIT2	1 Pair of 72-148 Steel Alligator Clips 1 Pair of 72-157-2 Red Insulators
72-148-KIT3	1 Pair of 72-148 Steel Alligator Clips 1 Each of 72-157-0 (Black) and 72-157-2 (Red) Insulators




## Steel Alligator Clip w/Barrel, Screw & Handle, 10 Amp

## Features

- Nickel Plated Clip with Insulated Handle
- Banana Plug or Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-152-0	Steel Alligator Clip with Barrel, Screw and Black Insulated Handle
72-152-2	Steel Alligator Clip with Barrel, Screw and Red Insulated Handle
72-152-KIT	2 Each of 72-152-0 (Black) & 72-152-2 (Red)




# Solid Copper Alligator Clip w/Barrel, Screw & Handle, 10 Amp

## Features

- Solid Copper Clip with Insulated Handle
- Banana Plug or Screw Connection
- Overall Length: 2.344" (59.53mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-150-0	Solid Copper Alligator Clip with Barrel, Screw and Black Insulated Handle
72-150-2	Solid Copper Alligator Clip with Barrel, Screw and Red Insulated Handle
NEW 72-150-4	Solid Copper Alligator Clip with Barrel, Screw and Yellow Insulated Handle
NEW 72-150-5	Solid Copper Alligator Clip with Barrel, Screw and Green Insulated Handle
NEW 72-150-6	Solid Copper Alligator Clip with Barrel, Screw and Blue Insulated Handle
NEW 72-150-9	Solid Copper Alligator Clip with Barrel, Screw and White Insulated Handle
72-150-KIT	2 Each of 72-150-0 (Black) & 72-150-2 (Red)



# Steel Alligator Clip, Insulated, 10 Amp

## Features

- Nickel Plated Clip
- Includes Skin Tight Insulation
- Banana Plug or Screw Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-158-0	Steel Alligator Clip w/Skin Tight Insulation, Black
72-158-2	Steel Alligator Clip w/Skin Tight Insulation, Red
72-158-KIT	2 Each of 72-158-0 (Black) & 72-158-2 (Red)



# Steel Alligator Clip, 5 Amp

## Features

- Nickel Plated Clip
- Crimp/Solder Connection
- Overall Length: 1.690" (42.9mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-159	Steel Alligator Clip





# Solid Copper Alligator Clip, 10 Amp

## Features

- Crimp/Solder Connection
- Overall Length: 1.690" (42.9mm)
- Jaw Opening: .310" (7.87mm)

NTE Type No.	Description
72-160	Solid Copper Alligator Clip



# PVC Insulator

## Features

- Fits 72-159 & 72-160
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.800" (45.7mm)

NTE Type No.	Description
72-161-0	PVC Insulator for 72-159 & 72-160, Black
72-161-2	PVC Insulator for 72-159 & 72-160, Red
72-161-4	PVC Insulator for 72-159 & 72-160, Yellow
72-161-5	PVC Insulator for 72-159 & 72-160, Green
72-161-6	PVC Insulator for 72-159 & 72-160, Blue
72-161-9	PVC Insulator for 72-159 & 72-160, White



# 72-159 Series Kits

## Features

- 5 Amp Steel Alligator Clip
- Skin Tight Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-159-KIT1	1 Pair of 72-159 Steel Alligator Clips 1 Pair of 72-161-0 Black Insulators
72-159-KIT2	1 Pair of 72-159 Steel Alligator Clips 1 Pair of 72-161-2 Red Insulators
72-159-KIT3	1 Pair of 72-159 Steel Alligator Clips 1 Each of 72-161-0 (Black) and 72-161-2 (Red) Insulators



# 72-160 Series Kits

## Features

- 10 Amp Solid Copper Alligator Clip
- Skin Tight Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-160-KIT1	1 Pair of 72-160 Solid Copper Alligator Clips 1 Pair of 72-161-0 Black Insulators
72-160-KIT2	1 Pair of 72-160 Solid Copper Alligator Clips 1 Pair of 72-161-2 Red Insulators
72-160-KIT3	1 Pair of 72-160 Solid Copper Alligator Clips 1 Each of 72-161-0 (Black) and 72-161-2 (Red) Insulators




# Telecom Clip, Bed of Nails & Single Spike Combo

## Features

- Nickel-Silver Jaw Material
- Ideal for Telecom Applications
- Crimp or Solder Connection
- Overall Length: 2.600" (66.0mm)
- Jaw Opening: 1.000" (25.4mm)

NTE Type No.	Description
72-167	Insulator-Piercing Alligator Clip, Mitten Style, with Hardware
72-168	Insulator-Piercing Alligator Clip, Mitten Style



## 72-168 Series Kit

## Features

- Telecom Clip, Bed of Nails & Single Spike Combo
- Skin Tight Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-168-KIT	1 Pair of 72-168 Insulation-Piercing Alligator Clips 1 Each of 72-166-0 (Black) and 72-166-2 (Red) Insulators



## Mitten Style PVC Insulator

## Features

- Fits 72-167 & 72-168
- Flexible PVC Composition
- Overall Length: 2.600" (66.0mm)

NTE Type No.	Description
72-166-0	PVC Insulator for 72-167 & 72-168, Black
72-166-2	PVC Insulator for 72-167 & 72-168, Red
72-166-4	PVC Insulator for 72-167 & 72-168, Yellow
72-166-5	PVC Insulator for 72-167 & 72-168, Green
72-166-6	PVC Insulator for 72-167 & 72-168, Blue
72-166-9	PVC Insulator for 72-167 & 72-168, White




# Telecom Clip, Bed of Nails & Single Spike Combo

## Features

- Nickel-Silver Jaw Material
- Ideal for Telecom Applications
- Crimp or Solder Connection
- Overall Length: 2.600" (66.0mm)
- Jaw Opening: 1.000" (25.4mm)

NTE Type No.	Description
72-096	Insulator-Piercing Alligator Clip, Glove Style



# Glove Style Insulator for 72-096 Series

## Features

- Flexible TPE Composition
- Overall Length: 2.000" (50.8mm)

NTE Type No.	Description
72-099B	TPE Insulator for 72-096 Series Clip, Black
72-099R	TPE Insulator for 72-096 Series Clip, Red



# 72-096 Series Kit

## Features

- Telecom Clip, Bed of Nails & Single Spike Combo
- Skin Tight Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-096-KIT	1 Pair of 72-096 Insulation-Piercing Alligator Clips 1 Each of 72-099B (Black) and 72-099R (Red) Insulators



# Steel Alligator Clip, Fang Tooth w/Barrel

## Features

- Nickel Plated Clip
- Crimp/Solder or Banana Plug Connection
- Grips Both Fine and Thick Conductors
- Overall Length: 1.920" (48.7mm)
- Jaw Opening: .390" (9.9mm)

NTE Type No.	Description
72-098	Steel Alligator Clip, Fang Tooth with Barrel



# Phone Tip Steel Alligator Clip, 10 Amp

## Features

- Nickel Plated Clip
- Accepts Standard Phone Tip or Test Probe Tip
- Overall Length: 1.970" (50mm)
- Jaw Opening: .310" (7.9mm)

NTE Type No.	Description
72-181	Phone Tip Steel Alligator Clip



# Steel Alligator Clip w/Insulated Handle, 10 Amp

## Features

- Nickel Plated Clip
- Tenite Acetate Insulated Handle
- Overall Length: 2.234" (56.75mm)
- Jaw Opening: .310" (7.87mm)



NTE Type No.	Description
72-185-0	Steel Alligator Clip with Black Insulated Handle
72-185-2	Steel Alligator Clip with Red Insulated Handle

NEW  
NEW

# Steel Alligator Clip w/Screw, 5 Amp

## Features

- Nickel Plated Clip
- 6-40 Screw or Crimp Connection
- Overall Length: 1.690" (42.86mm)
- Jaw Opening: .310" (7.9mm)



NTE Type No.	Description
72-186	Steel Alligator Clip with Screw

NEW

# Solid Copper Alligator Clip w/Screw, 10 Amp

## Features

- 6-40 Screw or Crimp Connection
- Overall Length: 1.690" (42.86mm)
- Jaw Opening: .310" (7.9mm)



NTE Type No.	Description
72-187	Solid Copper Alligator Clip with Screw

NEW

# Solid Copper Alligator Clip w/Screw & Insulator, 10 Amp

## Features

- Includes a Skin-Tight, Two Piece, Flexible PVC Insulator
- Compatible with All Shrouded, Unshrouded, or Retractable 4mm Banana Plugs
- 6-40 Screw or Crimp Connection
- Overall Length: 1.970" (50mm)
- Jaw Opening: .310" (7.9mm)

NTE Type No.	Description
72-188-0	Solid Copper Alligator Clip w/Screw and Black Insulator
72-188-2	Solid Copper Alligator Clip w/Screw and Red Insulator
72-188-4	Solid Copper Alligator Clip w/Screw and Yellow Insulator
72-188-5	Solid Copper Alligator Clip w/Screw and Green Insulator
72-188-6	Solid Copper Alligator Clip w/Screw and Blue Insulator
72-188-9	Solid Copper Alligator Clip w/Screw and White Insulator



NEW  
NEW  
NEW  
NEW  
NEW  
NEW