

# **APPLICATION TOOLING**

CRIMP TOOLS	PAGE
General Purpose Combination Crimper/Cutter/Stripper	162
Terminal Crimp Tools	163
Copper Lug/Link Crimp Tools	163
Hydraulic Crimp Tools	165
Bootlace Crimp Tools	166
#TY – #TR Series (Telecom Sleeve) Crimp Tools	166
Crimping Dies	167
Mechanical Connector Tools	169
CABLE CUTTERS, STRIPPERS & KNIVES	PAGE
Conduit Cutters	170
Cable Cutters	170
Ratchet Cable Cutters	171
Bolt Cutters	172
Side Cutters	172
Cable Strippers	172
Knives	173
TRADESMAN'S TOOLS	PAGE
Cable Tie Tensioning Tool	174
Screwdriver Sets	174
Band Strap Tool	174
File	174
Adjustable Wrenches	175
Pliers	175
Soldering Irons	176
Hacksaw	176
Hammer	176
Caulking Gun	177
Chalk Line	177
Measuring Tape	177
Measuring Wheel	177
Allen Keys	177
Storage Box	178
1000V INSULATED TOOLS	PAGE
Screwdrivers	178
Pliers	179
Cable Strippers	180
Cable Cutters	180
Spanners	181
Connector holding Tool	182
Reversible Ratchet	182
Extension Bars	182
Sockets	183
Allen Key T-Bar	183
Knives	184
IZHINE2	104







# GENERAL PURPOSE COMBINATION CRIMPER/ CUTTER/STRIPPER



### GENERAL PURPOSE COMBINATION CRIMPER/CUTTER/STRIPPER

A range of high quality, but economically priced hand crimp tools ideal for the occasional professional user or serious hobbyist. These easy to use precision engineered tools produce a first class job and offer the user great value for money.

Non-ratchet pliers for pre-insulated and un-insulated terminals. Includes wire cutting and stripping positions.  RANGE	T NO. DESCRIPTION	
#76B CRIMP TYPEPRE-INSULATED - OVAL UN-INSULATED - INDENT LENGTH203mm		des wire
CRIMP TYPEPRE-INSULATED - OVAL UN-INSULATED - INDENT LENGTH203mm		
	CRIMP TYPEPRE-INSULATED - OVAL UN-INSULATED - INDI	ENT
WEIGHT250g	LENGTH203mm	
	WEIGHT250g	

AT NO. DESCRIPTION
Non-ratchet pliers for open barrel, roll-in crimp type terminals such as H1972. Features a built in wire stripper and cutter.  RANGE

CAT NO.	DESCRIPTION
	Non-ratchet pliers for micro and flag QC open barrel terminals. Features a built wire stripper and cutter.
#147A	CRIMP TYPEROLL-IN FOR OPEN BARREL TERMINALS
	LENGTH210mm
	WEIGHT230g







### **TERMINAL CRIMP TOOLS**

CAT NO.	DESCRIPTION	
	Ratchet type tool for pre-insulated and supergrip terminals. The ratche complete crimp every time. A must have tool for every tradesman.	t ensures a
"400	RANGERed, Blue and Yellow pre-insulated (0.5 – 5.5mm²)	
#102	CRIMP TYPEOval on conductor/Diamond on insulation	
	LENGTH230mm	9.8
	WEIGHT550g	

CAT NO.	DESCRIPTION	
	Low cost brass terminal crimper. The crimp achieved is a roll crimp, which the insulation and crimps the wire. Not suitable for flag terminals.	supports
#102B	RANGE0.75 - 6mm²	
	LENGTH230mm	90
	WEIGHT500g	

CAT NO.	DESCRIPTION	
	Ratchet type tool for un-insulated terminals The ratchet ensures a complete every time. A must have tool for every tradesman.	e crimp
<b>"400!!</b>	RANGE0.5mm² - 10mm²	
#102U	CRIMP TYPEINDENT	
	LENGTH230mm	
	WEIGHT550g	

## **COPPER LUG & LINK CRIMP TOOLS**

CAT NO.	DESCRIPTION
	General purpose pliers for un-insulated Copper lugs and links. Simple and robust A must for every tradesman.
<b>"00</b>	RANGE0.5mm² - 10mm²
#00	CRIMP TYPEINDENT
	LENGTH254mm
	WEIGHT450g

Ergonomically designed ratchet type tool for un-insulated Copper lugs and links.  The ratchet ensures a complete crimp every time.  RANGE	CAT NO.	DESCRIPTION	
#103 CRIMP TYPEINDENT	The ratchet ensu	ures a complete crimp every time.	and links.
LENGTH230mm	#103		
	LENGTH	230mm	0





# TERMINAL CRIMP TOOLS & COPPER LUG/LINK TOOLS



CAT NO.	DESCRIPTION
	General purpose pliers for un-insulated Copper lugs and links. Simple and robust. A must for every tradesman.
	RANGE0.5mm² - 10mm²
#00	CRIMP TYPEINDENT
	LENGTH254mm
	WEIGHT450g

Ergonomically designed ratchet type tool for un-insulated Copper lugs and lin The ratchet ensures a complete crimp every time. RANGE	d links.
CRIMP TYPEINDENT	
LENGTH230mm	
WEIGHT550g	المرمور

CAT NO.	DESCRIPTION	
#16B	Ratchet type tool for un-insulated Copper lugs (CG series). The long h less crimping effort. RANGE	andles require
" 102	CRIMP TYPEINDENT  LENGTH250mm	6.0
	WEIGHT700g	The state of the s

CAT NO.	DESCRIPTION
	Ratchet type tool for un-insulated Copper lugs (CG series). The long handles requir less crimping effort.
#10	RANGE5 - 16mm²
#18	CRIMP TYPEINDENT
	LENGTH330mm
	WEIGHT700g

CAT NO.	DESCRIPTION	
	Ratchet type tool for un-insulated Copper lugs and links.	arrest
	RANGE6 - 25mm <sup>2</sup>	
#24	CRIMP TYPEINDENT	
	LENGTH285mm	
	WEIGHT550g	
		(~~)





# COPPER LUG & LINK CRIMP TOOLS & HYDRAULIC CRIMP TOOLS



CAT NO.	DESCRIPTION	
	Hand operated, mechanical lever tool for Copper lugs and links.  Features built in, selectable crimp die set for a range of lug and link sizes.	
#21	RANGE6mm² – 50mm² CRIMP TYPEHEXAGONAL	
	LENGTH410mm	
	WEIGHT1.4kg	

CAT NO.	DESCRIPTION	
	Hand operated, mechanical lever tool for Copper lugs and links. Features built-in selectable crimp die set for a range of lug and link sizes.	
<b>#80</b>	RANGE6mm² - 120mm²	
#22	CRIMP TYPEHEXAGONAL	
	LENGTH670mm	
	WEIGHT3.9kg	

CAT NO.	DESCRIPTION
	Mechanical crimper for Copper lugs and links. Dial adjustable crimp depth with cable size indicator.
<b>#86</b>	RANGE10mm² – 95mm²
#20	CRIMP TYPEINDENT DEPTH ADJUSTABLE
	LENGTH410mm
	WEIGHT3.05kg

## **HYDRAULIC CRIMP TOOLS**

CAT NO.	DESCRIPTION
LAHM-12C	Comes complete with two batteries, charger and handy carry case.  JAW SIZE25mm  Accepts standard 12T shell dies

CAT NO.	DESCRIPTION
LAHB-12	Comes complete with two batteries, charger and handy carry case.  JAW SIZE25mm  Accepts standard 12T shell dies







#### **BOOTLACE CRIMP TOOLS**

CAT NO.	DESCRIPTION	at a
	Non-ratchet pliers for Bootlace ferrules. Simple and robust.  RANGE	@yru
#113	CRIMP TYPEINDENT	
	LENGTH145mm WEIGHT200a	
	VVCIGH12009	

CAT NO. DESCRIPTION
Bootlace Crimper – Low cost tool with a huge crimp range, for bootlace ferrules Ratchet control for crimp consistency, the ratchet is adjustable to compensate for tool wear.  #112  RANGE

CAT NO.	DESCRIPTION
#114	Ergonomically designed ratchet type tool for Bootlace ferrules. The ratchet ensures a complete crimp every time.  RANGE

C10 0.75 – 10mm²	CAT NO.	DESCRIPTION	
C10 0.75 – 10mm²		crimps a range of terminal sizes. Insert the wire and ferrule, the tool self adjusts	
2018	SABC6	0.25 – 6mm²	0
C16 4 – 16mm²	SABC10	0.75 – 10mm²	NG -
	SABC16	4 – 16mm²	

#### UTILUX MS-TELECOM SLEEVE CRIMP TOOL

Available in various crimp groove size combinations. The complete range is adjustable and robust. All models are supplied complete with adjusting key and "Go, No Go" gauge to ensure a perfect crimp every time.

• Designed for use with Utilux MS - Telecom sleeves

CAT NO.	CRIMP GROOVE SIZES mm	
#TY635794	6.25 & 7.94	
#TR794952	7.94 & 9.52	300
#TR9521270	9.52 & 12.70	







# **CRIMPING DIES**

Utilux crimping dies for Aluminium and Copper connectors are precision engineered from EN26 high tensile steel, oil hardened to 50-52 Rockwell C, ensuring long life and minimal die wear. Each hexagon die set is engraved with 'Utilux' on one of the die faces, and

the die part number on the other, leaving an indent on the crimp for easy inspection and verification. The selection of the die type required depends on the connector to be crimped, and the tool to be used. Special size dies made to order.

#### **DIE HOLDERS**

- · Available on request
- Special die holders are available that allow the use of '38' series dies in the #408 tool.

#### THE RANGE OF DIES INCLUDES

- Hexagonal die sets for precision crimping of Copper and Aluminium connectors
- Nest and indent die sets for special Aluminium applications
- Special 'steel' dies for crimping steel sleeves





## **12 TONNE DIES**

#### HEXAGONAL CRIMP DIES - COPPER

CAT NO.	COPPER CONDUCTOR SIZE (mm²)	COPPER DIE A/F (mm)
1#38-44CU	6	4.4
1#38-57CU	10	5.7
1#38-63CU	16	6.3
1#38-70CU	20	7.0
1#38-77CU	25	7.7
1#38-92CU	35	9.2
1#38-104CU	50	10.4
1#38-115CU	70	11.5
1#38-142CU	95	14.2
1#38-165CU	120	16.5
1#38-183CU	150	18.3
1#38-200CU	185	20.0
1#38-231CU	240	23.1
1#38-260CU	300	26.0





#### HEXAGONAL CRIMP DIES - ALUMINIUM

CAT NO.	ALUMINIUM CONDUCTOR SIZE mm²	ALUMINIUM DIE A/F mm
1#38-90AL	6-35	9.0
1#38-132AL	50-70	13.2
1#38-173AL	95-120	17.3
1#38-220AL	150-185	21.0
1#38-284AL	240-300	28.4











#### HEXAGONAL CRIMP DIES - ALUMINIUM OVERHEAD LINKS

CAT NO.	TO CRIMP LINK #	ALUMINIUM DIE A/F mm
HT-A2	2	9.6
HT-A3	3	12.40
HT-A4	4	13.75
HT-A5	5	17.90
HT-A6	6	22.00
HT-A7	7	25.40
HT-A8	8	28.20
HT-A9	9	32.20
HT-TRIDIE	TRIDIE	32.20



## HEXAGONAL CRIMP DIES - HALF HEX (FOR FLEXIBLE CABLES)

CAT NO.	HEX DIE	FLAT DIE	CONDUCTOR SIZE mm²
1#38-98HHEX17	1#38-98CU	1#38-FLAT17	16
1#38-122HHEX17	1#38-122CU	1#38-FLAT17	25
1#38-130HHEX17	1#38-130CU	1#38-FLAT17	35
1#38-153HHEX17	1#38-153CU	1#38-FLAT17	50
1#38-183HHEX14	1#38-183CU	1#38-FLAT14	70
1#38-220HHEX14	1#38-220CU	1#38-FLAT14	95
1#38-245HHEX14	1#38-245CU	1#38-FLAT14	120



Note: Flat dies are available individually. For anything larger than 120mm<sup>2</sup> please contact customer services.

#### CRIMP DIES - 'C' CONNECTORS

CAT NO.	CABLE RANGE mm²
ZT20DIE	14-20
ZT26DIE	21–26
ZT44DIE	27-44
ZT60DIE	45-60
ZT76DIE	61-76
ZT98DIE	77-98
ZT122DIE	99-122
ZT154DIE	123-154
ZT190DIE	155-190
ZT240DIE	191-240
ZT288DIE	241-288
ZT365DIE	289-365









# **60 TONNE DIES**

#### HEXAGONAL CRIMP DIES - COPPER & ALUMINIUM

CAT NO.	CONDUCTOR	SIZE mm²	ALUMINIUM DIE A/F mm
1#40-130CU		70	13.0
1#40-142CU		95	14.2
1#40-165CU		120	16.5
1#40-185CU		150	18.5
1#40-200CU		185	20.0
1#40-231CU	- COPPER -	240	23.1
1#40-260CU	- CUPPER -	300	26.0
1#40-281CU		400	28.1
1#40-310CU		500	31.0
1#40-370CU		630	37.0
1#40-432CU		800	43.2
1#40-480CU		1000	48.0
1#40-172AL		95, 120	17.2
1#40-220AL		150, 185	22.0
1#40-283AL	ALUMINIUM	240, 300	28.3
1#40-390AL		400, 500	39.0
1#40-432AL		630	43.2



#### **CORDLESS IMPACT WRENCH**

#### **FEATURES**

- Fan-cooled rare-earth magnet motor
- · Convenient belt hook with integrated LED work light
- Externally accessible carbon brush and replaceable armature
- Stable compartmented carry case

#### **INCLUDES**

- 1 Battery charger
- 2 Ni-MH battery 12V/2,6 Ah
- 1 Carry case
- 1 Installation instruction
- 1/2" hexagon socket sizes metric 10, 13, 17, 19, 22, 27
- 1 Adaptor to 1/4" hexagon drive
- 2 hex head wrenches (Allen keys) metric 5, 6

#### **FEATURES**

- Simplified, safer and faster installation
- No additional device needed
- 1700g (~3.8 lbs) light, ergonomic and practical design

- Can be used for shear-head bolts up to 100Nm
- Powerful battery sufficient for approximately. 20 four-bolted mechanical connectors per battery charging cycle
- Everything included for all standard mechanical connectors and lugs



CAT NO.	DESCRIPTION
IT-1000-023	CORDLESS IMPACT WRENCH FOR THE INSTALLATION OF MECHANICAL
11-1000-023	CONNECTORS AND LUGS USING SHEAR-HEAD BOLTS





# UNIVERSAL HOLDING TOOL FOR MECHANICAL CONNECTORS & CUTTERS



#### UNIVERSAL HOLDING TOOLS FOR MECHANICAL CONNECTORS

- TransNet offers both an insulated and unsolicited holding tool for Mechanical Connectors. Both can be used for most connector
- Large easy grip handle
- Recommended for use on most sizes of connector to eliminate possible core 'cranking'
- IT-10000-019 has a large jaw opening to accommodate for a wide range of mechanical connectors
- 233 is 1000V rated



CAT NO.	DESCRIPTION
IT-10000-019	UNIVERSAL HOLDING TOOL FOR MECHANICAL CONNECTORS
223	RITELITE INSULATED MECHANICAL CONNECTOR HOLDER 1000V

#### **CONDUIT CUTTERS**

CAT NO.	DESCRIPTION
	High quality conduit cutter for cutting PVC conduit and duct. This tool is supplied with a flat bed attachment for cutting duct.
CC32	RANGEUp – 32mm OD.
	LENGTH195mm
	WEIGHT320g

CAT NO.	DESCRIPTION	
	High quality conduit cutter, for cutting PVC conduit and duct. Features a steel cutting blade.	tainless
CC42	RANGEUp – 42mm OD.	0
	LENGTH215mm	
	WEIGHT360g	

#### **CABLE CUTTERS**

Small single hand operated parrot beak style cutter, ideal for general applications Precision blades make this tool ideal for cutting flexible Copper cables.  #110 RANGE6 - 70mm <sup>2</sup> LENGTH240mm
,,,,,
LENGTH 240mm
LEIVOTI IIIIIIIIIIII LAOTIIII
WEIGHT460g








CAT NO. DESCRIPTION
Parrot beak style cable cutter for Copper and Aluminium conductors.  #144  RANGEUp – 125mm² LENGTH300mm WEIGHT700g

CAT NO.	DESCRIPTION	
	Parrot beak style cable cutter for Copper and Aluminium conductors.  Replacement blades available. Not for use with steel core conductors.	
#140	RANGEUp - 240mm²	
	LENGTH610mm	9,00
	WEIGHT1.8kg	001-0

LENGTH805mm	CAT NO.	DESCRIPTION	
LENGTH805mm			
	#141	RANGEUp - 500mm <sup>2</sup>	
WEIGHT2.8kg		LENGTH805mm	
5		WEIGHT2.8kg	

#### **RATCHET CABLE CUTTERS**

CAT NO.	DESCRIPTION	
OHC185	Open head ratchet cutter for single core cable up to 185mm <sup>2</sup> . Suitable for one handed operation. German made precision with an almost wear free ratchet movement.  LENGTH330mm Long WEIGHT31kg	P
		1000



CAT NO.	DESCRIPTION
#166	Ratchet cable cutter suitable for ACSR up to 16mm OD. A robust ratchet cutter that's easy to use.  LENGTH465mm  WEIGHT1.55kg







#### **BOLT CUTTERS**

CAT NO.	DESCRIPTION
BOLTCUT	Heavy Duty Bolt Cutter, designed for ease of use.
	LENGTH600mm

#### **SIDE CUTTERS**



CAT NO.	DESCRIPTION	
SC-6HD	Heavy duty side cutting pliers, high carbon steel. 72° cutting edge angle and Titanium coated joints.	
	· · · · · · · · · · · · · · · · · · ·	
SC-8HD	LENGTH150mm Long (SC-6HD)	
	200mm Long (SC-8HD)	

#### **CABLE STRIPPERS**

Safe and easy to use, this innovative range of tools is the ideal solution to a variety of cable stripping applications.

CAT NO.	DESCRIPTION	
	Economical cable stripper.	Willes
#161	RANGE8-25mm OD.	CANADAN.
#101	LENGTH135mm	
	WEIGHT100g	

CAT NO.	DESCRIPTION	
#162	Economical cable stripper. RANGE28-35mm OD. LENGTH155mm WEIGHT100g	William Committee of the Committee of th

CAT NO.	DESCRIPTION	
#163	Rotary action cable stripper. Economical with straight blade.  RANGE8-28mm OD.  LENGTH187mm  WEIGHT100g	S JANIMIN S

CAT NO.	DESCRIPTION	107110
	Coaxial and single conductor wire stripper	
#106	LENGTH125mm	
	WEIGHT100g	
	7.2.3 7	



