





Summary

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A11-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with aluminium tube
A111	B201	C201	B1	2YC(mS)CY 0.5/3.0	Male InLine 1.6/5.6 <i>SCRIP ON</i> 
A112	B202	C201	B1	2YCY 0.7/4.4	
A112	B202	C201	B1	RG59	
A113	B203	C202	B2	2YCCY 0.7/4.4	
A114	B204	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A115	B205	C204	B4	2YCCY 0.4/2.5	
A116	B206	C37	B5	2YCY 0.4/2.5	
A116	B206	C37	B5	Belden 8218	
A120	B207	C201	B1	ASC-R150	
A121	B211	C204	B4	BPO 2001	
A122	B211	C207	B1	BPO 2002	
A123	B212	C208	B2	BPO 2003	
A124	B209	C211	B5	6YCC(st)6Y 0.4/1.6	
A125	B211	C211	B5	TCNZ Single	
A126	B211	C212	B4	TCNZ Double	
A127	B206	C211	B5	LME 1301-TZC	
A221	B201	C201	B1	2YC(mS)CY 0.5/3.0	Female InLine 1.6/5.6 
A222	B202	C201	B1	2YCY 0.7/4.4	
A222	B202	C201	B1	RG59	
A223	B203	C202	B2	2YCCY 0.7/4.4	
A224	B204	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A225	B205	C204	B4	2YCCY 0.4/2.5	
A226	B206	C37	B5	2YCY 0.4/2.5	
A226	B206	C37	B5	Belden 8218	
A230	B207	C201	B1	ASC-R150	
A231	B211	C204	B4	BPO 2001	
A232	B211	C207	B1	BPO 2002	
A233	B212	C208	B2	BPO 2003	
A234	B209	C211	B5	6YCC(st)6Y 0.4/1.6	
A235	B211	C211	B5	TCNZ Single	
A236	B211	C212	B4	TCNZ Double	
A237	B206	C211	B5	LME 1301-TZC	

Refer - A41 - Series

Refer - A41 - Series



Summary

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A11-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with aluminium tube
A511	B201	C201	B1	2YC(ms)CY 0.5/3.0	Male InLine 1.6/5.6 <i>Snap on</i> 
A512	B202	C201	B1	2YCY 0.7/4.4	
A512	B202	C201	B1	RG59	
A513	B203	C202	B2	2YCCY 0.7/4.4	
A514	B204	C203	B3	2YC2Y(ms)CY 0.7/4.4	
A515	B205	C204	B4	2YCCY 0.4/2.5	
A516	B206	C37	B5	2YCY 0.4/2.5	
A516	B206	C37	B5	Belden 8218	
A520	B207	C201	B1	ASC-R150	
A521	B211	C204	B4	BPO 2001	
A522	B211	C207	B1	BPO 2002	
A523	B212	C208	B2	BPO 2003	
A524	B209	C211	B5	6YCC(st)6Y 0.4/1.6	
A525	B211	C211	B5	TCNZ Single	
A526	B211	C212	B4	TCNZ Double	
A527	B206	C211	B5	LME 1301-TZC	
A611	C221	C201	B1	2YC(ms)CY 0.5/3.0	Half Angled Male 1.6/5.6 <i>Snap on</i> 
A612	C222	C201	B1	2YCY 0.7/4.4	
A612	C222	C201	B1	RG59	
A613	C223	C202	B2	2YCCY 0.7/4.4	
A614	C224	C203	B3	2YC2Y(ms)CY 0.7/4.4	
A615	C225	C204	B4	2YCCY 0.4/2.5	
A616	C226	C37	B5	2YCY 0.4/2.5	
A616	C226	C37	B5	Belden 8218	
A620	C227	C201	B1	ASC-R150	
A621	C231	C204	B4	BPO 2001	
A622	C231	C207	B1	BPO 2002	
A623	C232	C208	B2	BPO 2003	
A624	C229	C211	B5	6YCC(st)6Y 0.4/1.6	
A625	C231	C211	B5	TCNZ Single	
A626	C231	C212	B4	TCNZ Double	
A627	C226	C211	B5	LME 1301-TZC	

Refer - A41 Series

Refer - A41 Series







Summary

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A11-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with aluminium tube
A851	C221	C201	B1	2YC(mS)CY 0.5/3.0	Half Angled Male 1.6/5.6 <i>push on</i> 
A852	C222	C201	B1	2YCY 0.7/4.4	
A852	C222	C201	B1	RG59	
A853	C223	C202	B2	2YCCY 0.7/4.4	
A854	C224	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A855	C225	C204	B4	2YCCY 0.4/2.5	
A856	C226	C37	B5	2YCY 0.4/2.5	
A856	C226	C37	B5	Belden 8218	
A860	C227	C201	B1	ASC-R150	
A861	C231	C204	B4	BPO 2001	
A862	C231	C207	B1	BPO 2002	
A863	C232	C208	B2	BPO 2003	
A864	C229	C211	B5	6YCC(st)6Y 0.4/1.6	
A865	C231	C211	B5	TCNZ Single	
A866	C231	C212	B4	TCNZ Double	
A867	C226	C211	B5	LME 1301-TZC	
A921	C221	C201	B1	2YC(mS)CY 0.5/3.0	Half Angled Female 1.6/5.6 
A922	C222	C201	B1	2YCY 0.7/4.4	
A922	C222	C201	B1	RG59	
A923	C223	C202	B2	2YCCY 0.7/4.4	
A924	C224	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A925	C225	C204	B4	2YCCY 0.4/2.5	
A926	C226	C37	B5	2YCY 0.4/2.5	
A926	C226	C37	B5	Belden 8218	
A930	C227	C201	B1	ASC-R150	
A931	C231	C204	B4	BPO 2001	
A932	C231	C207	B1	BPO 2002	
A933	C232	C208	B2	BPO 2003	
A934	C229	C211	B5	6YCC(st)6Y 0.4/1.6	
A935	C231	C211	B5	TCNZ Single	
A936	C231	C212	B4	TCNZ Double	
A937	C206	C211	B5	LME 1301-TZC	



Refer - A41 - series

Refer - A41 - series



Summary

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A11-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with Alum: Crimp Tubes
A6	C1	C201	B1	2YC(mS)CY 0.5/3.0	Male Angled 1.6/5.6 <i>Refer - A41-Series</i> 
A7	C2	C201	B1	2YCY 0.7/4.4	
A7	C2	C201	B1	RG59	
A8	C3	C202	B2	2YCCY 0.7/4.4	
A9	C4	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A10	C5	C204	B4	2YCCY 0.4/2.5	
A37	C6	C37	B5	2YCY 0.4/2.5	
A37	C6	C37	B5	Belden 8218	
A39	A-C42334-A21-C1	C201	B1	ASC-R150	
A41	C6	C211	B5	LME 1301-TZC	
A45	C10	C211	B5	TCNZ Single	Female Angled 1.6/5.6 <i>Refer - A41-Series</i> 
A47	C10	C212	B4	TCNZ Double	
A31	C1	C201	B1	2YC(mS)CY 0.5/3.0	
A32	C2	C201	B1	2YCY 0.7/4.4	
A32	C2	C201	B1	RG59	
A33	C3	C202	B2	2YCCY 0.7/4.4	
A34	C4	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A35	C5	C204	B4	2YCCY 0.4/2.5	
A38	C6	C37	B5	2YCY 0.4/2.5	
A38	C6	C37	B5	Belden 8218	
A40	A-C42334-A21-C1	C201	B1	ASC-R150	Male Angled 1.6/5.6 <i>Refer - A41-Series</i> 
A42	C6	C211	B5	LME 1301-TZC	
A46	C10	C211	B5	TCNZ Single	
A48	C10	C212	B4	TCNZ Double	
A-C42334-A21-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with Brass Crimp Tubes
A6	C1	C6	B1	2YC(mS)CY 0.5/3.0	Male Angled 1.6/5.6 <i>Refer - A41-Series</i> 
A7	C2	C6	B1	2YCY 0.7/4.4	
A7	C2	C6	B1	RG59	
A8	C3	C7	B2	2YCCY 0.7/4.4	
A9	C4	C8	B3	2YC2Y(mS)CY 0.7/4.4	
A10	C5	C14	B4	2YCCY 0.4/2.5	
A37	C6	C17	B5	2YCY 0.4/2.5	
A37	C6	C17	B5	Belden 8218	
A39	A-C42334-A21-C1	C6	B1	ASC-R150	
A41	C6	A-C42334-A20-C7	B5	LME 1301-TZC	Female Angled 1.6/5.6 <i>Refer - A41-Series</i> 
A43	C9	C39	B6	RG179	
A46	C10	A-C42334-A20-C7	B5	TCNZ Single	
A47	C10	A-C42334-A20-C8	B4	TCNZ Double	
A31	C1	C6	B1	2YC(mS)CY 0.5/3.0	
A32	C2	C6	B1	2YCY 0.7/4.4	
A32	C2	C6	B1	RG59	
A33	C3	C7	B2	2YCCY 0.7/4.4	
A34	C4	C8	B3	2YC2Y(mS)CY 0.7/4.4	
A35	C5	C14	B4	2YCCY 0.4/2.5	
A38	C6	C17	B5	2YCY 0.4/2.5	Male Angled 1.6/5.6 <i>Refer - A41-Series</i> 
A38	C6	C17	B5	Belden 8218	
A40	A-C42334-A21-C1	C6	B1	ASC-R150	
A42	C6	A-C42334-A20-C7	B5	LME 1301-TZC	
A44	C9	C39	B6	RG179	
A46	C10	A-C42334-A20-C7	B5	TCNZ Single	
A48	C10	A-C42334-A20-C8	B4	TCNZ Double	

Summary

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A21-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with Brass Tube
A111	B201	C6	B1	2YC(mS)CY 0.5/3.0	InLine Male 1.6/5.6 <i>SCREW ON</i> 
A112	B202	C6	B1	2YCY 0.7/4.4	
A112	B202	C6	B1	RG59	
A113	B203	C7	B2	2YCCY 0.7/4.4	
A114	B204	C8	B3	2YC2Y(mS)CY 0.7/4.4	
A115	B205	C14	B4	2YCCY 0.4/2.5	
A116	B206	C17	B5	2YCY 0.4/2.5	
A116	B206	C17	B5	Belden 8218	
A118	B209	C39	B6	RG179	
A120	B207	C6	B1	ASC-R150	
A121	B211	C14	B4	BPO 2001	
A122	B211	C40	B1	BPO 2002	
A123	B212	C41	B2	BPO 2003	
A124	B209	A-C42334-A20-C7	B5	6YCC(st)6Y 0.4/1.6	
A126	B211	A-C42334-A20-C7	B5	TCNZ Single	
A126	B211	A-C42334-A20-C8	B4	TCNZ Double	<i>Refer - A41 - series</i> InLine Female 1.6/5.6 
A127	B206	A-C42334-A20-C7	B5	LME 1301-TZC	
A221	B201	C6	B1	2YC(mS)CY 0.5/3.0	
A222	B202	C6	B1	2YCY 0.7/4.4	
A222	B202	C6	B1	RG59	
A223	B203	C7	B2	2YCCY 0.7/4.4	
A224	B204	C8	B3	2YC2Y(mS)CY 0.7/4.4	
A225	B205	C14	B4	2YCCY 0.4/2.5	
A226	B206	C17	B5	2YCY 0.4/2.5	
A226	B206	C17	B5	Belden 8218	
A228	B209	C39	B6	RG179	
A230	B207	C6	B1	ASC-R150	
A231	B211	C14	B4	BPO 2001	
A232	B211	C40	B1	BPO 2002	
A233	B212	C41	B2	BPO 2003	
A234	B209	A-C42334-A20-C7	B5	6YCC(st)6Y 0.4/1.6	
A235	B211	A-C42334-A20-C7	B5	TCNZ Single	<i>Refer - A41 - series</i>
A236	B211	A-C42334-A20-C8	B4	TCNZ Double	
A237	B206	A-C42334-A20-C7	B5	LME 1301-TZC	

Summary


Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A21-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		with Brass Tube
A511	B201	C6	B1	2YC(mS)CY 0.5/3.0	Male InLine Snap On 1.6/5.6 
A512	B202	C6	B1	2YCY 0.7/4.4	
A512	B202	C6	B1	RG59	
A513	B203	C7	B2	2YCCY 0.7/4.4	
A514	B204	C8	B3	2YC2Y(mS)CY 0.7/4.4	
A515	B205	C14	B4	2YCCY 0.4/2.5	
A516	B206	C17	B5	2YCY 0.4/2.5	
A516	B206	C17	B5	Belden 8218	
A518	B209	C39	B6	RG179	
A520	B207	C6	B1	ASC-R150	
A521	B211	C14	B4	BPO 2001	
A522	B211	C40	B1	BPO 2002	
A523	B212	C41	B2	BPO 2003	
A524	B209	A-C42334-A20-C7	B5	6YCC(st)6Y 0.4/1.6	
A526	B211	A-C42334-A20-C7	B5	TCNZ Single	
A526	B211	A-C42334-A20-C8	B4	TCNZ Double	
A527	B206	A-C42334-A20-C7	B5	LME 1301-TZC	
A611	C221	C6	B1	2YC(mS)CY 0.5/3.0	Male Half Angled Snap On 1.6/5.6 
A612	C222	C6	B1	2YCY 0.7/4.4	
A612	C222	C6	B1	RG59	
A613	C223	C7	B2	2YCCY 0.7/4.4	
A614	C224	C8	B3	2YC2Y(mS)CY 0.7/4.4	
A615	C225	C14	B4	2YCCY 0.4/2.5	
A616	C226	C17	B5	2YCY 0.4/2.5	
A616	C226	C17	B5	Belden 8218	
A618	C229	C39	B6	RG179	
A620	C227	C6	B1	ASC-R150	
A621	C231	C14	B4	BPO 2001	
A622	C231	C40	B1	BPO 2002	
A623	C232	C41	B2	BPO 2003	
A624	C229	A-C42334-A20-C7	B5	6YCC(st)6Y 0.4/1.6	
A626	C231	A-C42334-A20-C7	B5	TCNZ Single	
A626	C231	A-C42334-A20-C8	B4	TCNZ Double	
A627	C226	A-C42334-A20-C7	B5	LME 1301-TZC	

Refer - A41 - Series

Refer - A41 - Series



Summary

2.5/6.0

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A5-	A-C42334-A5-	A-C42334-A5-	A-C42334-A5-		
A1	C2	C201	B1	2YC(mS)CY 0.5/3.0	2.5/6.0 Male InLine Screw On 
A2	C3	C201	B1	2YCY 0.7/4.4	
A2	C3	C201	B1	RG59	
A3	C4	C202	B2	2YCCY 0.7/4.4	
A4	C5	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A9	C13	C204	B4	2YCCY 0.4/2.5	
A11	C22	C37	B5	2YCY 0.4/2.5	2.5/6.0 Female InLine Screw On 
A5	C2	C201	B1	2YC(mS)CY 0.5/3.0	
A6	C3	C201	B1	2YCY 0.7/4.4	
A6	C3	C201	B1	RG59	
A7	C4	C202	B2	2YCCY 0.7/4.4	
A8	C5	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A10	C13	C204	B4	2YCCY 0.4/2.5	
A12	C22	C37	B5	2YCY 0.4/2.5	



Summary


S.P.

Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A40-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		
A1	B206	C205	B5	2YCY 0.4/2.5	S.P. Male InLine Push On  <i>Refer - A41-Series</i>
A2	B205	C204	B4	2YCCY 0.4/2.5	
A3	B201	C201	B1	2YC(mS)CY 0.5/3.0	
A4	B202	C201	B1	2YCY 0.7/4.4	
A4	B202	C6	B1	RG59	
A5	B203	C202	B2	2YCCY 0.7/4.4	
A6	B204	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A8	B205	A-C42334-A20-C7	B5	TCNZ Single	
A9	B205	A-C42334-A20-C8	B1	TCNZ Double	
A10	B209	C39	B6	RG179	
A11	B207	C201	B1	ASC-R150	
A-C42334-A30-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		
A1	B206	C205	B5	2YCY 0.4/2.5	S.P. Female InLine Push On  <i>Refer - A41-Series</i>
A2	B205	C204	B4	2YCCY 0.4/2.5	
A3	B201	C201	B1	2YC(mS)CY 0.5/3.0	
A4	B202	C201	B1	2YCY 0.7/4.4	
A4	B202	C6	B1	RG59	
A5	B203	C202	B2	2YCCY 0.7/4.4	
A6	B204	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A8	B205	A-C42334-A20-C7	B5	TCNZ Single	
A9	B205	A-C42334-A20-C8	B1	TCNZ Double	
A10	B209	C39	B6	RG179	
A11	B207	C201	B1	ASC-R150	


Summary

B.Po-10


Connector	Braid Clamp	Crimp Tube	Tool Jaw	Cable Type	Connector Type:
A-C42334-A45-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		
A1	B206	C205	B5	2YCY 0.4/2.5	BPO-10 Male InLine Push On  <i>Refer - A41 - series</i>
A2	B205	C204	B4	2YCCY 0.4/2.5	
A3	B201	C201	B1	2YC(mS)CY 0.5/3.0	
A4	B202	C201	B1	2YCY 0.7/4.4	
A4	B202	C6	B1	RG59	
A5	B203	C202	B2	2YCCY 0.7/4.4	
A6	B204	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A8	B205	A-C42334-A20-C7	B5	TCNZ Single	
A9	B206	A-C42334-A20-C8	B1	TCNZ Double	
A10	B209	C39	B6	RG179	
A11	B207	C201	B1	ASC-R150	
A-C42334-A35-	A-C42334-A11-	A-C42334-A5-	A-C42334-A5-		
A1	B206	C205	B5	2YCY 0.4/2.5	BPO-10 Female InLine Push On  <i>Refer - A41 - series</i>
A2	B205	C204	B4	2YCCY 0.4/2.5	
A3	B201	C201	B1	2YC(mS)CY 0.5/3.0	
A4	B202	C201	B1	2YCY 0.7/4.4	
A4	B202	C6	B1	RG59	
A5	B203	C202	B2	2YCCY 0.7/4.4	
A6	B204	C203	B3	2YC2Y(mS)CY 0.7/4.4	
A8	B205	A-C42334-A20-C7	B5	TCNZ Single	
A9	B206	A-C42334-A20-C8	B1	TCNZ Double	
A10	B209	C39	B6	RG179	
A11	B207	C201	B1	ASC-R150	




1.6/5.6 male to 2.5/6.0 male
A-C42334-A83-A5



1.6/5.6 male to 2.5/6.0 female
A-C42334-A83-A6




1.6/5.6 female to 2.5/6.0 male
A-C42334-A83-A7




1.6/5.6 female to 2.5/6.0 female
A-C42334-A83-A8




1.6/5.6 male to 1.6/5.6 male
A-C42334-A84-A2




1.6/5.6 male to 1.6/5.6 female
A-C42334-A84-A4




1.6/5.6 female to 1.6/5.6 female
A-C42334-A84-A6




1.6/5.6 male to BPO-10 male
A-C42334-A87-A2



1.6/5.6 male to BPO-10 female
A-C42334-A87-A4




1.6/5.6 female to BPO-10 male
A-C42334-A87-A6




1.6/5.6 female to BPO-10 female
A-C42334-A87-A8


All above adaptors superseded, see page 42




1.6/5.6 Male – 1.6/5.6 Female Non Isolated
– 1.6/5.6 Female 1K5 Isolated
A-C42334-A84-A10




1.6/5.6 Male to 1.6/5.6 Male Angled
A-C42334-A84-A12




1.6/5.6 Female to 1.6/5.6 Male Angled
A-C42334-A84-A16




1.6/5.6 Male to 1.6/5.6 Female Angled
A-C42334-A84-A14




1.6/5.6 Female to 1.6/5.6 Female Angled
A-C42334-A84-A18




1.6/5.6 male to BNC male
A-C42334-A85-A1




1.6/5.6 male to BNC female
A-C42334-A85-A2




1.6/5.6 female to BNC male
A-C42334-A85-A3




1.6/5.6 female to BNC female
A-C42334-A85-A4




1.6/5.6 Male to BPO-10 male
A-C42334-A85-A12




1.6/5.6 Male to BPO-10 female
A-C42334-A85-A14




1.6/5.6 Female to BPO 10 male
A-C42334-A85-A16




1.6/5.6 Female to BPO-10 female
A-C42334-A85-A18




1.6/5.6 male to SP male
A-C42334-A85-A22




1.6/5.6 male to SP female
A-C42334-A85-A24




1.6/5.6 female to SP male
A-C42334-A85-A26




1.6/5.6 female to SP female
A-C42334-A85-A28



2.5/6.0 male to 2.5/6.0 male
A-C42334-A86-A2



2.5/6.0 male to 2.5/6.0 female
A-C42334-A86-A4



2.5/6.0 female to 2.5/6.0 female
A-C42334-A86-A6