METAL CONNECTOR

Net weight: 26 gr.



	PLUG	SOCKET
MI-719 MI-719L 2P		
MI-720 MI-720L 3P		
MI-721 MI-721L 4P		
MI-747 MI-747L 5P		
MI-748 MI-748L 6P		

RIGHT ANGLE METAL CONNECTOR

Net weight: 30 gr.



No. MI-744N

METAL CONNECTOR 10P



No. MP-05A

5P DIN METAL PLUG (180°) WITH LOCKING RING

Net Weight: 23 gr.



MP-05A	5P	



No. MJ-05A

5P DIN JACK (180°)

Net Weight: 18 gr.

MJ-05A	5P	



No. MI-740

2P METAL INLINE CONNECTOR

Net Weight: 42.5 gr.

No. MI-741

3P METAL INLINE CONNECTOR

Net Weight: 42.5 gr.

No. MI-742

4P METAL INLINE CONNECTOR

Net Weight: 42.5 gr.





VIDEO CONNECTOR CRIMP TYPE

CONNECTING INSTRUCTION

No. MNC-579A
No. MP-586CA
No. MR-556F
No. MPC-732A
No. MR-562CA



CONNECTING COAXIAL CABLE:



The kind of crimp Diameter (mm):



No. MCR-1

THE COVER FOR ALL ESTS' CRIMP TYPE PLUG

Colours: Black, Red, Yellow & Grey



PAT. P

No. MR-556F

F TYPE QUICK PLUG (CRIMP TYPE)

W/O COVER

Net Weight: 7.2 gr.



PAT. P

No. MNC-579A

BNC PLUG CRIMP TYPE W/O COVER

Net Weight: 9 gr.



PAT. P

No. MPC-732A

F PLUG CRIMP TYPE. W/O COVER

Net Weight: 6.5 gr.



PAT. P

No. MR-586CA

PL-259 CRIMP TYPE. W/O COVER

Net Weight: 10.2 gr.



PAT. P

No. MR-562CA

RCA PLUG CRIMP TYPE. W/O COVER

Net Weight: 4 gr.





PAT. P

NEW TYPE SOLDERLESS CABLE CONNECTORS

No. MNC-579LS
RIGHT ANGLE BNC PLUG SOLDERLESS TYPE
Net Weight: 12 gr



PAT. P

No. MNC-579S
BNC PLUG SOLDERLESS TYPE
Net Weight: 12 gr.



PAT. P

No. MR-586LS
RIGHT ANGLE UHF PLUG (PL-259) SOLDERLESS TYPE
Net Weight: 16 gr.



PAT. P

No. MR-586S
UHF PLUG (PL-259) SOLDERLESS TYPE
Net Weight: 16 gr.



PAT. P

No. MPC-732LS
RIGHT ANGLE F PLUG SOLDERLESS TYPE
Net Weight: 10 gr.



PAT. P

No. MPC-732S
F PLUG SOLDERLESS TYPE
Net Weight: 10 gr.



PAT. P

No. MR-556LS
RIGHT ANGLE F TYPE QUICK PLUG SOLDERLESS TYPE
Net Weight: 10 gr.



PAT. P

No. MR-556S
F TYPE QUICK PLUG SOLDERLESS TYPE
Net Weight: 10 gr.



PAT. P

No. MP-558LS
RIGHT ANGLE PAL PLUG SOLDERLESS TYPE
Net Weight: 8 gr.



PAT. P

No. MP-558S
PAL PLUG SOLDERLESS TYPE
Net Weight: 8 gr.



PAT. P

No. MJ-058LS
RIGHT ANGLE PAL JACK SOLDERLESS TYPE
Net Weight: 9 gr.



PAT. P

No. MJ-058S
PAL JACK SOLDERLESS TYPE
Net Whight: 9 gr.



PAT. P

No. MR-562LS
RIGHT ANGLE RCA PLUG SOLDERLESS TYPE
Net Weight: 8 gr.



PAT. P

No. MR-562S
RCA PLUG SOLDERLESS TYPE
Net Weight: 8 gr.



PAT. P

MALE CANNON CONNECTOR







MRC-30-2P
MALE CANNON CONNECTOR 2P

MRC-30-3P
MALE CANNON CONNECTOR 3P

MRC-30-4P
MALE CANNON CONNECTOR 4P

MRC-30-5P
MALE CANNON CONNECTOR 5P

MRC-30-6P
MALE CANNON CONNECTOR 6P

MRC-30-7P
MALE CANNON CONNECTOR 3P

MRC-30-2P	2P	
MRC-30-3P	3P	
MRC-30-4P	4P	
MRC-30-5P	5P	
MRC-30-6P	6P	
MRC-30-7P	7P	

FEMALE CANNON CONNECTOR





MRC-31-2J
FEMALE CANNON CONNECTOR 2P

MRC-31-3J
FEMALE CANNON CONNECTOR 3P

MRC-31-4J
FEMALE CANNON CONNECTOR 4P

MRC-31-5J
FEMALE CANNON CONNECTOR 5P

MRC-31-6J
FEMALE CANNON CONNECTOR 6P

MRC-31-7J
FEMALE CANNON CONNECTOR 7P

MRC-31-2J	2P	
MRC-31-3J	3P	
MRC-31-4J	4P	
MRC-31-5J	5P	
MRC-31-6J	6P	
MRC-31-7J	7P	

MALE CANNON CONNECTOR

No. MRC-40-3P
MALE CANNON CONNECTOR





FEMALE CANNON CONNECTOR

No. MRC-43-3J
DUAL FEMALE CANNON ADAPTOR





DUAL MALE CANNON CONNECTOR

No. MRC-42-3P
DUAL MALE CANNON ADAPTOR



DUAL FEMALE CANNON ADAPTOR

No. MRC-41-3J
FEMALE CANNON CONNECTOR



CHASSIS MTG. MALE CANNON SOCKET ROUND TYPE





MRC-38-2P CHASSIS MTG. MALE CANNON SOCKET 2P ROUND TYPE	MRC-38-2P	2P
MRC-38-3P CHASSIS MTG. MALE CANNON SOCKET 3P ROUND TYPE	MRC-38-3P	3P
MRC-38-4P CHASSIS MTG. MALE CANNON SOCKET 4P ROUND TYPE	MRC-38-4P	4P
MRC-38-5P CHASSIS MTG. MALE CANNON SOCKET 5P ROUND TYPE	MRC-38-5P	5P
MRC-38-6P CHASSIS MTG. MALE CANNON SOCKET 6P ROUND TYPE	MRC-38-6P	6P
MRC-38-7P CHASSIS MTG. MALE CANNON SOCKET 7P ROUND TYPE	MRC-38-7P	7P

CHASSIS MTG. FEMALE CANNON SOCKET ROUND TYPE





MRC-39-2J CHASSIS MTG. FEMALE CANNON SOCKET 2P ROUND TYPE	MRC-39-2J	2P
MRC-39-3J CHASSIS MTG. FEMALE CANNON SOCKET 3P ROUND TYPE	MRC-39-3J	3P
MRC-39-4J CHASSIS MTG. FEMALE CANNON SOCKET 4P ROUND TYPE	MRC-39-4J	4P
MRC-39-5J CHASSIS MTG. FEMALE CANNON SOCKET 5P ROUND TYPE	MRC-39-5J	5P
MRC-39-6J CHASSIS MTG. FEMALE CANNON SOCKET 6P ROUND TYPE	MRC-39-6J	6P
MRC-39-7J CHASSIS MTG. FEMALE CANNON SOCKET 7P ROUND TYPE	MRC-39-7J	7P

CHASSIS MTG. MALE CANNON SOCKET SQUARE TYPE





MRC-32-2P CHASSIS MTG. MALE CANNON SOCKET 2P SQUARE TYPE	MRC-32-2P	2P
MRC-32-3P CHASSIS MTG. MALE CANNON SOCKET 3P SQUARE TYPE	MRC-32-3P	3P
MRC-32-4P CHASSIS MTG. MALE CANNON SOCKET 4P SQUARE TYPE	MRC-32-4P	4P
MRC-32-5P CHASSIS MTG. MALE CANNON SOCKET 5P SQUARE TYPE	MRC-32-5P	5P
MRC-32-6P CHASSIS MTG. MALE CANNON SOCKET 6P SQUARE TYPE	MRC-32-6P	6P
MRC-32-7P CHASSIS MTG. MALE CANNON SOCKET 7P SQUARE TYPE	MRC-32-7P	7P

CHASSIS MTG. FEMALE CANNON SOCKET SQUARE TYPE





MRC-33-2J CHASSIS MTG. FEMALE CANNON SOCKET 2P SQUARE TYPE	MRC-33-2J	2P
MRC-33-3J CHASSIS MTG. FEMALE CANNON SOCKET 3P SQUARE TYPE	MRC-33-3J	3P
MRC-33-4J CHASSIS MTG. FEMALE CANNON SOCKET 4P SQUARE TYPE	MRC-33-4J	4P
MRC-33-5J CHASSIS MTG. FEMALE CANNON SOCKET 5P SQUARE TYPE	MRC-33-5J	5P
MRC-33-6J CHASSIS MTG. FEMALE CANNON SOCKET 6P SQUARE TYPE	MRC-33-6J	6P
MRC-33-7J CHASSIS MTG. FEMALE CANNON SOCKET 7P SQUARE TYPE	MRC-33-7J	7P

No. MI-765P
AC PLUG
Net Weight: 14 gr.



No. MI-766J
AC IN LINE CONNECTOR JACK
Net Weight: 20 gr.



No. MI-763L
RIGHT ANGLE AC PLUG
Net Weight: 15 gr.



No. MI-764L
RIGHT ANGLE AC IN LINE CONNECTOR JACK
Net Weight: 18 gr.



No. MI-772P
3P AC PLUG
Net Weight: 21 gr.





No. MI-773L
RIGHT ANGLE 3P AC PLUG
Net Weight: 21 gr.



No. MI-724P
2P AC PLUG WITH PROTECTIVE CONTACT
Net Weight: 25 gr.





No. MI-725P
2P AC PLUG
Net Weight: 22gr.





No. MI-750
GLOW LAMP SOCKET
Net Weight: 10gr.





No. MI-770T
No. MI-771T
AC MULTIPLE PLUG
Net Weight: 50 gr.



	(A)
MI-770T	5⅝in
MI-771T	4⅝in



No. MI-768T
AC TRIPLE PLUG
Net Weight: 21 gr.





No. MI-762
No. MI-759
CONVERSION PLUG
Net Weight: 15 gr.

	(A)
MI-762	4⅝in
MI-759	5⅝in



No. MI-761L
CONVERSION PLUG
Net Weight: 15 gr.





No. MI-760V
CONVERSION PLUG
Net Weight: 15 gr



No. MI-745
No. MI-745BS
2P CONVERSION PLUG
Net Weight: 16 gr.



	(A)
MI-745	4⅝in
MI-745BS	5⅝in



No. MI-745M
CONVERSION PLUG
Net Weight: 14 gr.





No. MI-745E
CONVERSION PLUG
Net Weight: 14 gr.



No. MI-717

MALE AC CONNECTOR

Net Weight: 15 gr.



No. MI-717J

FEMALE AC CONNECTOR

Rating: 125V 15A

Net Weight: 16 gr



No. MI-718L

RIGHT ANGLE MALE AC CONNECTOR

Net Weight: 23 gr.



TV. VIDEO AND AUDIO CABLE SERIES



RIGHT ANGLE BNC TO BNC

No. MTL-2420/2 — 2 Meter Cable.
No. MTL-2420/3 — 3 Meter Cable.
No. MTL-2420/6 — 6 Meter Cable.



RIGHT ANGLE BNC TO PL-259 (UHF)

No. MTL-2421/2 — 2 Meter Cable.
No. MTL-2421/3 — 3 Meter Cable.
No. MTL-2421/6 — 6 Meter Cable.



RIGHT ANGLE PL-259(UHF) TO PL-259 (UHF)

No. MTL-2422/2 — 2 Meter Cable.
No. MTL-2422/3 — 3 Meter Cable.
No. MTL-2422/6 — 6 Meter Cable.



RIGHT ANGLE F PLUG(AMERICAN STANDARD) TO F PLUG

No. MTL-2423/2 — 2 Meter Cable.
No. MTL-2423/3 — 3 Meter Cable.
No. MTL-2423/6 — 6 Meter Cable.



RIGHT ANGLE BNC TO F PLUG

No. MTL-2424/2 — 2meter Cable.
No. MTL-2424/3 — 3 Meter Cable.
No. MTL-2424/6 — 6 Meter Cable.



RIGHT ANGLE F PLUG TO PL-259 (UHF)

No. MTL-2425/2 — 2 Meter Cable.
No. MTL-2425/3 — 3 Mstsr Cable.
No. MTL-2425/6 — 6 Meter Cable.



RIGHT ANGLE RCA PLUG TO RCA PLUG

No. MTL-2426/2 — 2 Meter Cable.
No. MTL-2426/3 — 3 Meter Cable.
No. MTL-2426/6 — 6 Meter Cable.



RIGHT ANGLE BNC TO RCA PLUG

No. MTL-2427/2 — 2 Meter Cable.
No. MTL-2427/3 — 3 Meter Cable.
No. MTL-2427/6 — 6 Meter Cable.



RIGHT ANGLE PL-259(UHF) TO RCA PLUG

No. MTL-2428/2 — 2 Meter Cable.
No. MTL-2428/3 — 3 Meter Cable.
No. MTL-2428/6 — 6 Meter Cable.