



Dimensions in mm


MFC52




MFC52-PA



MFC52-P



MFC52-PR



Rated Current	Breaking capacity	Rated Voltage
100mA	@125V/AC 10KA @250V/AC 35A	125V/250V
125mA		125V/250V
160mA		125V/250V
200mA		125V/250V
250mA		125V/250V
300mA		125V/250V
315mA		125V/250V
400mA		125V/250V
500mA		125V/250V
600mA		125V/250V
630mA		125V/250V
700mA		125V/250V
800mA		125V/250V
1A		125V/250V
1.25A	@125V/AC 10KA @250V/AC 100A	125V/250V
1.5A		125V/250V
1.6A		125V/250V
2A		125V/250V
2.5A		125V/250V
3A		125V/250V
3.15A		125V/250V
3.5A		125V/250V
4A		125V/250V
5A		125V/250V
6A	@125V/AC 10KA @250V/AC 200A	125V/250V
6.3A		125V/250V
7A		125V/250V
8A		125V/250V
10A		125V/250V
12A		@32V/AC 1000A
13A	32V	
15A	32V	
16A	32V	
20A	32V	
25A	32V	
30A	32V	

Test Specification according to Standard UL 248-1,14

Electrical Characteristic

Rated Current	1.0 I_n	1.35 I_n	2 I_n
I_n	Min.	Max.	Max.
100mA-30A	4 h	3600 S	120 S

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN mm TOLERANCE DECIMALS ANGULAR X ± 0.5 ± 2° XX ± 0.25 DO NOT SCALE DRAWING	CUSTOMER NO.	JENN FENG ELECTRIC INDUSTRIAL CO., LTD. TITLE 5.2X20mm Miniature Cartridge Fuse PART NO. MFC MFC-P/PA/PR DRAWING NO. AA04122303
	DRAWN BY Allan	
	CHECKED BY	
	APPROVED BY 鄭文和	
P/N	DATE 2011.11.29	SCALE
REV D		