

## Series 48



### **PUSHBUTTON --- 48 Series**

12mm, Gold Contacts, IP67, LED Illumination

## Series 49



### **PUSHBUTTON --- 49 Series**

12mm, Gold Contacts, IP67, LED Illumination  
Temperature: -40°C~ 105°C

## Series 88 / 89



### **PUSHBUTTON --- 88/89 Series**

12mm, Back-Mounting, LED Illumination, Metallic Quality Button

## Series 12M



### **PUSHBUTTON --- 12M Series**

12mm Miniature PushButton, LED Illumination, IP67

## Series 59



### **PUSHBUTTON --- 59 Series**

12mm, Zinc Alloy, IP67, Gold Contacts  
Temperature: -40°C~ 125°C

## Series 50



### **PUSHBUTTON --- 50 Series**

16mm, Gold Plated Contacts, IP67, LED Illumination

## Series 57M



### **PUSHBUTTON --- 57M Series**

16mm, Stainless/Zinc Alloy, IP67, LED Illumination

---

## Series H57M



### **PUSHBUTTON --- H57M Series**

16mm, 10Amp High Current, IP67, LED Illumination

---

## Series 48M



### **PUSHBUTTON --- 48M Series**

19mm, Stainless/Zinc Alloy, IP67, LED Illumination

---

## Series H48M



### **PUSHBUTTON --- H48M Series**

19mm, 10Amp High Current, IP67, LED Illumination

---

## Series LC-48M



### **PUSHBUTTON --- LC-48M Series**

19mm, Stainless/Aluminum, IP67, Variety of Button Colors

---

## Series LT-48M



### **PUSHBUTTON --- LT-48M Series**

19mm, Stainless/Aluminum, IP67, LED Illumination

## Series 76-59



### **PUSHBUTTON --- 76-59 Series**

19mm, Extra Tough, Stainless, IP67

---

## Series 58M



### **PUSHBUTTON --- 58M Series**

22mm, Stainless/Aluminum, IP67, LED Illumination

---

## Series H58M



### **PUSHBUTTON --- H58M Series**

22mm, 10Amp High Current, IP67, LED Illumination

---

## Series 76-94



### **PUSHBUTTON --- 76-94 Series**

22mm, Vandal Resistant, IP67

---

## Series SA



### **PUSHBUTTON --- SA Series**

5A@28VDC, Snap Action, IP67, UL 61058  
Size: 12mm, 16mm, 19mm, 22mm

---

## Series S60



### **PUSHBUTTON --- S60 Series**

Aluminum, Gold Plated Contacts, IP67



## Series EC



### **TOUCH SWITCHES --- EC Series (Capacitive)**

Stainless/Aluminum, IP68, LED Illumination

---

## SpectraDIL-014 SDS/C/D Ranges



### **ERG SWITCHES --- SpectraDIL-014 SDS/C/D Ranges**

EIA Colour Coded Sliders, Hard Gold Plated Contacts

---

## SpectraDIL-023 SDS/C/D Ranges



### **ERG SWITCHES --- SpectraDIL-023 SDS/C/D Ranges**

EIA Colour Coded Sliders, Hard Gold Plated Contacts

---

## DILswitch-16



### **ERG SWITCHES --- DIL Switch-16 Series**

2-8 Way Switches, Hard Gold Plated Contacts

---

## Jumper-Switch



### **ERG SWITCHES --- Jumper Switch Series**

0.1" Mounting Pitch, Hard Gold Plated Contacts

---

## Spectra C-023 Style



### **ERG SWITCHES --- Spectra C-023 Style Series**

EIA Colour Coded Sliders, Hard Gold Plated Contacts



YOUR BEST SWITCH PARTNER



### ITW Lumex Switch

No. 3-2, East 6th Street, Qianzhen Dist.,  
Kaohsiung City, Taiwan, 806  
E-MAIL: [sales@itweba.com](mailto:sales@itweba.com)

### ITW Formex

Building 5,789 Shenfu Road,  
Xinzhuang Industrial Park, Shanghai, China  
E-MAIL: [sales@itweba.com](mailto:sales@itweba.com)

### Lumex Inc.

425 N. Gary Ave. Carol Stream,  
Illinois, USA 60188  
E-MAIL: [itwlumexswitch@lumex.com](mailto:itwlumexswitch@lumex.com)

### Pancon GmbH

Kaiser-Friedrich-Promenade 4  
D-61348 Bad Homburg vor der Höhe  
Deutschland  
E-MAIL: [sales@itweba.com](mailto:sales@itweba.com)

## Series 61-SWA



### **MICROSWITCHES --- SWA Series**

Miniature Type, Wireleads, SPDT, IP67  
Size: 26.8x15.8mm

---

## Series 61-SWB



### **MICROSWITCHES --- SWB Series**

Miniature Type, Wireleads, SPDT, IP67  
Size: 14.55x15.60mm

---

## Series 16



### **MICROSWITCHES --- 16 Series**

Sub-Miniature Type, Butterfly Snap Action, SPDT-DB

---

## Series 26



### **MICROSWITCHES --- 26 Series**

Sub-Miniature Type, Butterfly Snap Action, DPDT-DB

---

## Series M372



### **ROCKER SWITCHES --- M372 Series**

Two Position, Silver Alloy Contacts, SPST

---

## Series R271



### **ROCKER SWITCHES --- R271 Series**

PC Terminal, Snap-in Mounting, SPDT