

CADVR-CS

www.black.honeywell.com

CENTRAL MANAGEMENT SYSTEM FOR DVR

The CADVR-CS central management software is designed for CADVR-XXD, HSVR-XX and HD-DVR-10XX DVR series to connect multiple devices for video surveillance. Featuring a user-friendly interface, the CADVR-CS can be deployed for device add-on, configuration, status monitoring, alarm event checking, video live view and recording, as well as E-map central management system.

This intelligent system also features device auto search and configuration functions which enhance overall monitoring and operation efficiency. The CADVR-CS supports 64 live view windows in one single screen which is ideal for medium to large scale video surveillance system – particularly for customers who plan to upgrade from analog to digital in the near future. The CADVR-CS efficiently develops a cost-effective and high performance video system by utilizing the network and its advanced functionalities.

Market Opportunities

The CADVR-CS is a feature-rich multi-DVR central management software with functions such as device configuration, status monitoring, online control, alarm management, video recording and playback management etc on the terminal. It is suitable for medium and large scale surveillance installed with multiple DVRs for more efficient operation by different level of administrators. The CADVR-CS is ideal for applications in buildings, hotels, hospitals, factories, shopping malls, car parks and so forth.

FEATURES

- Compatible with Honeywell DVRs:
 - HSVR-04/08/16
 - HD-DVR-1004/1008/1016
 - CADVR-04D/08D/16D
- Multi-DVR management; supports up to 800 video channel connection
- Up to 64 live view windows at one single screen
- Video recording and playback management
- Local recording
- Device management, auto search configuration and status monitoring
- Alarm management and inter linkage control
- PTZ control
- Video Snap-shot
- E-map



CADVR-CS

www.black.honeywell.com

CENTRAL MANAGEMENT SYSTEM FOR DVR

SPECIFICATIONS

System	
Supported DVR	HSVR-04/08/16; HD-DVR-1004/1008/1016; CADVR-04D/08D/16D
Max. Video Channel Connection	800 channels
Video Display Split	1, 4, 9, 16, 25, 36, 64
Management	
PTZ Control	Pan, Tilt, Zoom, Focus, Preset, Tour, Pattern, Video Playback
Video Playback	Yes
Snapshot	Yes
Local Recording	Yes
Alarm Management	Yes
Sound Management	Auto sound when alarm triggering
E-map	Support with 64 layouts
E-map Format	JPEG, BMP
Alarm Trigger	Recording, PTZ control, Relay out
Minimum PC Requirement	
CPU	2.4GHz or higher
Memory	1GB or higher for XP OS
Display card	Independent card and support DirectX 8.0c or higher
OS	Windows 2000, XP, 2003, Honeywell Black™, 7
Screen Resolution	1024 x 768 or above

CADVR-CS

www.black.honeywell.com

CENTRAL MANAGEMENT SYSTEM FOR DVR

SYSTEM DIAGRAM



ORDERING

CADVR-CS | Multi-DVR central management software

*Note: Honeywell reserves the right, without notification, to make changes in product design or specifications.

Honeywell Black™

Honeywell

CADVR-CS

www.black.honeywell.com

CENTRAL MANAGEMENT SYSTEM FOR DVR

For more information:

Security East Asia
Security Pacific
Security India
Security Middle East & N.Africa
Security Russia
Security China
Security Korea

Tel: (852) 2405 2323
Tel: 1300 234 234
Tel: (91) 124 4975000
Tel: (971) 4454 1704
Tel: (7) 495 7979371
Tel: (86) 400 8800 330
Tel: (82) 2799 6114

www.black.honeywell.com
security.black@honeywell.com

Honeywell Security Group
Automation & Control Solutions
Honeywell International Inc.
www.security.honeywell.com



Aug 2014
© 2014 Honeywell International Inc.