



12346-wizard.com

General Data

Type #: MSHC 200A

Brand: Sankyo Seiki (Nidec Japan)

OEM #: LN-MSHC-200A

Frame: NEMA 17

Steps: 200/rev (1.8 Degrees per full-step or finer with micro-stepping)

Current: 0.17 Amp

Volts: 12 Vdc

Torque: ____ Nm @ ____ A (____ oz.in.)

Resistance: 72 Ohms / phase (nominal)

Inductance: 27 mH / phase (nominal)

Connector: 6 way x 0.1" (see diag.)
(If fitted)

Wires: 6 wire (up to 100mm nominal)

Shaft: 5.0mm dia x 20mm long.

Shaft-Detail: Plain

Size: 39 x 39 x 33mm (nominal)

Supply-Max: 24 ~ 80Vdc (recommended
max = V x 25)

Weight: 0.24kg

Condition: Used (refurbished)

Notes: Optional pulley may be fitted.
Mounting bracket may be available.

1kHz*60/RPM=Steps/Rev

360/Step/Rev=sep angle in degrees.

EG. If 600RPM then step angle = 3.6deg.


Stepping Motor

Type: MSHC-200A



<http://www.casa.co.nz>

Edition: 14/09/2016



NOTICE – the information on this page is not guaranteed for accuracy – CASA accepts no responsibility (neither expressed nor implied) for any errors or the consequence thereof.