

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
00001	ATTENUATOR		00211	0.1UF 10% 50VDC X7R 5 X 5 X 2.5MM 2.5MM LEAD SPACE (ERIE "RED CAP" OR EQUIVALENT)	EACH	00243	5.6PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 652 09568	EACH
00018	ATTENUATOR, VHF PI 50 OHM 64 X 26 X 45MM. 8349 KITSET LESS RESISTORS, REFER DRAWING FOR VALUES	EACH	00212	0.01UF +80% -20%, 500VDCW HI-K DISC 20MM DIA. 11MM LEAD SPACE	EACH	00244	6.8PF TOL 0.25PF 500VDCW NPO PLATE 4 X 7MM 5MM LEAD SPACING PHILIPS #2222 652 09688	EACH
00066	T PAD, ENCAPSULATED 0.1 DB 75 OHM 12 X 11 X 3.5MM GT&E #409-005/01	EACH	00214	300PF 20% 500VDC K120051 DISC 6MM DIA. 3MM THICK ERIE #861	EACH	00245	8.2PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 650 09828	EACH
00067	T PAD, ENCAPSULATED 0.2 DB 75 OHM 10.5 X 10 X 1.6MM GT&E #409-005/02	EACH	00215	220PF 10% 500VDCW PLATE 3.6 X 6.3MM 5MM LEAD SPACING PHILIPS #2222 655 09221	EACH	00246	10PF 2% 500VDCW NPO PLATE 4.5 X 7MM, 5MM LEAD SPACING PHILIPS #2222 652 10109	EACH
00068	T PAD, ENCAPSULATED 0.4 DB 75 OHM 11.5 X 10 X 2MM GT&E #409-005/03	EACH	00216	120PF 20% 500VDCW FEEDTHRU 10MM O/L PIGTAIL TERMINATIONS ERIE #2404-007 X5U	EACH	00247	12PF 2% 500VDCW NPO PLATE 4.5 X 5MM, 5MM LEAD SPACING PHILIPS #2222 652 10129	EACH
00069	T PAD, ENCAPSULATED 0.5 DB 75 OHM 10 X 8 X 3MM GT&E #409-005/05	EACH	00217	0.01UF +80% -20%, 2KVDC PLATE 22 X 22MM ERIE #CP3E	EACH	00248	18PF 2% 500VDCW NPO PLATE 5 X 8MM, 5MM LEAD SPACING PHILIPS #2222 652 10189	EACH
00071	T PAD, ENCAPSULATED 1.0 DB 75 OHM 10 X 8 X 3MM GT&E #409-005/06	EACH	00219	470PF 20% 4KVW DISC 19MM DIA 6MM THICK ERIE #CD7	EACH	00249	22PF 2% 500VDCW NPO PLATE 5 X 8MM, 5MM LEAD SPACING PHILIPS #2222 652 10229	EACH
00074	T PAD, ENCAPSULATED 4.0 DB 75 OHM 10 X 8 X 3MM GT&E #409-005/09	EACH	00221	2200PF 500V FEEDTHRU 29MM O/L	EACH	00250	27PF 2% 500VDCW NPO PLATE 6 X 9MM, 5MM LEAD SPACING PHILIPS #2222 652 10279	EACH
00075	T PAD, ENCAPSULATED 6.0 DB 75 OHM 10 X 8 X 3MM GT&E #409-005/10	EACH	00222	0.1UF 50VDCW Z5O DISC 14MM DIA. 10MM LEAD SPACING MURATA #DD314-917	EACH	00251	33PF 2% 500VDCW NPO PLATE 6 X 6MM, LEAD SPACING 5MM PHILIPS #2222 652 10339	EACH
00076	T PAD, ENCAPSULATED 10.0 DB 75 OHM 11.5 X 10 X 2MM GT&E #409-005/12	EACH	00223	100PF FEEDTHRU 18MM O/L GT&E #414-001/06	EACH	00252	39PF 2% 500VDCW NPO PLATE 6 X 8MM, LEAD SPACING 5MM PHILIPS #2222 650 10399	EACH
00077	T PAD, ENCAPSULATED 16.0 DB 75 OHM 12 X 11 X 3.5MM GT&E #409-005/14	EACH	00225	1000PF FEEDTHRU 7/32 BSF THREAD (COBBE CTX SPARE)	EACH	00253	47PF 2% 500VDCW NPO PLATE 6 X 11MM, LEAD SPACING 5MM PHILIPS #2222 650 1079	EACH
00078	T PAD, ENCAPSULATED 20.0 DB 75 OHM 12 X 11 X 3.5MM GT&E #409-005/15	EACH	00226	1000PF +80% -20%, 500VDC FEEDTHRU CAPTRON #FT	EACH	00254	56PF 2% 500VDCW N150 PLATE 6 X 11MM, LEAD SPACING 5MM PHILIPS #2222 652 34569	EACH
00079	T PAD, ENCAPSULATED 25.0 DB 75 OHM 12 X 11 X 3.5MM GT&E #409-005/15	EACH	00227	1000PF 20% 6KVDC 1500VAC AT 50 HZ. DISC 20MM DIA. CENTRALAB #DD60-102	EACH	00255	68PF 2% 500VDCW N750 PLATE 6 X 9MM, LEAD SPACING 5MM PHILIPS #2222 652 58689	EACH
00086	KNOB, RED 16MM WIDE FOR P&G ATTENUATOR	EACH	00228	1500PF 20% 500VDCW FEEDTHRU 32MM O/L FITS 6.3MM HOLE	EACH	00256	82PF 2% 500VDCW N750 PLATE 6 X 8MM, LEAD SPACING 5MM PHILIPS #2222 650 58829	EACH
00091	KNOB, WHITE 16MM WIDE FOR P&G ATTENUATOR	EACH	00229	4700PF 500V FEEDTHRU UNILATOR	EACH	00258	120PF 2% 500VDCW N1500 PLATE 5 X 8MM, LEAD SPACING 5MM PHILIPS #2222 652 70121	EACH
00093	KNOB, RED 11MM WIDE FOR P&G #1022/D ATTENUATOR	EACH	00230	470PF 10% 500VDCW PLATE 3.9 X 6.7MM, 5MM LEAD SPACING PHILIPS #2222 655 09471	EACH	00259	100PF 2% 500VDCW N750 PLATE 6 X 9MM, LEAD SPACING 5MM PHILIPS #2222 652 58101	EACH
00094	KNOB, YELLOW 11MM WIDE P&G #1022/D ATTENUATOR	EACH	00231	1000PF 10% 500VDCW PLATE 5 X 8MM, 5MM LEAD SPACING PHILIPS #2222 655 09102	EACH	00262	10 PF 50VDCW DISC NPO 4MM DIA LEAD SPACING 2.5MM MURATA #DD104	EACH
00095	KNOB, BLUE 11MM WIDE FOR P&G #1022/D ATTENUATOR	EACH	00232	2200PF 10%, 500VDCW PLATE 6 X 11MM, 5MM LEAD SPACING PHILIPS #2222 650 03222	EACH	00263	100PF 50VDCW DISC N750 6MM DIA LEAD SPACING 5MM MURATA #DD106	EACH
00096	KNOB, GREEN 11MM WIDE FOR P&G #1022/D ATTENUATOR	EACH	00233	1.0PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 652 09108	EACH	00264	1000PF 50VDCW DISC 4MM DIA LEAD SPACING 2.5MM MURATA #DD104	EACH
00098	ATTENUATOR, UNBALANCED 5K OHM 105 DB TWO CHANNEL AUDIO TAPER FOR 5MM PANEL (BACK MTG) P&G #1522/CN	EACH	00236	1.5PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 650 09158	EACH	00265	2200 PF 50VDCW DISC 6MM DIA. LEAD SPACING 5MM	EACH
00200	CAPACITOR, CERAMIC PIGTAIL TERMINATED UNLESS OTHERWISE STATED		00237	1.8PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 650 09188	EACH	00266	0.1 UF 100VDC Z5U 5 X 6.5MM LEAD SPACING 5MM LCC THOMSON #UEW 905FA	EACH
00201	1500PF 10% 500VDC PLATE 6 X 8MM, 5MM LEAD SPACING PHILIPS #2222 655 09152	EACH	00238	2.2PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 652 09228	EACH	00267	0.01 UF 100VDC, Z5U, 5 X 6.5MM LEAD SPACING 5MM LCC THOMSON #UEW 905FA	EACH
00202	0.01UF +80% -20% 50VDC DISC 8MM DIA 3MM THICK	EACH	00239	2.7PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 650 09278	EACH	00271	0.03UF, 50VDC, ROGERS MICRU-Q DECOUPLING #UQ40.03 FOR 40 PIN DIL PACK, MTG.	EACH
00203	0.68PF TOL 0.25PF 500VDCW PLATE TEMP. COEF P100 3.6 X 3.7MM, 5MM LEAD SPACING PHILIPS #2222 650 03687	EACH	00240	3.3PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 652 09338	EACH	00277	9PF DISC GT&E #413-002/08	EACH
00205	1000 PF 20/ 500VDCW FEEDTHRU 32MM O/L ERIE #321-000-X5U010ZM	EACH	00241	3.9PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 650 09398	EACH	00278	3300PF 500 VDCW, X5U FEED-THRU C/W NUT & LOCKWASHER, 31MM O/L TUSONIX #2443-008-X5U-332M	EACH
00210	0.01UF 10/ 50VDC X7R 5 X 5 X 2.5MM, 2.5 LEAD SPACE. (ERIE "RED CAP" OR EQUIVALENT)	EACH	00242	4.7PF TOL 0.25PF 500VDCW NPO PLATE 4 X 4MM 5MM LEAD SPACING PHILIPS #2222 652 09478	EACH			

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
00279	2200PF 100VDC, PLATE 5 X 4MM GT&E #413-003/17	EACH	00312	800PF #RDF110CS, 12KVHFP, 10KVDC, 30KVA	EACH	00351	100PF #MDF140AS, 31.5KVHFP, 37KVDC, 135KVA	EACH
00284	5.1PF 5% TOL. 500VDCW @ 125C 3 X 2.6MM CHIP ATC # 100B-5R1-D-CA-500X	EACH	00313	800PF #RD110CS, 2KVHFP, 8.5KVDC, 10KVA	EACH	00352	100PF #SDF140CS, 30KVHFP, 32KVDC, 90KVA	EACH
00285	10PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B100JC500X	EACH	00314	800PF #RD60CS, 2KVHFP, 6KVDC, 5KVA	EACH	00353	100PF #SDF110CS, 22KVHFP, 24KVDC, 45KVA	EACH
00286	20PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B200JC500X	EACH	00315	700PF #RDF140CS, 30KVHFP, 25KVDC, 90KVA	EACH	00354	100PF #MDF60AS, 11KVHFP, 14KVDC, 15KVA	EACH
00287	30PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B300JC500X	EACH	00316	700PF #RDF110CS, 12KVHFP, 10KVDC, 30KVA	EACH	00367	50PF #SDF140CS, 31.5KVHFP, 34KVDC, 90KVA	EACH
00288	51PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B510JCA500X	EACH	00317	700PF #RD110CS, 2KVHFP, 11KVDC, 10KVA	EACH	00369	50PF #SDF80CS, 21KVHFP, 23KVDC, 30KVA	EACH
00289	68PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B680JCA500XZ	EACH	00318	700PF #RD60CS, 2KVHFP, 6KVDC, 5KVA	EACH	00370	50PF #SD60CS, 4KVHFP, 8KVDC, 6KVA	EACH
00290	100PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B101JCA500X	EACH	00319	600PF #RDF140CS, 30KVHFP, 25KVDC, 90KVA	EACH	00400	CAPACITOR; ELECTROLYTIC PIGTAIL TERMINATED UNLESS OTHERWISE STATED	
00291	150PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B151JC500X	EACH	00320	600PF #RDF110CS, 16KVHFP, 13KVDC, 30KVA	EACH	00401	8UF -10% +50%, 450VDCW 44 X 19MM DIA. AXIAL PIGTAILS	EACH
00292	200PF 5% TOL. 300VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B201JCA300X	EACH	00321	600PF #RD110CS, 2KVHFP 11KVDC, 10KVA	EACH	00402	470UF -10% +50%, 350VDCW 108 X 35MM DIA. SCREW TERMINALS	EACH
00293	33 PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B330JCA500X	EACH	00322	500PF #MDF160AS, 22.5KVFFP, 30KVDC, 225KVA	EACH	00403	8UF -10% +30%, 250VDCW 30 X 10MM DIA. PHILIPS #2222 042 13109 PHILIPS LDK5 TV CAMERA SPARE	EACH
00294	39 PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B390JC500X	EACH	00323	500PF #RDF140CS, 30KVHFP, 25KVDC, 90KVA	EACH	00406	2200UF 20%, 35VDC 40 X 18MM DIA. AXIAL PIGTAILS MARCON #UST	EACH
00295	47 PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B470JCA500X	EACH	00324	400PF #MDF160AS, 27KVHFP, 36KVDC, 225KVA	EACH	00408	250UF -10% +50%, 250VDCW MAX RIPPLE 1.5A, 57 X 37MM DIA SCREW TERMINALS SPRAGUE #36DX251F250AA2A	EACH
00296	56 PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B560JCA500X	EACH	00325	400PF #RDF110CS, 30KVHFP, 25KVDC, 90KVA	EACH	00422	4700UF -10 +50%, 40VDCW MAX RMS RIPPLE 3.1A. 80 X 30MM DIA. SOLDER LUG TERMINALS. PHILIPS #2222 050 17472	EACH
00297	82 PF 5% TOL. 500VDCW @ 125 C 3 X 2.6MM CHIP ATC #100B820JC500X	EACH	00326	400PF #RD110CS, 2KVHFP, 11KVDC, 10KVA	EACH	00423	4700UF -10% +30% 100VDCW. MAX RMS RIPPLE 3.8A. SCREW TERMINALS. 80 X 50MM DIA. PHILIPS #2222 114 19472	EACH
00298	0.018 UF 10% TOL 50V X7R CHIP 2 X 1.25 X 1.25MM THOMPSON #PLZ912 18NF	EACH	00327	300PF #RDF110CS, 30KVHFP, 25KVDC, 90KVA	EACH	00424	4700UF -10 +30% 63VDCW MAX RMS RIPPLE 5.2A 83 X 35MM DIA. SCREW TERMINALS PHILIPS #2222 114 18472	EACH
00300	CAPACITOR; CERAMIC DISC TRANSMITTING		00328	300PF #RDF80CS, 16KVHFP, 13KVDC, 30KVA	EACH	00425	15000UF -10 +50% 40VDCW MAX RIPPLE @ 100HZ 10.6A. 112 X 50MM DIA SCREW TERMINALS PHILIPS #2222 106 37153	EACH
00301	HOLDER HO-2 HF PEAK 30KV	EACH	00329	200PF #MDF140AS, 27KVHFP, 32KVDC, 135KVA	EACH	00427	100 UF 16V 12 X 10MM DIA PCCT 3MM LEAD SPACING ELNA #C16R-100	EACH
00302	HOLDER HO-3 HF PEAK 45KV	EACH	00330	200PF #SDF160CS, 27KVHFP, 27KVDC, 90KVA	EACH	00428	47 UF 50V 15 X 10MM DIA PCCT 5MM LEAD SPACING ELNA #C50R-47	EACH
00303	2000PF #RD110CS, 2KVHFP, 6KVDC 10KVA	EACH	00331	200PF #RDF60CS, 2KVHFP, 7KVDC, 5KVA	EACH	00429	1000UF 16VDCW 25 X 12MM DIA PCCT MTG LEADS 5MM SPACING IRH #CEO4W	EACH
00304	1500PF #RDF140CS, 15KVHFP, 13KVDC, 90KVA	EACH	00332	200PF #RD60CS, 2KVHFP, 7KVDC, 5KVA	EACH	00442	100UF -10% +50% 40VDCW 18 X 10MM DIA. PHILIPS #2222 016 17101	EACH
00305	1500PF #RDF110CS, 9KVHFP, 7KVDC, 22KVA	EACH	00333	200PF #RDF80CS, 16KVHFP, 13KVDC, 30KVA	EACH	00445	4700UF -10% +50% 16VDCW 40 X 25MM DIA. PHILIPS #2222 033 15472	EACH
00306	1500PF #RD110CS, 2KVHFP, 6KVDC, 10KVA	EACH	00334	200PF #RDF60CS, 14KVHFP, 12KVDC, 15KVA	EACH	00446	11000UF +75% -10% 50VDCW MAX RIPPLE 7.4A 146 X 37MM DIA SPRAGUE #36DX113G50AF2A MARCONI #PC16054-23	EACH
00307	1000PF #RDF140CS, 25KVHFP, 21KVDC, 90KVA	EACH	00335	150PF #MDF140AS, 31.5KVHFP. 37KVDC, 135KVA	EACH	00450	2200UF 25VDCW. 40 X 22MM DIA. PCCT MTG. 12MM LEAD SPACING	EACH
00308	1000PF #RDF110CS, 10KVHFP, 8KVDC, 30KVA	EACH	00336	150PF #SDF160CS, 30KVHFP, 30KVDC, 90KVA	EACH			
00309	1000PF #RD110CS, 2KVHFP, 8.5KVDC, 10KVA	EACH	00337	150PF #SDF110CS, 16KVHFP, 18KVDC, 45KVA	EACH			
00310	1000PF #RD60CS, 2KVHFP, 6KVDC, 5KVA	EACH	00338					
00311	800PF #RD140CS, 30KVHFP, 25KVDC, 90KVA	EACH	00339					

\$48
46

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
00452	1000UF 50VDCW. 65 X 35MM DIA. 4 LUG MOUNTING	EACH	00872	2000PF 3KV 32H X 31L X 24MMW 8-32 UNC SCREW TERMINALS SANGAMO #27130B202J00	EACH	00990	4.7UF 50VDCW 5 X 12MM L	EACH
00453	100UF 450VDCW. 50 X 35MM DIA. SOLDER LUGS	EACH	00873	3000PF 2KV 32H X 31L X 24MMW 8-32 UNC SCREW TERMINALS SANGAMO #27120B302J00	EACH	00993	22UF 50VDCW 9 X 20MM L	EACH
00454	2200UF -10 +50% 25VDCW 39 X 23MM DIA. AXIAL PIGTAILS	EACH	00874	4000PF 2KV 32H X 31L X 24MMW 8-32 UNC SCREW TERMINALS SANGAMO #2710B402J00	EACH	01000	CAPACITOR; TANTALUM SINGLE ENDED	
00455	1500UF 50VDCW 64 X 35MM DIA. 4 LUG MTG	EACH	00875	5000PF 2KV 32H X 31L X 24MMW 8-32 UNC SCREW TERMINALS SANGAMO #27120B502J00	EACH	01001	0.1UF 35VDCW 5 X 9MM L ITT #TAG	EACH
00460	6800UF -10% +50% 16VDCW 50 X 30MM DIA. S. LUGS ONE END PHILIPS #2222 073 15682	EACH	00876	7500PF 2KV 32H X 31L X 24MMW 8-32 UNC SCREW TERMINALS SANGAMO #27120B752J00	EACH	01002	0.22UF 35VDCW 5 X 9MM L ITT #TAG	EACH
00462	4700UF -10% +50% 40VDCW 50 X 35MM DIA. S. LUGS ONE END PHILIPS #2222 050 17472	EACH	00878	2000PF 5KV 35H X 45L X 32MMW 8-32 UNC SCREW TERMINALS SANGAMO #27250B202J00	EACH	01003	0.47UF 35VDCW 5 X 9MM L TT #TAG	EACH
00463	4700UF 25VDCW 81 X 25MM DIA. PCCT PINS 12MM SPACING MARCON #CEHSW-M	EACH	00879	3000PF 3KV 35H X 45L X 32MMW 8-32 UNC SCREW TERMINALS SANGAMO #27230B302J00	EACH	01004	1.0UF 35VDCW 5 X 9MM L ITT #TAG	EACH
00465	32UF -20% +50% 450VDCW MAX RIPPLE 350MA 50 X 26MM DIA AXIAL PIGTAILS	EACH	00880	5000PF 3KV 35H X 45L X 32MMW 10-32 UNC SCREW TERMINALS SANGAMO #27230B502J00	EACH	01005	2.2UF 35VDCW 5 X 10MM L ITT #TAG	EACH
00466	2500UF -10 +30% 63VDCW MAX RIPPLE 3.1A 45 X 30MM DIA SOLDER LUGS ONE END PHILIPS #2222 050 18252	EACH	00881	7500PF 3KV 35H X 45L X 32MMW 10-32 UNC SCREW TERMINALS SANGAMO #27230B752J00	EACH	01006	3.3UF 16VDCW 5 X 9MM L ITT #TAG	EACH
00467	3.3UF -10 +50% 25VDCW 11 X 5MM DIA. PCCT MOUNTING	EACH	00883	5000PF 10KV 70 X 89MM DIA 3/8-24 UNF SCREW TERMINALS SANGAMO #293100B502J00	EACH	01007	4.7UF 35VDCW 7 X 11MM L ITT #TAG	EACH
00471	500UF -10% +50% 64VDCW 50 X 25MM DIA. S. LUGS ONE END PHILIPS #2222 060 18501	EACH	00884	7500PF 10KV 83 X 89MM DIA 3/8-24 UNF SCREW TERMINALS SANGAMO #293100B752J00	EACH	01008	4.7UF 10VDCW 5 X 9MM L ITT #TAG	EACH
00473	1500UF -10% +50% 63VDCW 45 X 25MM DIA. S.LUGS ONE END PHILIPS #2222 050 18152	EACH	00885	10000PF 8KV 83 X 89MM DIA 3/8 X 24 UNF SCREW TERMINALS SANGAMO #29380B103J00	EACH	01009	6.8UF 35VDCW 7 X 11MM L ITT #TAG	EACH
00477	6800UF -10 +30% 25VDCW 45 X 35MM DIA. S. LUGS ONE END PHILIPS #2222 050 16682	EACH	00886	1500PF 3KV 30 X 24 X 29MML 8-32UNC SCREW TERMINALS SANGAMO #27130B152J00	EACH	01010	10UF 16VDCW 6 X 11MM L ITT #TAG	EACH
00479	10000 UF -10 +30% 40VDCW MAX RIPPLE 3.1A 55 X 40MM DIA. S. LUGS ONE END PHILIPS #2222 050 17103	EACH	00887	2400PF 3KV 30 X 24 X 29MML 8-32UNC SCREW TERMINALS SANGAMO #27130B242J00	EACH	01011	10UF 6.3VDCW 5 X 9MM L ITT #TAG	EACH
00482	7500/7500UF 25VDC. 80 X 40MM DIA. S. LUGS ONE END USED IN APT P.S. PHILIPS #2222 072 16752	EACH	00900	CAPACITOR; TANTALUM AXIAL PIGTAILS MALLORY #TAS		01012	15UF 16VDCW 7 X 11MM L ITT #TAG	EACH
00483	10000UF 16VDCW. 102 X 35MM DIA S. LUGS ONE END. DALY #SCT USED IN APT P.S.	EACH	00945	2.2UF 15VDCW, 3 X 7MM L	EACH	01013	22UF 16VDCW 7 X 11MM L ITT #TAG	EACH
00491	8000UF 85VDCW 115 X 64MM DIA S. LUGS ONE END. DALY #SCT USED IN APT P.S.	EACH	00947	4.7UF 15VDCW, 5 X 12MM L	EACH	01014	22UF 6.3VDCW 6 X 11MM L ITT #TAG	EACH
00493	5000UF 50VDC. MAX RIPPLE 3.4A 105 X 44MM DIA. S LUGS ONE END USED IN APT P.S. DALY #SCT	EACH	00948	6.8UF 15VDCW, 5 X 12MM L	EACH	01015	33UF 10VDCW 7 X 11MM L ITT #TAG	EACH
00494	6800UF 50VDC. 60 X 30MM DIA. DJ REID #C50L6800	EACH	00949	10UF 15VDCW, 5 X 12MM L	EACH	01016	47UF 6.3VDCW 7 X 11MM L ITT #TAG	EACH
00497	10000UF 63VDC. 80 X 50MM DIA. NIPPON CHEMI-CON #CEW	EACH	00951	22UF 15VDCW, 5 X 12MM L	EACH	01018	100UF 3VDCW 7 X 11MM L ITT #TAG	EACH
00762	500UF 150VDC 102 X 35MM DIA. S.LUGS ONE END MARCONI #PC18478-77	EACH	00953	47UF 15VDCW, 7 X 17MM L	EACH	01019	1.5UF 35VDCW 5 X 10MM L 1TT #TAG	EACH
00780	10000UF 100V 105 X 65MM DIA. M5 SCREW TERM. FOR #14267 P.S. PHILIPS #2222 114 19103	EACH	00955	100UF 15VDCW, 9 X 20MM L	EACH	01020	15UF 35VDCW 9 X 12MM L	EACH
00793	4000UF 100VDCW 100 x 63MM DIA. SCREW TERMINALS ONE END. W/H BATTERY CHARGER #TNE50/10	EACH FOR	00956	150UF 15VDCW, 9 X 20MM L	EACH	01021	33UF 25VDCW 9.5 X 13.5MM L ERO #ETP5K	EACH
00794	10UF 50V BIPOLAR 13 X 10MM DIA PCCT MTG. 5MM LEAD SPACING PHILIPS #4823 124 27007	EACH	00970	0.68UF 35VDCW, 3 X 7MM L	EACH	01022	68UF 16VDCW 9.5 X 13.5MM L ERO #ETP5L	EACH
00796	10UF 50V BIPOLAR 30 X 13MM DIA. AXIAL LEADS	EACH	00971	1.0UF 35VDCW, 3 X 7MM L	EACH	01023	100UF 16VDCW 9 X 17MM L MALLORY #TDC107K020GL	EACH
00800	CAPACITOR; MICA TRANSMITTING		00972	2.2UF 35VDCW, 5 X 12MM L	EACH	01024	150UF 6.3VDCW,9 X 12MM L SIEMENS #B45-134-A	EACH
			00974	4.7UF 35VDCW, 5 X 12MM L	EACH	01025	220UF 3VDCW 9.5 X 13.5MM L ERO #ETP5	EACH
			00975	6.8UF 35VDCW, 5 X 12MM L	EACH	01100	CAPACITOR; POLYESTER, WIMA	
			00976	10UF 35VDCW, 7 X 17MM L	EACH	01101	1000 PF 20% TOL. 100VDCW 63VAC 2.5 X 6.5 X 7.2MM 5MM LEAD SPACING WIMA #FKS2	EACH
			00977	15UF 35VDCW, 7 X 17MM L	EACH	01102	1500 PF 20% TOL. 100VDCW 63VAC . WIMA #FKS2 2.5 X 6 5 X 7.2MM, LEAD SPACING 5MM	EACH
			00978	22UF 35VDCW, 7 X 17MM L	EACH	01103	2200 PF 20/TOL. 100VDCW 63VAC . WIMA #FKS2 2.5 X 6	EACH
			00980	47UF 35VDCW, 9 X 20MM L	EACH			
			00988	1.0UF 50VDCW 3 X 7MM L	EACH			

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
01104	3300 PF 20% TOL. 100VDCW 63VAC . W1MA #FKS2 2.5 X 6. 5 X 7.2MM, LEAD SPACING 5MM	EACH	01139	4.7 UF 20% TOL. 63VDCW 40VAC WIMA #MKS4 POLYESTER FILM 8.5 X 1 8.5 X 26.5MM. LEAD SPACING 22.	EACH	01214	1.5 UF 20% TOL. 250VDC/100 VAC WIMA #MKC4 POLYCARBO NATE FILM 9 X 19 X 31.5MM. 27.5MM LEAD SPACING	EACH
01105	4700 PF 20% TOL. 100VDCW 63VAC . W1MA #FKS2 2.5 X 6. 5 X 7.2MM, LEAD SPACING 5MM	EACH	01140	6.8 UF 20% TOL. 63VDCW 40VAC WIMA #MKS4 POLYESTER FILM 10.5 X 19 X 26.5MM. LEAD SPACING 22.5	EACH	01215	2.2 UF 20% TOL. 250VDC/100 VAC WIMA #MKC4 POLYCARBO NATE FILM 11 X 2 1 X 31.5MM. 27.5MM LEAD SPACIN	EACH
01106	6800 PF 20% TOL. 100VDCW 63VAC . W1MA #FKS2 2.5 X 6. 5 X 7.2MM, LEAD SPACING 5MM	EACH	01145	0.015 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 2.5 X 7 X 7.2MM. LEAD SPACING 5MM	EACH	01220	0.1 UF 20% TOL. 160VDCW/100VA C. WIMA #MKP10 POLYPROP YLENE FILM 5 X 11 X 18MM, LEAD SPACING 15MM	EACH
01107	0.01 UF 20% TOL. 100VDCW 63VA C. WIMA #FKS2 POLYESTER FILM 3 X 7.5 X 7.2MM. LEAD SPACING 5MM	EACH	01146	0.022 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 2.5 X 7 X 7.2MM. LEAD SPACING 5MM	EACH	01221	0.047 UF 20% TOL. 160VDC/100 VAC WIMA #MKP10 POLYPROP YLENE FILM 5 X 11 X 13MM. 10MM LEAD SPACING	EACH
01108	0.015 UF 20% TOL. 100VDCW 63VA C. WIMA #FKS3 POLYESTER FILM 3.5 X 8 .5 X 10MM. LEAD SPACING 7.5MM	EACH	01147	0.022 UF 20% TOL. 1000VDC/25 0VAC WIMA #MKS4 POLYESTER FILM 6 X 12 .5 X 18MM. 15MM LEAD SPACING	EACH	01222	0.22 UF 20% TOL. 160VDC/100 VAC WIMA #MKP10 POLYPROP YLENE FILM 7 X 14 X 18MM. 15MM LEAD SPACING	EACH
01109	0.022 UF 20% TOL. 100VDCW 63VA C. WIMA #FKS3 POLYESTER FILM 3 X 8.5 X 10MM. LEAD SPACING 7.5MM	EACH	01150	1.0 UF 20% TOL. 160VDC/100 VAC WIMA #MKS4 POLYESTER FILM 7 X 16 .5 X 26.5MM. 22.5MM LEAD SPACI	EACH	01223	0.33 UF 20% TOL. 160VDC/100 VAC WIMA #MKP10 POLYPROP YLENE FILM 8 X 15 X 18MM. 15MM LEAD SPACING	EACH
01113	0.033 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 2.5 X 7 X 7.2MM. LEAD SPACING 5MM	EACH	01151	1.5 UF 20% TOL. 160VDC/100 VAC WIMA #MKS4 POLYESTER FILM 7 X 16 .5 X 26.5MM. 22.5MM LEAD SPACI	EACH	01224	0.47 UF 20% TOL. 160VDC/100 VAC WIMA #MKP10 POLYPROP YLENE FILM 7 X 16 X 26.5MM. 22.5MM LEAD SPACING	EACH
01114	0.047 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 2.5 X 7 X 7.2MM. LEAD SPACING 5MM	EACH	01152	2.2 UF 20% TOL. 160VDC/100 VAC WIMA #MKS4 POLYESTER FILM 8.5 X 18.5 X 26.5MM. 22.5MM LEAD SPA	EACH	01225	0.68 UF 20% TOL. 160VDC/100 VAC WIMA #MKP10 POLYPROP YLENE FILM 8.5 X 18.5 X 26.5MM. 22.5MM LEAD SPA	EACH
01115	0.068 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 2.5 X 7 X 7.2MM. LEAD SPACING 5MM	EACH	01153	3.3 UF 20% TOL. 160VDC/100 VAC WIMA #MKS4 POLYESTER FILM 11 X 2 1 X 26.5MM. 22.5MM LEAD SPACIN	EACH	01226	1.0 UF 20% TOL. 160VDC/100 VAC WIMA #MKP10 POLYPROP YLENE FILM 11 X 2 1 X 26.5MM. 22.5MM LEAD SPACIN	EACH
01116	0.1 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 3 X 7.5 X 7.2MM. LEAD SPACING 5MM	EACH	01154	4.7 UF 20% TOL. 160VDC/100 VAC WIMA #MKS4 POLYESTER FILM 13 X 2 4 X 31.5MM. 27.5MM LEAD SPACIN	EACH	01227	1.5 VF 20% TOL. 250VDC/180 VAC WIMA #MKP10 POLYPROP YLENE FILM 15 X 2 6 X 31.5MM. 27.5MM LEAD SPACIN	EACH
01117	0.15 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 3.5 X 8 .5 X 7.2MM. LEAD SPACING 5MM	EACH	01156	10 UF 20% TOL. 160VDC/100 VAC WIMA #MKS4 POLYESTER FILM 17 X 3 4.5 X 31.5MM. 27.5MM LEAD SPAC	EACH	01228	3.3 VF 20% TOL. 250VDC/180 VAC WIMA #MKP10 POLYPROP YLENE FILM 20 X 3 9.5 X 31.5MM. 27.5MM LEAD SPAC	EACH
01118	0.22 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 3.5 X 8 .5 X 7.2MM. LEAD SPACING 5MM	EACH	01200	CAPACITOR: POLYCARBINATE & POLYPROPYLENE FILM, WIMA SUITABLE FOR RF & HIGH CURRENT APPLICATIONS		01230	1000 PF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 4 X 10 X 18MM. 15MM LEAD SPACING	EACH
01119	0.33 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 4.5 X 9 .5 X 7.2MM. LEAD SPACING 5MM	EACH	01201	4700 PF 20% TOL. 160VDCW/100VA C. #FKC3 POLYCARB ONATE FILM 4 X 9 X 10MM, LEAD SPACING 7.5MM	EACH	01231	1500 PF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 4 X 10 X 18MM. 15MM LEAD SPACING	EACH
01120	0.47 UF 20% TOL. 63VDCW 40VAC WIMA #MKS2 POLYESTER FILM 5 X 10 X 7.2MM. LEAD SPACING 5MM	EACH	01202	0.01 UF 20% TOL. 630VDCW/220VA C WIMA #MKC10 OLYCARB ONATE FILM 4 X 9.5 X 13MM, LEAD SPACING 10MM	EACH	01232	2200 PF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 5 X 11 X 18MM. 15MM LEAD SPACING	EACH
01134	0.68 UF 20% TOL. 63VDCW 40VAC WIMA #MKS4 POLYESTER FILM 5.7 X 1 2.5 X 10.3MM. LEAD SPACING 7.5	EACH	01203	0.1 UF 20% TOL. 100VDC/63VAC WIMA #MKC10 POLYCARB ONATE FILM 6.3 X 15 X 18MM. LEAD SPACING 15MM	EACH	01233	3300 PF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 6 X 12 .5 X 18MM. 15MM LEAD SPACING	EACH
01135	1.0 UF 10% TOL. 63VDCW 40VAC WIMA #MKS3 POLYESTER FILM 7 X 12. 5 X 10.3MM. LEAD SPACING 7.5MM	EACH	01204	0.33 UF 20% TOL. 100VDC/63V AC WIMA #MKC4 POLYCARBO NATE FILM 5 X 11 X 18MM. 15MM LEAD SPACING	EACH	01234	4700 PF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 7 X 14 X 18MM. 15MM LEAD SPACING	EACH
01136	1.5 UF 20% TOL. 63VDCW 40VAC WIMA #MKS4 POLYESTER FILM 7 X 14 X 18MM. LEAD SPACING 15MM	EACH	01205	0.47 UF 20% TOL. 100VDC/63V AC WIMA #MKC4 POLYCARBO NATE FILM 5 X 11 X 18MM. 15MM LEAD SPACING	EACH	01235	6800 PF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 8 X 15 X 18MM. 15MM LEAD SPACING	EACH
01137	2.2 UF 20% TOL. 63VDCW 40VAC WIMA #MKS4 POLYESTER FILM 8 X 15 X 18MM. LEAD SPACING 15MM	EACH	01206	0.68 UF 20% TOL. 100VDC/63V AC WIMA #MKC4 POLYCARBO NATE FILM 7 X 14 X 18MM. 15MM LEAD SPACING	EACH	01236	0.01 UF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 7 X 16 .5 X 26.5MM. 22.5MM LEAD SPACI	EACH
01138	3.3 UF 20% TOL. 63VDCW 40VAC WIMA #MKS4 POLYESTER FILM 7 X 16. 5 X 26.4MM. LEAD SPACING 22.5MM	EACH	01207	1.0 UF 20% TOL. 100VDC/63V AC WIMA #MKC4 POLYCARBO NATE FILM 7 X 14 X 18MM. 15MM LEAD SPACING	EACH	01237	0.015 UF 20% TOL. 1000VDC/40 0VAC WIMA #FKP1 POLYPROP YLENE FILM 8.5 X 18.5 X 26.5MM. 22.5MM LEAD SPA	EACH

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
01238	0.022 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 10.5 X 19 X 26.5MM. 22.5MM LEAD SPAC	EACH	01425	180 PF 6.2 X 9.0 X 2.3MM TH 5MM LEAD SPACING N750 100V DC #2	EACH	01700	CAPACITOR; METALLISED PEPT FLAT FILM, 20% TOL. 250VDCW, PIGTAILS	
01239	0.033 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 11 X 2 1 X 31.5MM. 27.5MM LEAD SPACIN	EACH	01426	220 PF 2% 100VDC N750 PLATE 6.2 X 9MM, 5MM LEAD SPACING PHILIPS #2222 681 58221	EACH	01701	0.01UF 10% TOL 400VDCW 12.5 X 12 X 4MM PHILIPS #2222 368 51103	EACH
01240	0.047 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 13 X 2 4 X 31.5MM. 27.5MM LEAD SPACIN	EACH	01427	270 PF 6.2 X 11.2 X 2.3MM T H 5MM LEAD SPACING N750 100V DC #2	EACH	01702	0.015UF 10% TOL 400VDCW 12.5 X 12 X 4MM PHILIPS #2222 368 51153	EACH
01241	0.068 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 11 X 2 2 X 41.5MM. 37.5MM LEAD SPACIN	EACH	01428	330 PF 6.2 X 11.2 X 2.3MM T H 5MM LEAD SPACING N750 100V DC #2	EACH	01703	0.022UF 10% TOL 400VDCW 12.5 X 12 X 4MM PHILIPS #2222 368 51223	EACH
01242	0.1 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 15 X 2 6 X 41.5MM. 37.5MM LEAD SPACIN	EACH	01429	390 PF 6.2 X 9.0 X 2.3MM TH 5MM LEAD SPACING N1500 100 VDC #2	EACH	01704	0.033UF 10% 250VDC 13 X 9 X 4MM PHILIPS #2222 352 45333	EACH
01243	0.15 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 17 X 2 9 X 41.5MM. 37.5MM LEAD SPACIN	EACH	01430	470 PF 6.2 X 11.2 X 2.3 5MM LEAD SPACING N1500 100 VDC #2	EACH	01705	0.047UF 10% TOL 250VDCW 12.5 X 12 X 4MM PHILIPS #2222 368 41473	EACH
01244	0.22 UF 20% TOL. 1000VDC/40 OVAC WIMA #FKP1 POLYPROPYLENE FILM 19 X 3 2 X 41.5MM. 37.5MM LEAD SPACIN	EACH	01431	560 PF 6.2 X 11.2 X 2.3MM T H 5MM LEAD SPACING N1500 100 VDC #2	EACH	01706	0.068UF 10% TOL 250VDCW 12.5 X 12.5 X 4MM PHILIPS #2222 368 41683	EACH
01300	CAPACITOR; POLYESTER		01432	680 PF 3.6 X 6.3 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01707	0.1UF 10% TOL 250VDCW 12.5 X 13 X 4MM PHILIPS #2222 368 41104	EACH
01327	0.1UF 1KVDCW, POLYESTER 31 X 13MM DIA. AXIAL PIGTAILS ERO #MKT1813	EACH	01433	820 PF 3.6 X 6.3 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01708	0.15UF 10% TOL. 250VDC 17.5 X 14 X 5MM PHILIPS #2222 368 41154	EACH
01400	CAPACITOR; MINIATURE CERAMIC PLATE. 100VDC UNLESS OTHERWISE STATED		01434	1000 PF 3.9 X 6.7 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01709	0.22UF 10% TOL 250VDCW 17.5 X 15 X 6MM PHILIPS #2222 368 41224	EACH
01410	10 PF 2% 100VDC NPO PLATE 3.6 X 6.3MM, 5MM LEAD SPACING PHILIPS #2222 681 10109	EACH	01436	1500 PF 4.5 X 7.3 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01710	0.33UF 10% 250VDC 23 X 12 X 7MM PHILIPS #2222 352 45334	EACH
01411	12 PF 2% 100VDC NPO PLATE 3.6 X 6.3MM, 5MM LEAD SPACING PHILIPS #2222 681 10129	EACH	01438	2200 PF 5.1 X 7.9 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01711	0.47UF 10% TOL. 250VDC 23 X 13 X 8MM PHILIPS #2222 352 45474	EACH
01412	15 PF 3.6 X 6.3 X 2.3MM TH 5.08 LEAD SPACING	EACH	01440	3300 PF 6.2 X 9.0 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01712	0.68UF 10% TOL 250VDCW 26 X 18.5 X 6.5MM PHILIPS #2222 368 41684	EACH
01413	18 PF 3.6 X 6.3 X 2.3MM TH 5.08 LEAD SPACING	EACH	01442	4700 PF 6.2 X 9.0 X 2.3MM TH 5MM LEAD SPACING 100VDC TOL 10 % #2	EACH	01713	1.0UF 10% TOL 250VDCW 26 X 19.5 X 7.5MM PHILIPS #2222 368 41105	EACH
01414	22 PF 3.6 X 6.3 X 2.3MM TH 5.08 LEAD SPACING	EACH	01443	10,000 PF 4.5 X 7.3 X 2.3MM TH 5MM LEAD SPACING 63VDC TOL -2 1 X 31.5MM. 27.5MM LEAD SPACIN 0 +80% #2	EACH	01714	1.5UF 10% TOL. 250VDC 30 X 18 X 11MM PHILIPS #2222 352 45155	EACH
01415	27 PF 3.6 X 6.3 X 2.3MM TH 5.08 LEAD SPACING	EACH	01444	22,000 PF 6.2 X 9.0 X 2.3MM TH 5MM LEAD SPACING 63VDC TOL -2 0 +80% #2	EACH	01715	2.2UF 10% TOL 250VDCW 30 X 22.5 X 10.5MM PHILIPS #2222 368 41225	EACH
01416	33 PF 3.6 X 6.3 X 2.3MM TH 5.08 LEAD SPACING	EACH	01500	CAPACITOR; PAPER OIL IMPREGNATED		01717	0.39UF 10% TOL. 250VDC 23 X 16 X 7MM PHILIPS #2222 352 45394	EACH
01417	39 PF 3.9 X 6.7 X 2.3MM TH 5.08 LEAD SPACING	EACH	01501	0.25UFD,3KVDC/900VAC (PCB FREE BKT MTG,NOM.DIMENSIONS 100 X 45 X 31MM D (C-17 IN BCNZ 8161/1200V POWER SUPPL	EACH	01806	47PF 5% TOL. 600VDCW 17 X 7MM DIA. AXIAL PIGTAILS	EACH
01418	47 PF 3.9 X 6.7 X 2.3MM TH 5.08 LEAD SPACING	EACH	01502	0.05VF 10% 3KVDC (PCB FREE) 3/ 8 X 8-32 AXIAL TERMINALS GLASS CASE MYLAR DIELECTR IC 57 X 19MM DIA. PC #0	EACH	01807	100PF 5% TOL. 600VDCW 13 X 7MM DIA. AXIAL PIGTAILS	EACH
01419	56PF 2% 100VDC NPO 4.5 X 7.3MM 5MM LEAD SPACING PHILIPS #2222 681 10569	EACH				01810	270PF 5% TOL 600VDCW 13 X 5MM DIA. AXIAL PIGTAILS	EACH
01420	68 PF 4.5 X 7.3 X 2.3MM TH 5.08 LEAD SPACING	EACH				01813	470PF 5% TOL 600VDCW 15 X 7MM DIA. AXIAL PIGTAILS	EACH
01421	82 PF 4.5 X 7.3 X 2.3MM TH 5.08 LEAD SPACING	EACH				01815	680PF 5% TOL 600VDCW 17 X 7MM D IA. AXIAL PIGTAILS	EACH
01422	100PF 5.1 X 7.9 X 2.3MM TH 5.08 LEAD SPACING	EACH				01816	820PF 5% TOL 600VDC 17 X 10MM DIA. AXIAL PIGTAILS	EACH
01423	120PF 5.1 X 7.9 X 2.3MM TH 5.08 LEAD SPACING	EACH				01821	1500PF 5% 63VDC 7 X 5MM DIA AXIAL PIGTAILS	EACH
01424	150 PF 2% 100VDC N750 5.1 X 7.9MM. 5MM LEAD SPACING PHILIPS #2222 681 58151	EACH				01822	2200PF 5% TOL 63VDC 7 X 5MMDIA AXIAL PIGTAILS	EACH
						01823	3300PF 5% TOL 63VDC 10 X 7MMDIA. AXIAL PIGTAILS	EACH

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
01824	4700PF 5% TOL 63VDC 10 X 7MM DIA. AXIAL PIGTAILS	EACH	02050	1000UF 25VW 30 X 18MM DIA	EACH	02611	2.5-11PF 350VWDC CERAMIC TRIMM ER 8 X 9.5MM DIA. PCCT 8MM LEA D SPACING (CDL DIGISY NC VG2210 SPARE) TUSONIX #5	EACH
01826	0.01UF 5% TOL 63VDC 15 X 7MM DIA. AXIAL PIGTAILS	EACH	02053	15UF 40V 12 X 6MM DIA	EACH			
01827	0.015UF 5% TOL 63VDC 15 X 9MM DIA. AXIAL PIGTAILS	EACH	02054	22UF 40V 18 X 7MM DIA	EACH	02612	7-25PF 350VWDC CERAMIC TRIMMER 8 X 9.5MM DIA. PCCT 8MM LEAD SPACING (CDL DIGISY NC VG2210 SPARE) TUSONIX #5	EACH
01842	22PF 5% TOL 63VDC 10 X 5MM DIA AXIAL PIGTAILS	EACH	02055	33UF 40V 18 X 7MM DIA	EACH			
01844	47PF 5% TOL 160VDCW 10 X 5MM DIA. AXIAL PIGTAILS	EACH	02056	47UF 40V 18 X 8MM DIA	EACH	02613	15-60PF 200VWDC CERAMIC TRIMME R 8 X 9.5MM DIA. PCCT 8MM LEAD SPACING (CDL DIGISY NC VG2210 SPARE) TUSONIX #5	EACH
01846	100PF 5% TOL 63VDCW 10 X 5MM DIA. AXIAL PIGTAILS	EACH	02057	100UF 40V 18 X 10MM DIA	EACH			
01848	220PF 5% TOL 63VDCW 10 X 5MM DIA. AXIAL PIGTAILS	EACH	02058	150UF 40V 30 X 10MM DIA	EACH	02614	5.5-18PF 350VWDC CERAMIC TRIMM ER 8 X 9.5MM DIA. PCCT 8MM LEA D SPACING (CBS 8000 PAL IMAGE ENHANCER #990708) TUSON	EACH
01849	330PF 5% TOL 63VDCW 10 X 5MM DIA. AXIAL PIGTAILS	EACH	02060	470UF 40V 30 X 15MM DIA	EACH			
02000	CAPACITOR; ELECTROLYTIC AXIAL PIGTAILS		02061	680UF 40V 30 X 18MM DIA	EACH	02615	10-120PF CERAMIC TRIMMER 50VDC MURATA #TZ03R121E TOP ADJUST. 6M M DIA 5MM HIGH 5MM LEAD SPACIN	EACH
02004	220UF 4VDCW 18 X 8MM DIA.	EACH	02063	0.47UF 63VW 12 X 6MM DIA	EACH	02624	VACUUM VARIABLE 10-500PF 10KV 40A. EE #U500/10/40A	EACH
02009	10UF 6.3V 11 X 3MM DIA	EACH	02065	1.0UF 63VW 12 X 6MM DIA	EACH	02625	VACUUM VARIABLE 12-500PF 15KV 75A. EE #U500/15/75	EACH
02010	33UF 6.3V 12 X 5MM DIA	EACH	02067	2.2UF 63VW 12 X 6MM DIA	EACH	02626	VACUUM VARIABLE 10-2000PF 3KV 40A. EE #U2000/3/40	EACH
02011	68UF 6.3V 12 X 6MM DIA	EACH	02069	4.7UF 63VW 12 X 6MM DIA	EACH	02627	MOUNTING FLANGE FOR S/L 026-24 & 026-26. EE #MA52	EACH
02012	150UF 6.3V 18 X 7MM DIA	EACH	02070	6.8UF 63VW 12 X 6MM DIA	EACH	02628	MOUNTING FLANGE FOR S/L 026-25 EE #MA54	EACH
02014	470UF 6.3V 18 X 10MM DIA	EACH	02071	10UF 63VW 12 X 6MM DIA	EACH	02629	END FLANGE FOR S/L 026-24/25/ 26. EE #MA125	EACH
02015	680UF 6.3V 30 X 10MM DIA	EACH	02072	15UF 63VW 18 X 8MM DIA	EACH			
02016	1500UF 6.3V 30 X 13MM DIA	EACH	02073	22UF 63VW 18 X 8MM DIA	EACH	02631	7-25PF CERAMIC TRIMMER 8 X 8MM DIA 350VDCW, CDL SPARE ERIE #538-006B7-25	EACH
02018	3300UF 6.3V 30 X 18MM DIA	EACH	02074	47UF 63VW 18 X 10MM DIA	EACH	02632	2.5-11PF CERAMIC TRIMMER 8 X 8 MM DIA 350VDCW ERIE #538-006B2 .5-11 CDL SPA RE	EACH
02020	6.8UF 10VW 11 X 3MM DIA	EACH	02075	68UF 63VW 30 X 10MM DIA	EACH			
02022	47UF 10VW 12 X 6MM DIA	EACH	02076	100UF 63VW 30 X 13MM DIA	EACH	02634	8-50PF PHENOLIC BASE TRIMMER CDL SPARE. ERIE #537-091E8-50	EACH
02023	100UF 10VW 18 X 8MM DIA	EACH	02077	150UF 63VW 30 X 13MM DIA	EACH	02635	2-8PF CERAMIC TRIMMER 350VDCW 8 X 9.5MM DIA #EA 538-006 A 2- MURATA #EA 538-006 A 2-8	EACH
02025	330UF 10VW 18 X 10MM DIA	EACH	02078	220UF 63VW 30 X 15MM DIA	EACH	02636	3-15PF CERAMIC TRIMMER 350VDCW MURATA ERIE #EA 538-006 D 3- 15 8MM HIGH X 9.5MM DIA	EACH
02026	470UF 10VW 30 X 10MM DIA	EACH	02079	330UF 63VW 30 X 18MM DIA	EACH			
02027	1000UF 10VW 30 X 13MM DIA	EACH	02100	CAPACITORS; ELECTROLYTIC PCCT MOUNTING		02637	5.5-65PF 250VDCW, 10MM DIA 10M M HIGH, 3 HOLE MTG, 2.54MM (0. 1") PITCH PHIL	EACH
02028	1500UF 10VW 30 X 15MM DIA	EACH	02101	22 UF 6.3V 6 X 4MM DIA. PCCT MTG NICHICON #UMAOJ220 MCA	EACH	02672	50-250PF PADDING CYLDON #TP4D	EACH
02029	2200UF 10VW 30 X 18MM DIA	EACH	02102	47 UF 6.3V 6 X 5MM DIA. PCCT MTG NICHICON #UMAOJ470 MCA	EACH	02674	5-60PF 300VDC, 10 X 11 X 11MM, P CB MTG, CTX TRANSLATOR SPARE PHILIPS #2222 809 08003	EACH
02032	33UF 16V 12 X 6MM DIA	EACH	02103	100 UF 6.3V 6 X 6.5MM DIA PCCT MTG NICHICON #UMAOJ101 MCA	EACH			
02034	68UF 16V 18 X 7MM DIA	EACH	02104	10 UF 16V 6 X 5MM DIA. PCCT MTG NICHICON #UMAIC100 MCA	EACH	02675	2-18PF 300VDC, 6 X 8 X 9MM, PCB MTG, PHILIPS #2222-809-05003 (C TX TRANSLATOR)	EACH
02035	150UF 16V 18 X 8MM DIA	EACH	02105	22 UF 16V 6 X 6.5MM DIA PCCT MTG NICHICON #UMAIC220 MCA	EACH	02677	1.8-16.7PF 325VDC, 0.665 ₀ X 0 .450" X 0.435", 2-HOLE (0.068 ₀ DIA.) MOUNT ERIE # 545-016	EACH
02036	220UF 16V 18 X 10MM DIA	EACH	02106	47 UF 16V 6 X 6.5MM DIA PCCT MTG NICHICON #UMAIC470 MCA	EACH			
02037	330UF 16V 30 X 10MM DIA	EACH	02115	100 UF 16V 7 X 6.3MM DIA. PCCT MTG NICHICON #USR1C101M	EACH	02694	0.8 - 5.5PF PISTON TRIMMER. GL ASS DIELECTRIC GTE #416-002/6 3	EACH
02038	680UF 16V 30 X 13MM DIA	EACH				02695	0.8 -11PF PISTON TRIMMER. GL ASS DIELECTRIC GTE #416-002/6 6	EACH
02039	1000UF 16V 30 X 15MM DIA	EACH	02600	CAPACITOR; VARIABLE				
02040	1500UF 16V 30 X 18MM DIA	EACH	02601	7-25PF 200-350VWDC CERAMIC 8 X 9.5MM DIA PCCT MTG 7.6MM SPACING TUSONIX #5	EACH	02696	0.6 - 9.5PF PISTON TRIMMER. GL ASS DIELECTRIC GTE #416-002/6 7	EACH
02041	3.3UF 25VW 11 X 3MM DIA	EACH	02603	5-40PF TOLERANCE -0 +80% AT MA X CAP., CERAMIC DIELECTRIC. TCC #TCK0540	EACH			
02042	10UF 25VW 12 X 5MM DIA	EACH	02605	2-22PF 250VWDC FILM DIELECTRIC TRIMMER 10 X 8MM DIA PHILIPS #2	EACH			
02043	22UF 25VW 12 X 6MM DIA	EACH	02606	2-22PF FILM DIELECTRIC TRIMMER 10 X 8MM DIA PHILIPS #22 22 808 11229	EACH			
02044	47UF 25VW 18 X 8MM DIA	EACH	02608	25-1000 PF 2KV JACKSON TX5 #57 20.2 9MM AIR GAP, 167 BEHIND PANEL X 80 X 8	EACH			
02045	100UF 25VW 18 X 8MM DIA	EACH						
02046	150UF 25VW 18 X 10MM DIA	EACH						
02047	220UF 25VW 30 X 10MM DIA	EACH						
02048	470UF 25VW 30 X 13MM DIA	EACH						
02049	680UF 25VW 30 X 15MM DIA	EACH						

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
02697	08-8.5PF CERAMIC,STUD MTG. A T BOTTOM,5MM MTG. HOLE. WIRE TERMINATION	EACH	02897	2 WAY,MOLEX FREE SHELL LESS P INS S/L 028-98,CRIMP TO OL S/L 302-97 HAND EJECTOR TOOL S/L 302-98	EACH	03008	RCA PHONO SOCKET,FIXED,TWIN MOUNTED ON RECTANGULAR PHENOLIC BOARD	EACH
02700	CONNECTOR; NEUTRICON		02898	CRIMP PIN 12A MOLEX #M 1190-TL CRIMP TOOL S/L302-92 HAND EJECTOR TOOL S/L302-98	EACH	03011	6 PIN FIXED DIN DELTRON #636.F OR #11743 COOBE (MATES WITH 02 8-11)	EACH
02701	ASSEMBLY TOOL #WM	EACH	02899	6 PIN FREE #T3400/1	EACH	03013	5 PIN FIXED LEMO #RA-1305-NYL MATES WITH S/L 029-22	EACH
02702	ASSEMBLY JIG #WS	EACH	02909	5 PIN FREE WITH LOCKING RING, PREH #71-404-250 DIN 270 DEG. PIN CLUSTER	EACH	03023	6 PIN FREE MIN #JSM-6-CCT,S-30 6-CCT	EACH
02703	PLUG HOUSING, 8 PIN FREE AUDIO #SC-8	EACH	02910	7 PIN FREE FOR UHER #CR210 RADIO/PHONO INPUT	EACH	03024	6 PIN FIXED #JSM-6-AB,S-306-AB	EACH
02704	SOCKET HOUSING 8 PIN FREE AUDIO #MC-8	EACH	02911	8 PIN FREE WITH LOCKING RING F FOR UHER #CR210.	EACH	03051	7 PIN FIXED (MATES WITH S/L 02 9-16) TUCHEL # T3478-000	EACH
02705	SOCKET HOUSING 8 PIN FIXED AUDIO #RP-8	EACH	02912	5 PIN FREE WITH LOCKING RING PREH #71-404-050 DIN STEREO 180 DEG PIN CLUSTER	EACH	03053	5 PIN FIXED DIN 270 DEGREE PRE H #71-206-050 FOR AUDIO RADIO MICS	EACH
02706	SOLDER PIN, GOLD #CS-1	EACH	02916	7 PIN FREE #T3475-001 MATES WITH S/L030-51	EACH	03055	3 PIN FREE ADC #BPF3-1 BLACK FINISH (MATES WITH 028-55 & 0 28-56)	EACH
02707	RADIAL CONTACT CARRIER #RI-8	EACH	02918	1 PIN BANANA 3MM B/L #L378A/3 BLACK	EACH	03063	20PIN,PCB PARALLEL TOP ENTRY,7 .87 X 50.7MM O/L,MOLEX 4455-20 C,#22-02-2201	EACH
02708	TANGENTIAL CONTACT CARRIER #TI-8	EACH	02919	1 PIN BANANA 4MM B/L #L378A/4 RED. MATES WITH S/L031-18	EACH	03072	12 CONTACT,FOR # LDK5 CAMERA. BELLING LEE PATTERN # 102 # L655/S MATES WITH # L655/P(028-72)	EACH
02709	STRAIN RELIEF CABLE CLAMP #SR-8	EACH	02920	1 PIN BANANA 4MM B/L #L378A/4 BLACK. MATES WITH S/L031-19	EACH	03084	6 PIN HOUSING FOR S/L 030-85. 16MM L,14MM H.	EACH
02800	CONNECTOR; MALE		02922	5 PIN FREE LEMO #F-1305-NY-S6.2 MATES WITH S/L030-13	EACH	03085	CRIMP SOCKET FOR S/L 030-84. (EXTRACTION TOOL S/L 302-99) MOLEX 4809	EACH
02803	IBM PC PRINTER CABLE #CC-042 10FT. TERMINATED WITH 25 PIN M/F CONNECTORS	EACH	02927	6 PIN FREE 13.2MM OD HIRSCHMANN #MAS60	EACH	03088	16 CONTACT BARRIER POLARIZED,M CMURDO RED RANGE (MATES WITH # RP16 028-80) FOR C ORD USE,SEE COVER # RC116(029-	EACH
02805	4 PIN FIXED SINGLE 16MM HOLE MOUNTING	EACH	02928	5 PIN FREE DIN 180 DEG. STEREO	EACH	03091	3 WAY FREE SHELL MOLEX #M3191-3R (PINS 030-98) MALE 028-92	EACH
02806	6PIN 10MM HIROSE SR30-10PE-6P WITH CABLE CLAMP SR30-PTAIT 3 00 R/TS ETC CABLE SIZES 5.5 TO 6.2MM	EACH	02946	PCCT CONTACT. VARICON CARD TO CARD FOR 1.8MM PCCT BOARD FLAT MTG EACH = 1 CONTACT (60 CONTACTS PER STRIP 0.2" SPACNG	EACH	03097	2 WAY,MOLEX FREE SHELL LESS R ECEPTACLES S/L 030-98,CRIMP TO OL S/L 302-97 HAND EJECTOR TOOL S/L 302-98	EACH
02807	RCA PHONO PLUG, FREE, PLASTIC SHELL & STRAIN RELIEF. RED	EACH	02947	1PCCT CONTACT,VARICON CARD TO CARD FOR 1.8MM PCCT BOARD,VERT .MTG (EDAC #100-2 90-450 OR ELCO #62-5201-0213-0	EACH	03098	CRIMP RECEPTACLES,12A,FOR MOLE X CONNECTORS,CRIMP TOOL S/L 30 2-97 HAND EJECTOR TOOL S/L 302-98	EACH
02808	RCA PHONO PLUG, FREE, PLASTIC SHELL & STRAIN RELIEF. BLACK	EACH	02962	INSERT 37 PIN C/W CONTACTS FOR BICC REF D3740/12 COUPLER S/ L 029-31	EACH	03102	6 POLE FIXED TELEFUNKEN #T3403	EACH
02809	RCA PHONO PLUG, FREE, PLASTIC SHELL & STRAIN RELIEF. YELLOW	EACH	02977	25 CONTACT IDC FLAT CABLE CONN ECTOR,RN #IDD-25 (MATES WITH S /L 037-03)	EACH	03103	6 POLE FREE TELEFUNKEN #T3401	EACH
02810	RCA PHONO PLUG, FREE, PLASTIC SHELL & STRAIN RELIEF. GREY	EACH	02983	15 PIN FREE PAINTON #159 WITH COVER #74/10/1501/10 FOR CUEMASTER 750 SERIES CARTRIDGE EQUIPMENT	EACH	03109	4 POLE FREE TUCHEL #T3301-1 FOR NAGRA RECORDER	EACH
02811	6 PIN FREE DIN DELTRON #596,LO CKABLE,FOR #11743 COOBE (MATES WITH 030-11)	EACH	02984	19 PIN FREE PAINTON #159 WITH COVER #74/10/1901/10 FOR CUEMASTER 75 0 SERIES CARTRIDGE EQUIPMENT	EACH	03110	4 POLE FIXED TUCHEL #T3303 FOR NAGRA RECORDER	EACH
02824	6 PIN FREE #P-306-CCT	EACH	02986	3 PIN FREE WITH COUPLING NUT T UCHEL #T3260/1 FOR SENNHEISER #MKH805 MIC MATES WITH 031-8 0 & 031-81	EACH	03113	7 POLE FREE TUCHEL #T3461-10 FOR U67 MIC.	EACH
02846	12 PIN FREE MIN. #P-312-CCT	EACH	02988	CRIMP VARILOK CONTACT (SEE S/L 301-96,97 & 98) EDAC #516-290-590	EACH	03117	7 POLE INSERT TUCHEL #T2461 FOR #T3461-002 CONNECTOR	EACH
02855	3 PIN FREE ADC #BPM3-1 BLACK FINISH (MATES WITH 030-55)	EACH	02989	VARILOK SOLDER CONTACT FOR TOOLS SEE S/L301-96,97,98 EDAC #516-290-590	EACH	03118	1 POLE BANANA 4MM ROUND FLANGE RED B/L #L1413 MATE WITH S/L029-19	EACH
02856	3 PIN FIXED ADC #BRM3 BLACK FINISH (MATES WITH 030-55) RECTANGULAR	EACH	02990	WIREWRAP VARILOK CONTACT (SEE #516-290-542	EACH	03119	1 POLE BANANA 4MM ROUND FLANGE BLACK B/L #L1413 MATES WITH S/L029-20	EACH
02867	5 PIN FREE FISCHER #S103A054	EACH	03000	CONNECTOR; FEMALE		03124	5 POLE FIXED DIN PHILIPS #4823 267 47025	EACH
02870	8 PIN BELLING LEE #L654/P FOR LDK5 CAMERA	EACH	03007	RCA PHONO SOCKET,FIXED,SINGLE MOUNTED ON RECTANGULAR PHENOLI C BOARD	EACH	03147	50 CONTACT IDC ASSY AMP # CHAMP 553603-1	EACH
02872	12 PIN BELLING LEE #L655/P FOR LDK5 CAMERA MATES WITH S/L030-72	EACH				03158	37 PIN DEMOUNTABLE STRAIGHT COUPLER, BICC #D37/177/12/DSI MATES WITH S/L 029-50	EACH
02880	16 PIN BARRIER POLARIZED AMPHENOL #26-4100-16P MATES WITH S/L030-88	EACH						
02892	3 WAY FREE SHELL MOLEX #M3191-3P. PINS S/L028-98. MATES WITH S/L030-91	EACH						
02896	1 PIN BANANA 3MM B/L #L378A/3 RED	EACH						

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
03166	11 POLE FREE PAINTON #159 FOR CUEMASTER 750 SERIES NAB CARTRIDGE EQUIPMENT	EACH	03214	SERIES UHF #PL259,CABLE ENTRY 0.44" THREADED 14TPI	EACH	03260	PLUG, 75 OHM 1.6/5.6 SIEMENS #C42334-A75-A18 FOR CYCCY 0.4/2.5 (2/100) CABLE S/L221-19	EACH
03167	11 POLE FIXED PAINTON #159 WITH RETAINERS FOR CUEMASTER 750 SERIES NAB CARTRIDGE EQUIPMENT	EACH	03215	SERIES UHF TEE ADAPTOR 1M/2F #M358	EACH	03261	ELBO PLUG FREE 75 OHM 1.6/5.6 SIEMENS #A-C42334-A11-A10 FOR 2YCCY 0.4/2.5 (2/100) CABLE S/L221-19	EACH
03168	15 POLE FIXED PAINTON #159 WITH RETAINERS FOR CUEMASTER 750 SERIES NAB CARTRIDGE EQUIPMENT	EACH	03217	INTERSERIES ADAPTER,SERIES N MALE/ BNC FEMALE #UG-201A/U	EACH	03262	INTERSERIES ADAPTOR BNC MALE T O N FEMALE KINGS # KN94-09	EACH
03169	19 POLE FIXED PAINTON #159 WITH RETAINERS FOR CUEMASTER 750 SERIES NAB CARTRIDGE EQUIPMENT	EACH	03218	SERIES N FREE 50 OHM ANDREW #L44W FOR S/L221-01	EACH	03263	BNC M/M U LINK,ACME #C93-03,FO R USE WITH S/L 034-63	EACH
03170	23 OLE FIXED PAINTON #159 WITH RETAINERS FOR CUEMASTER 750 SERIES NAB CARTRIDGE EQUIPMENT	EACH	03220	0 CLIP 5/16 CANNON #OTK1009 FOR USE WITH #PL259 CONNECTOR & R410-2 ADAPTOR	EACH	03265	SERIES TNC 50 OHM CRIMP PLUG F OR BELDEN #8281/BICC #T3205/BB C #PSF1/2M S,SUHNER #11TNC-50-5-X/133	EACH
03173	25 CONTACT IDC FLAT CABLE CONNECTOR RN #IDD-25-STG	EACH	03225	SERIES N,50 OHM,STRAIGHT,WEATHERPROOF,CABLE ENTRY 0.44",UG-2 1B/U (GREENPAR #GE-15-01564,TRANSRADIO #CIGEA 071/50	EACH	03266	SERIES TNC 50 OHM CRIMP PLUG. SUHNER #11TNC-50-3-3	EACH
03180	3 POLE FREE WITH COUPLING NUT TUCHEL #T3261-1 FOR SENNHEISER #MKH805 MIC. MATES WITH S/L 029-86	EACH	03226	SERIES N TEE ADAPTOR 50 OHM 1M/2F #UG-107B/U	EACH	03267	SERIES TNC 50 OHM CRIMP PLUG F OR #96IEC50-3-3 CABLE SUHNE R #11TNC-50-3-17	EACH
03181	3 PIN FIXED TUCHEL #T3263 FOR SENNHEISER #MKH805 MIC MATES WITH 029-86	EACH	03228	SERIES BNC 50 OHM,CABLE ENTRY 0.21 #UG-88C/U	EACH	03268	SERIES TNC 50 OHM M/F ANGLE (E L BOW) ADAPTER SUHNE R #53TNC-50-0-1	EACH
03185	TEST JACK,BLACK PRESS FIT,FOR 2MM DIA PROBE,4.37MM DIA MTG HOLE. CSK MTG HOLE 60(PANEL 1-3.175MM)OR 80(PANEL 1M	EACH	03229	SERIES BNC TEE ADAPTOR 50 OHM 1M/2F #UG-274/U	EACH	03269	INTERSERIES ADAPTER,50 OHM,MAL E TNC TO FEMALE BNC,SUHNER #33 TNC-BNC-50-2	EACH
03186	TEST JACK,BROWN PRESS FIT,FOR 2MM DIA PROBE,4.37MM DIA MTG HOLE. CSK MTG HOLE 60(PANEL 1-3.175MM)OR 80(PANEL 1M	EACH	03233	REDUCING FERRULE #UG-175/U FITS CABLE UP TO 0.2 OD TO PL259 CONNECTOR	EACH	03270	INTERSERIES ADAPTER,50 OHM,MAL E TNC TO FEMALE N,SUHNER #33TNC-N-50-1	EACH
03187	TEST JACK,RED PRESS FIT,FOR 2MM DIA PROBE,4.37MM DIA MTG HOLE. CSK MTG HOLE 60(PANEL 1-3.175MM)OR 80(PANEL 1M	EACH	03234	SERIES BNC ELBOW ADAPTOR 50 OHM 1M/1F #UG-306A/U	EACH	03271	INTERSERIES ADAPTER,50 OHM,MAL E BNC TO FEMALE TNC GREENPAR # GE 507-512	EACH
03189	TEST JACK,YELLOW PRESS FIT,FOR 2MM DIA PROBE,4.37MM DIA MTG HOLE. CSK MTG HOLE 60(PANEL 1-3.175MM)OR 80(PANEL 1M	EACH	03240	SERIES UHF ELBOW ADAPTOR 1M/1F #M359A	EACH	03272	INTERSERIES ADAPTER,50 OHM,MAL E N TO FEMALE TNC GREENPAR # GE 501-512	EACH
03194	TEST JACK,WHITE PRESS FIT,FOR 2MM DIA PROBE,4.37MM DIA MTG HOLE. CSK MTG HOLE 60(PANEL 1-3.175MM)OR 80(PANEL 1M	EACH	03241	SERIES UHF WEATHERPROOF CAP AMPHENOL #83-1AC	EACH	03273	TRIAx 8MM CABLE MTG #SE105 1-A004-1.0/4.5	EACH
03200	CONNECTOR, COAXIAL MALE		03242	SERIES N 50 OHM STRAIGHT ADAPTOR M/M #UG-57B/U	EACH	03274	TRIAx 11MM CABLE MTG #SE105 1-A004-1.4/6.6	EACH
03201	SERIES N 50 OHM ELBOW PLUG,CABLE ENTRY 0.44 #UG-594A/U	EACH	03244	60 - 75 OHM,INSULATED FREE,MATES WITH 034-40 & 41, B/LEE #L1556	EACH	03275	TRIAx PANEL MTG #DS105 1-A004	EACH
03202	70 OHM NOM.(STD.PAL TV),ALUMINIUM CASE,CABLE UP TO 7.9MM OD. B/LEE #L734-P (SEE ALSO 032-44)	EACH	03246	EIA 50 OHM RETMA SEXLESS FLANGE,HDK ART #94-4261 FOR CABLE 2 21-16, 4673VE COUPLING ELEMENT SEE 032-51	EACH	03277	50 OHM (NOMINAL) MINIATURE FRE E, COLLET CABLE CLAMP. 17MMLX8 .5MM DIA. (MATES WITH S/L 034-77)	EACH
03203	SERIES N 50 OHM,CABLE ENTRY 0.89" #UG-167A/U,GREENPAR #GE 15 035C18 (LONG PIN V ERSION,SEE ALSO S/L 032-04)	EACH	03247	SERIES N PLUG 50 OHM,HDK ART # 94-4249 FOR CABLE 221-16	EACH	03278	75 OHM STRAIGHT PIPE PLUG,(1.6/5.6),USE CABLE # 2YCCY 0.7/4.4(R2/100) (S/L 221 -18) DO NOT USE # T3205 OR EQU	EACH
03205	SERIES N 50 OHM,CABLE ENTRY 0.214 #UG-536B/U	EACH	03248	SERIES LC PLUG 50 OHM,HDK ART #94-4254 FOR CABLE 221-16	EACH	03279	75 OHM ELBOW PIPE PLUG,(1.6/5.6),USE CABLE # 2YCCY 0.7/4.4(R2/100) (S/L 221 -18) DO NOT USE # T3205 OR EQU	EACH
03206	SERIES N 50 OHM CRIMP FOR 5MM OD CABLE. (TOOL S/L 301-51) KN -59-118	EACH	03249	INTERSERIES ADAPTOR SERIES UHF MALE / BNC FEMALE #UG273/U	EACH	03280	CRIMP TUBE SIEMENS # A-C42334-A5-C7 FOR PIPE PLUG S/L 032-58	EACH
03207	EIA 7/8" FLANGE (KABELMETAL) C/W COUPLING ELEMENT FOR USE WITH RG218-U CABLE S/L221002	EACH	03250	INTERSERIES ADAPTOR SERIES BNC MALE / UHF FEMALE #UG255A/U	EACH	03281	SERIES BNC 50 OHM CRIMP TYPE F OR MINATURE CABLE MAX OD 2.8MM (SUITABLE FOR AMPEX CABLE S/L 695-18)	EACH
03208	SERIES LC 50 OHM #UG-154/U SUHNER #11LC-50-17-1/33	EACH	03251	COUPLING ELEMENT 4673VE WITH FLANGE SEALING RING FOR EIA 7/8 RETM A 50 OHM CONNECTOR 032-46	EACH	03282	SERIES N ELBOW ADAPTER M/F (SIMILAR # UG27C/U) # KN-99-47/GE 15009	EACH
03209	BULKHEAD ADAPTOR M/M BPO #10	EACH	03254	*SERIES UHF,CABLE ENTRY 7.9MM, CRIMP TYPE,KINGS #KU59-56	EACH	03283	SERIES N 50 OHM CRIMP PLUG KINGS #KN59-132 FOR RG213 CABLE (DIE 301-53	EACH
03210	PANEL PLUG.BPO #1	EACH	03255	SERIES BNC 50 OHM CABLE ENTRY 7.9MM CRIMP TYPE KINGS #KC59-181	EACH	03284	SERIES BNC 50 OHM ELBOW (CABLE S/L 221-12) SUHNER 16BNC-50-3-5C	EACH

N/S/A/4/10/0/1/99

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
03285	BNC EXTRACTOR TOOL,200 X 20MM DIA #30790 (SUITED FOR EXTRACTING BNC CONNECTORS IN CO	EACH	03422	SERIES UHF STRAIGHT ADAPTOR F/ F,#PL258	EACH	03472	TRIAX 14MM CABLE MOUNTING (SEE S/L 032-89) #KE 1051-A-0 04-2.1LS/10S	EACH
03289	TRIAX 14MM CABLE MOUNTING (SEE S/L 034-72) #SE 1051-A-0 04-2.1LS/10S	EACH	03423	SERIES N 50 OHM STRAIGHT ADAPTOR F/F WITH FLANGEL FOR PANEL MOUNTING	EACH	03475	TRIAX PANEL MTG #DB105 1-A004	EACH
03291	SERIES SMA STRAIGHT PLUG FOR R G179B/U & RG316/U CABLE # G E65161K22SF	EACH	03424	SERIES BNC 50 OHM STRAIGHT ADA PTOR F/F,#UG914/U	EACH	03477	50 OHM (NOMINAL) MINIATURE FIX ED,SOLDER TERM. 11.4MM MOUNTI NG CENTRES (MATES WITH S/L 032-77)	EACH
03292	SERIES SMC 50 OHM (MIN.SCREW-O N)RIGHT ANGLE PLUG. SEAELECTRO #50-011-0000 (MATES WITH S/L 034-92)	EACH	03425	SERIES BNC 50 OHM,CABLE ENTRY 6.6MM,#UG-261B/U	EACH	03478	TAPER SLEEVE,RED,SUITABLE FOR CRIMP CONNECTORS FOR CABLES UP TO 4MM DIA. D IELECTRIC/OD 5.5MM,SUHNER SIZE 032-91) #GE 535-508	EACH
03293	SERIES SMC,50 OHM.MINIATURE PC B MTG.(MATES WITH 034-93) SEALE CTRO #50-051-000022	EACH	03426	70 OHM NOM.PANEL MTG SOCKET B/L #L734-S	EACH	03479	TAPER SLEEVE,ORANGE,SUITABLE F OR CRIMP CONNECTORS FOR CABLES UP TO 4MM DIA. D IELECTRIC/OD 5.5MM SUHNER SIZE	EACH
03295	CRIMP SLEEVE FOR KC59-181 (S/ L 032-55) #S-89 -53-2 M06	EACH	03428	SERIES N 50 OHM PANEL MTG SOCK ET #UG-58A/U	EACH	03480	TAPER SLEEVE,YELLOW,SUITABLE F OR CRIMP CONNECTORS FOR CABLES UP TO 4MM DIA. D IELECTRIC/OD 5.5MM SUHNER SIZE	EACH
03296	CRIMP PIN FOR KC59-181 (S/ L 032-55) #1-55 2-9 M07	EACH	03430	SERIES N 50 OHM CABLE JACK,ENT RY 11MM	EACH	03481	TAPER SLEEVE,GREEN,SUITABLE FO R CRIMP CONNECTORS FOR CABLES UP TO 4MM DIA. D IELECTRIN/OD 5.55MM SUHNER SIZ	EACH
03301	TRIAX PLUG,FREE LEMO SERIES 4A #F.4Z.675.TB.122	EACH	03431	SERIES N 50 OHM STRAIGHT ADAPT OR F/F,#UG-29B/U	EACH	03484	ASSEMBLY TOOL FOR TAPER SLEEVE SIZE # 3 SUHN ER # 74Z-0-3-1	EACH
03302	TRIAX FIXED PLUG LEMO SERIES 4A #F.4Z.675.T C 111	EACH	03434	SERIES BNC 50 OHM PANEL MTG JA CK,CABLE ENTRY 5.6MM,#UG-291/U	EACH	03485	SERIES BNC 50 OHM CRIMP TYPE,I SOLATED GROUND BULKHEAD JACK KC-19-138 FOR RG 179B/U CABLE	EACH
03303	TRIAX, MALE FREE, LEMO 4A SERI ES #F4Z675TB08.7 F OR 8MM CABLE WITH CABL E COLLET & SAFETY RING	EACH	03436	SERIES BNC 50 OHM CRIMP FOR 5M M OD CABLE KINGS #KC39-38	EACH	03486	SERIES BNC 50 OHM F/F BULKHEAD ADAPTER SINGLE HOLE MOUNTING. #KC99-33	EACH
03400	CONNECTOR; COAXIAL FEMALE		03437	SERIES BNC 50 OHM PANEL MTG SO CKET #UG290A/U	EACH	03487	SERIES BNC 50 OHM PANEL FRONT MOUNTING SOCKET.SOLDER TERM. #KC79-46 (REFER TO S/ L 034-89)	EACH
03401	BPO # 1 STRAIGHT,(USE 032-20 F OR CABLE CRIMPING)	EACH	03440	60-75 OHM,PAL TV AERIAL TYPE,A LUMINIUM,B/LEE #L734/J/L,(MAT ES WITH 032-44	EACH	03488	SERIES BNC 50 OHM PANEL REAR MOUNTING SOCKET.SOLDER TERM. #KC79-107	EACH
03403	70 OHM NOM.PANEL MTG SOCKET,IN SULATED B/LEE #L603/BLACK.(MAT ES WITH032-02)	EACH	03441	60 - 75 OHM,F/F ADAPTOR,MATES WITH S/L 032-44 B/LEE #L616/ZN	EACH	03489	EARTHING LUG FOR S/L 034-87 #814375	EACH
03404	*SERIES LC 50 OHM CABLE JACK,F OR #RG-218/U CABLE	EACH	03442	SERIES N 50 OHM PANEL JACK, CA BLE ENTRY 11.2MM,#UG-22E/U	EACH	03492	SERIES SMC 50 OHM (MIN.SCREW-O N)BULKHEAD SOCKET. SEAELECTRO #50-045-0000	EACH
03405	*SERIES LC 50 OHM PANEL MTG SO CKET,#UG-352/U	EACH	03443	75 OHM PANEL MTG SOCKET GT&E #421-004-01	EACH	03493	SERIES SMC,50 OHM,MINIATURE SC REW-ON,FREE,(MATES WITH S/L 03 2-93) SEALE CTRO #50-007-000022	EACH
03408	SERIES LC,50 OHM STRAIGHT ADAP TER,F/F WITH FLANGE,SUHNER #37 LC-50-0-1-133	EACH	03444	SERIES N 50 OHM TEE ADAPTOR F/ F/F,#UG28A/U	EACH	03495	PANEL JACK SIEMENS #C42334-A76 -A14 (75 OHM) 1.6/5.6 SOLDER TAG	EACH
03409	ADAPTER,SMA(F) TO SMA(F) (SE E 032-91) # G E65151	EACH	03452	PTFE ISOLATING BUSH FOR S/L 03 4-57,034-58,034-59 GREENPA R #ST103842	EACH	03501	TRIAX FREE RECEPTACLE LEMO SERIES 4A #RC.4Z.675. TB 122	EACH
03410	PLAST # 2000 INJECTING GOO FOR SPINNER 7/8" EIA FLANGE CONNE CTORS	EACH	03456	INTERSERIES ADAPTER,7/8" EIA F LANGE TO SERIES N FEMALE N MATES WITH #UG-21B/U	EACH	03502	TRIAX FIXED RECEPTALLE LEMO SERIES 4A #RA.4Z.675. TC 200	EACH
03411	ADAPTER,BNC(F) TO SMA(M) (SEE 032-91) #GE 535-508	EACH	03457	SERIES BNC 50 OHM BULKHEAD JA CK,CABLE ENTRY 7.6MM,CRIMP TYP E KINGS #KC19-115, FOR BICC T3141,T3205	EACH	03503	TRIAX, FEMALE FREE, LEMO 4A SE RIES #RC4Z675TB08.7 FOR 8MM CABLE WITH CABL E COLLET	EACH
03414	BPO # 1 U LINK F/F(LEGS @ 28.5 MM CENTRES)	EACH	03458	*SERIES BNC 50 OHM CRIMP TYPE BULKHEAD JACK,KINGS #KC19-96 F OR F&G CABLE, #523-333-000	EACH	03600	CONNECTOR; AMPHENOL MALE & ACCESSORIES	
03415	BPO # 1 STRAIGHT(CABLE ENTRY 4 .7MM FOR PT11M CABLE)	EACH	03459	*SERIES BNC 50 OHM CRIMP TYPE BULKHEAD JACK FOR #RG179B/U CA BLE KINGS #KC19-93	EACH	03601	SHELL ONLY #17-301-01 FOR 9 PIN	EACH
03418	ADAPTER, N(F) TO SMA(M) (SEE 032-91) # G E535-502	EACH	03461	BNC 50 OHM SINGLE HOLE MTG BUL KHEAD SOCKET,SOLDER TAG	EACH	03602	SHELL ONLY #17-303-01 FOR 15 PIN	EACH
03419	SERIES UHF PANEL MTG SOCKET #S O 239	EACH	03462	ISOLATING WASHER FOR S/L 034-8 7 BELLING LEE L231 2	EACH	03603	SHELL ONLY #17-305-01	EACH
03420	SERIES N 50 OHM ADAPTOR 4 WAY (F-F-F-F) KINGS # KN-99-15	EACH	03463	BNC BULKHEAD RECEPTACLE,ACME # C93-01,FOR USE WITH S/L 032-63 & 311-22	EACH			
03421	SERIES UHF BULKHEAD ADAPTOR F/ F,WITH 2 NUTS.#PL274/UG363U	EACH	03468	SERIES TNC 50 OHM PANEL MOUNTI NG SOCKET WITH 4 X 0.122" MOUN TING HOLES SUHNE R #23TNC-50-0-2	EACH			
			03469	SERIES TNC 50 OHM F/F STRAIGHT ADAPTER SUHNE R #31TNC-50-0-1	EACH			
			03470	SERIES TNC 50 OHM 2F/1M TEE AD APTER SUHNE R #43TNC-50-0-2	EACH			

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
03604	SHELL ONLY #17-307-01 FOR 37 PIN	EACH	03708	13PIN,SOURIAU #DBMF13W3S,COMPR .10 LV PINS ASSEMBLED.REQUIRES 3 X 20 AMP MAINS PINS S/L03 7-09(PIN A1 = EARTH,A2 = N,A3 = PHAS	EACH	04062	CAP FOR 15MM DIA KNOB. GREEN WITH LINE. SIFAM #C151	EACH
03605	SHELL ONLY #17-309-01 FOR 50 PIN	EACH	03709	SOCKET CONTACT,20 AMP,(3 REQUI RED FOR S/L 037-08)REMOVAL TOO L SEE 301-99 (RESTRICTED FOR MAINS USE ONLY.SOLDER AWG12 W	EACH	04063	CAP FOR 15MM DIA KNOB. YELLOW WITH LINE. SIFAM #C151	EACH
03608	13PIN SOURIAU #DMW13W3PCOMPR. 10 LV PINS ASSEMBLED.REQUIRES 3 X 20A MAINS PINS S/L036-09 (PIN A1 = EARTH,A2 = N,A3 = PHASE)	EACH	03711	SOCKET CONTACT #17-764-02 SOLDER (TOOL S/L302-48)	EACH	04064	CAP FOR 15MM DIA KNOB. BLUE WITH LINE. SIFAM #C151	EACH
03609	PIN CONTACT 20A (3 REQUIRED FOR S/L 036-08). REMOVAL TOOL S/L 301-99. RESTRICTED FOR MAINS USE. SOLDER AWG12 WIRE	EACH	03712	SOCKET CONTACT #17-763-02 CRIMP (TOOL S/L302-48)	EACH	04065	CAP FOR 15MM DIA KNOB. RED WITH LINE. SIFAM #C151	EACH
03611	PIN, SOLDER #17-765-02 TOOL S/L302-48	EACH	03715	LATCHING SET #17-529 FOR 9 TO 37 POLE SHELLS#17-529	EACH	04100	CONNECTOR; MRAC MALE & ACCESSORIES (TOOLS 302 SERIES)	
03612	PIN, CRIMP #17-766-00 TOOL S/L302-48	EACH	03716	LATCHING SET #17-770 FOR 50 POLE SHELL	EACH	04101	JACKSCREWS,PAIR (M/F) FOR 14 W AY CONNECTOR #14-JTC2	PAIR
03614	COVER, SIDE ENTRY FOR 9 PIN	EACH	03717	SCREW CLIP #17-768 ALTERNATIVE TO 037-16 & 17	EACH	04102	14 WAY FREE, "B" POLARISED #14P-JTC2-HD-1BOO	EACH
03615	COVER, REAR ENTRY #17-310-01 FOR 9 PIN	EACH	03735	24 POLE, FIXED #57-402-40 SOLDER CUP C/W SPRING LATCHES	EACH	04105	14 WAY SHELL, NON-POLARISED #14-1000	EACH
03616	COVER, REAR ENTRY #17-311-01 FOR 15 PIN	EACH	03736	36 POLE, FIXED #57-403-60 SOLDER CUP C/W SPRING LATCHES	EACH	04106	14 WAY HOOD, TOP ENTRY, DRILLED FOR 14-JTC2 JACKSCREW S/L 041-01	EACH
03617	METAL COVER, #25, REAR CABLE ENT RY. #17-312 -01	EACH	03737	50 POLE, FIXED #57-405-00 SOLDER CUP C/W SPRING LATCHES	EACH	04110	JACKSCREWS,PAIR (M/F) FOR 18 W AY CONNECTOR #18-JTC2	PAIR
03618	METAL COVER, #37, REAR CABLE ENT RY. #17-313 -01	EACH	03742	9 POLE, FREE #MS3106A-24-11S	EACH	04111	18 WAY HOOD, TOP ENTRY, DRILLED FOR 18-JTC2 JACKSCREW S/L 041-10	EACH
03619	METAL COVER, #50, REAR CABLE ENT RY. #17-314 -01	EACH	03746	9 POLE, FIXED #MS3102A-24-11SC	EACH	04112	18 WAY FIXED "A" POLARISED #18P-J2-2A00	EACH
03635	24 PIN FREE, SOLDER CUP, C/W COV ER. #57-302 40	EACH	03785	7 POLE INSERT #126-1057 FREE OR FIXED. USE S/L037-86 TO 90	EACH	04113	18 WAY FIXED "B" POLARISED #18P-J2-2B00	EACH
03636	36 PIN FREE, SOLDER CUP, C/W COV ER #57-303 60	EACH	03786	NUT, HEX #126-41-108 FOR S/037-85	EACH	04114	18 WAY SHELL, NON POLARISED #18-1000	EACH
03637	50 PIN FREE, SOLDER CUP, C/W COV ER #57-305 00	EACH	03787	WASHER, LOCK #126-85 FOR S/L037-85	EACH	04124	50 WAY FREE "A" POLARISED #50P-JTC2-HD-2A00	EACH
03647	9 PIN FIXED #MS3102 A-20-18P	EACH	03788	HOOD & CLAMP #126-1063 FOR S/L037-85	EACH	04125	POKE HOME CRIMP PIN #62/25P	EACH
03660	15 PIN, PCB EDGE, (USED IN RUPER T NEVE CONSOLE) #133-01 5-21	EACH	03789	SLEEVE, LOCK #126-1064-2 FOR S/L037-85	EACH	04300	CONNECTOR; POWER, MALE	
03685	7 PIN INSERT, FOR FREE OR FIXE D USE. #126-10 59 (SEE S/L 037-85)	EACH	03790	CLIP LOCKING (SEE S/L 037-85) #126-10 69-2	EACH	04304	3P 250V 3.5A(NZED) PANEL MTG SK T,CANNON #XLR-LNE-32, MATES WIT H #XLR-LNE-11C(044-02).	EACH
03700	CONNECTOR; AMPHENOL FEMALE & ACCESSORIES		04000	KNOBS/DIALS, MISCELLANEOUS & ACCESSORIES		04308	3 PIN 250V 10A FREE RUBBER FACE ENTRY	EACH
03701	9 PIN SHELL ONLY.FLOAT MTG #17-785	EACH	04008	KNOB BLACK TAPERED 22MM DIA. BASE 21MM H 6.3MM DIA. SHAFT SIFAM #S211-250	EACH	04317	3 PIN 125V 15A CORD CONNECTOR, HUBBELL#7485	EACH
03702	SHELL ONLY #17-302-01 FOR 15 PIN	EACH	04009	CAP, BLACK FOR SIFAM #S211 KNOB S/L040-08	EACH	04318	3 PIN 125V 15A CHASSIS MTG, HUB BEL TWIST LOCK #7486 (AMPEX #1 45-516)	EACH
03703	25 PIN SHELL ONLY #17-304 -01	EACH	04011	CAP, BLACK FOR SIFAM #S151	EACH	04335	3 PIN 250V 6A IEC FIXED B/L #L1950	EACH
03704	37 PIN SHELL ONLY #17-306 -01	EACH	04023	COUNTING DIAL 15 TURN 22MM DIA 6.35MM DIA SHAFT. SPECTROL #16	EACH	04336	MAINS INPUT FILTER 3 PIN 6A IEC FIXED, RIGHT ANGLE TERMIN. B/L #L2132C/L	EACH
03705	50 PIN SHELL ONLY #17-308 -01	EACH	04052	KNOB 4MM SHAFT 13 X 15MM DIA. BLACK WITH LINE. COLLET FIXING	EACH	04337	3 PIN 250V 6A IEC FIXED PUSH ON TERMINALS (S/L322-86) DELTRON #520-6.3	EACH
03706	9 PIN SHELL ONLY #17-300- 1	EACH	04053	KNOB 6.3MM SHAFT 13 X 15MM DIA BLACK WITH LINE. COLLET FIXING	EACH	04340	MAINS INPUT FILTER 3 PIN 15A IEC FIXED SPRAGUE #15JX5451A	EACH
			04054	KNOB BLACK 4MM SHAFT 22 DIA. 21MM HIGH, COLLET FIXING SIFAM #211-004	EACH	04341	MAINS RFI FILTER CORD SET, 6A SHROUDED MALE/FEMALE B/L #L2145	EACH
			04055	NUT COVER FOR 15MM DIA. KNOB BLACK WITH LINE. SIFAM #N151	EACH	04342	MAINS 6A IEC CORD SET SHROUDED B/L #L2298	EACH
			04056	CAP FOR 11MM DIA KNOB. YELLOW WITH LINE. SIFAM #C111	EACH	04343	MAINS INPUT FILTER IEC FIXED C/W INTEGRAL 4 AMP FUSEHOLDER FELLER #FE8843-N4-304A	EACH
			04060	CAP FOR 11MM DIA KNOB. RED WITH LINE. SIFAM #C111	EACH	04344	IEC MOULDED CORD SET, 2 METRES LONG TERMINATED WITH TAP-ON & IEC SOCKET	EACH
			04061	CAP FOR 15MM DIA KNOB. BLACK	EACH			

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
04345	MOULDED PLUG CORD SET, FOR USE WITH 230V AC OUTLETS. 2 METRES LONG	EACH	04452	3 PIN 250VAC 6A, FIXED, WITH SAFETY SHUTTER, BULGIN #P680/110 (MATES WITH S/L 043-51)	EACH	04618	3 POLE FREE ELBOW BODY #AXR-3-15	EACH
04349	3P 250V 3.5A(NZED) FREE CANNON #XLR-LNE-12C. MATES WITH #XLR-LNE-11C & 31 (S/L044-02 & 59)	EACH	04454	BEZEL, BULGIN #11610. (ENABLES #P680 CONNECTOR CONVERSION FROM SNAP-IN TO A 2 HOLE FLANGE MOUNT FITTING)	EACH	04619	LATCH & SPRING SET FOR CANNON #XLR CONNECTORS	EACH
04351	3 PIN 250VAC 6A, FREE, STRAIGHT ENTRY (MATES WITH S/L044-52) BULGIN #P670	EACH	04455	3-PIN, 250VAC, 6A, RIGHT ANGLE SIDE ENTRY, (CEEZZ), BLACK NYLON, B/LEE #L1921 (SEE ALSO S/L 044-51)	EACH	04621	4 POLE FREE 63 X 28MM DIA BARREL. #EP-4-11-1C	EACH
04353	RETAINER CLIP, BULGIN #6 KIT (FOR USE WITH CEE 22 #P587 CONNECTOR)	EACH	04459	3P 250V 3.5A(NZED) PANEL MTG SKT, CANNON #XLR-LNE-31, MATES WITH #XLR-LNE-12C(043-49)	EACH	04624	4 POLE FIXED 37 X 27MM FLUSH MTG PLATE. FITS 25MM DIA. HOLE AXR-4-31	EACH
04354	RETAINER CLIP, BULGIN #7 KIT (FOR USE WITH CEE 22 #P670/680 CONNECTOR)	EACH	04460	2 POLE FREE 250V 5 AMP NIPHAN #N650	EACH	04625	4 POLE FREE 56 X 19MM DIA BARREL. #AXR-4-11	EACH
04370	3 PIN 250V 10A BLACK PDL #38	EACH	CONNECTOR; CANNON MALE			04628	5 POLE FREE 80 X 19MM DIA BARREL. #AXR-5-11	EACH
04371	3 PIN 250V 10A WHITE PDL #38	EACH	04500			04630	5 POLE FIXED 37 X 27MM FLUSH MTG PLATE. FITS 25MM DIA. HOLE #AXR-5-31	EACH
04372	3 PIN 250V 10A YELLOW PDL #38	EACH	04504	SCREW, 2-56 X 3.175MM PAN HD. (XLR SERIES SKT INSERT RETAINING)	EACH	04631	5 POLE FIXED 37 X 27MM SURFACE MTG PLATE. NUETRIK #NC5FP	EACH
04373	3 PIN 250V 10A BLUE PDL #38	EACH	04505	SCREW, 4-40 X 7.938MM FIL HD. (XLR SERIES CABLE CLAMP)	EACH	04632	5 POLE FREE 63 X 28MM DIA BARREL. #EP-5-11-1C	EACH
04374	3 PIN 250V 10A ORANGE PDL #38	EACH	04512	3 POLE, FREE, 70 X 19MM BARREL #AXR-3-12	EACH	04633	5 POLE FIXED 30MM SQ. SURFACE MTG FLANGE. 19MM DIA. HOLE #EP-5-17S	EACH
04375	3 PIN 250V 10A PURPLE PDL #38	EACH	04513	3 POLE, FIXED, 37MM RD FLANGE, FLUSH MTG, FITS 19MM DIA HOLE, #XLR-3-14	EACH	04644	6 POLE FREE 54 X 25MM DIA ELBOW BARREL. #AXR-6A-15	EACH
04376	2 POLE POLARIZED SURFACE MOUNT 38MM FLANGE C/W CAP LPA #X2Q-ODD	EACH	04514	3 POLE FIXED 37 X 23MM FLUSH MTG PLATE. FITS 19MM DIA. HOLE #AXR-3-32	EACH	04647	7 POLE FREE 80 X 19MM DIA BARREL. #XLR-7-11C	EACH
04380	3 PIN 250V 10A TAPON BLACK PDL #40	EACH	04516	ADAPTER, 3 PIN M/M, #390 CONNECTS MICROPHONE CABLES FITTED WITH CORD PLUGS #XLR-3-11C & #XLR-3-15	EACH	04650	8 POLE FREE 63 X 28MM DIA BARREL. #EP-8-11-1C	EACH
04381	3 PIN 250V 10A TAPON WHITE PDL #40	EACH	04524	4 POLE FREE 70 X 19MM DIA BARREL. #AXR-4-12	EACH	04656	9 POLE FREE ELBOW BODY USED WITH MARTI TRANSMITTER # GK-9-23C	EACH
04382	3 PIN 250V 10A TAPON YELLOW PDL #40	EACH	04525	4 POLE FIXED 37 X 23MM FLUSH MTG PLATE. FITS 19MM HOLE #AXR-4-32	EACH	04680	15 POLE FREE 63 X 28MM DIA BARREL. #EP-15-11-1C	EACH
04383	3 PIN 250V 10A TAPON BLUE PDL #40	EACH	04528	5 POLE FIXED 37 X 23MM FLUSH MTG PLATE. FITS 19MM DIA. HOLE #AXR-5-32	EACH	04700	CONNECTOR; EDAC #516 SERIES MALE (PINS S/L 029-88, 89, 90)	
04384	3 PIN 250V 10A TAPON ORANGE PDL #40	EACH	04530	5 POLE FREE 70 X 19MM DIA BARREL. #AXR-5-12	EACH	04701	56 PIN SHELL WITH LOCKNUT #516-056-000-102	EACH
04385	3 PIN 250V 10A TAPON PURPLE PDL #40	EACH	04532	5 POLE FREE 79 X 28MM DIA BARREL. #EP-5-12-1C	EACH	04709	20 PIN SHELL WITH JACKSCREW #516-020-000-101	EACH
04399	PROTECTIVE PVC BOOT, BLACK FOR COVERING CEE 22 STYLE CONNECTOR INLETS	EACH	04533	5 POLE FIXED 30MM SQ FLANGE FITS 29MM DIA HOLE. #EP-5-18S	EACH	04710	38 PIN SHELL WITH JACKSCREW #516-038-000-101	EACH
04400	CONNECTOR; POWER, FEMALE		04534	5 POLE FIXED 30MM SQ. FLANGE FITS 29MM HOLE. #EP-5-14S	EACH	04714	GREY METAL COVER FOR 20 PIN SHELL EDAC #516-2 30-520	EACH
04402	3P 250V 3.5A(NZED) CORD PLUG, CANNON #XLR-LNE-11C. MATES WITH #XLR-LNE-12C, (043-49) & #XLR-LNE-32(043-04)	EACH	04543	6 POLE FREE 70 X 19MM DIA BARREL. #AXR-6A-12	EACH	04715	GREY METAL COVER FOR 38 PIN SHELL EDAC #516-2 30-538	EACH
04409	3 PIN 250V 10A HARD RUBBER CORD CONNECTOR	EACH	04544	6 POLE FIXED 37 X 23MM FLUSH MTG PLATE. FITS 19MM DIA HOLE #AXR-6A-32	EACH	04721	56 PIN SHELL WITH JACKSCREW #516-056-000-101	EACH
04422	3 PIN 125V 15A CHASSIS MTG, FITS 29.5 MM DIA HOLE, HUBBELL #7488	EACH	04600	CONNECTOR; CANNON FEMALE		04722	90 PIN SHELL WITH JACKSCREW #516-090-000-101	EACH
04435	3 PIN 250V 6A FREE, B/LEE #L1949 (MOULDED WITH 2M PVC CABLE) MATES WITH S/L043-35	EACH	04612	3 POLE FREE 80 X 19MM DIA BARREL. #AXR-3-11	EACH	04726	GREY METAL COVER FOR 56 PIN SHELL EDAC #516-2 30-556	EACH
04438	3P, 15A 125/250V, 3 WIRE POLARISED, HUBBELL #7484 (AMPEX #144-093)	EACH	04613	3 POLE FIXED 36MM RD FLUSH MTG FLANGE. FITS 25MM DIA. HOLE #AXR-3-13	EACH	04727	GREY METAL COVER FOR 90 PIN SHELL EDAC #516-2 30-590	EACH
04439	3P, 15A 125/250V, 3 WIRE GROUNDING TYPE, HUBBELL #7593 (AMPEX #145-502)	EACH	04614	3 POLE FIXED 36 X 27MM FLUSH MTG PLATE. FITS 25MM DIA. HOLE #AXR-3-31	EACH	04800	CONNECTOR; EDAC #516 SERIES FEMALE (PINS S/L 029-88, 89, 90)	
04441	3 PIN, 6 AMP CEE FREE CORD, BLACK PHENOLIC B/LEE #L1920	EACH	04616	ADAPTER 3 CONTACT F/F, #389 CONNECTS MICROPHONE CABLES FITTED WITH CORD PLUGS #XLR-3-12C & #XLR-3-16	EACH	04809	20 PIN SHELL WITH LOCKNUT EDAC #516-0 20-000-202	EACH
04450	3 POLE 250V 10A BLACK BAKELITE SQUARE FLUSH MTG. PDL #100	EACH				04810	38 PIN SHELL WITH LOCKNUT EDAC #516-0 38-000-202	EACH
04451	3 PIN, 250VAC, 6AMP, FREE RIGHT ANGLE, BOTTOM ENTRY, (CEE22), B/LEE #V21280 (SFF AL SO S	EACH						

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
04821	56 PIN SHELL WITH LOCKNUT EDAC #516-0 56-000-202	EACH	05056	TIMING BELT,TOOTHED FOR STEENB ECK EDITOR #2111 9959 0237 0 0	EACH	05206	1A 1&1/4 X 1/4"	EACH
						05207	1.5A 1&1/4 X 1/4"	EACH
04822	90 PIN SHELL WITH LOCKNUT EDAC #516-090-000-202	EACH	05064	BELT FOR FOOTACE COUNTER, FOR SONDOR #MP/OMA3	EACH	05208	2A 1&1/4 X 1/4"	EACH
			05065	BELT, COGGED #120XL037. SOND OR #MP/OMA3 SPOOLING	EACH	05209	3A 1&1/4 X 1/4"	EACH
04900	CRYSTAL		05068	V BELT 1400 X 10MM FOR ST1600 EDITOR (ITEM 82 DWG 17-E-00	EACH	05211	5A 1&1/4 X 1/4"	EACH
04910	CRYSTAL 3.27680.HC 18/U CASE FOR RNZ DIGITAL TIMER	EACH	05072	V-BELT 1120 X 8MM KOBITON ST1200 L.H.	EACH	05212	10A 1&1/4 X 1/4"	EACH
			05073	V-BELT 670 X 8MM KOBITON ST1200 R.H. #9959. 0014.00	EACH	05213	1A ANTI-SURGE 1&1/4 X 1/4"	EACH
05000	BELT; DRIVE, V, O-RING ETC.		05074	V-BELT 2240 X 10MM STEENBECK ST900 L.H. #9959. 0130.00	EACH	05214	2A ANTI-SURGE 1&1/4 X 1/4"	EACH
05001	BELT 660 X 6MM W,COGGED #260XL 037 PHILIPS #4822 358 2005 FO R LCB2000	EACH	05076	V-BELT 1651 X 10MM STEENBECK ST1900 R.H. #9959. 0115.00	EACH	05215	15A 1&1/4 X 1/4"	EACH
05009	TIMING BELT COGGED 381 X 9.5MM W #150XL037AG FOR KOBITON ST1 200 EDITOR	EACH	05077	V-BELT 1955 X 10MM RIBBED STEENBECK ST1901 L.H. #9959. 0428.00	EACH	05216	4.5A ANTI-SURGE 1&1/4 X 1/4"	EACH
05010	TIMING BELT STEENBECK #9959-0235-00	EACH	05078	BELT 1651 X 10MM RIBBED STEENBECK ST1901 R.H. #9959. 0425.00	EACH	05217	250MA 20 X 5MM	EACH
05011	TIMING BELT STEENBECK #9959-0249-00	EACH	05079	BELT, CLUTCH #016041 FOR UHER CR210	EACH	05218	1A 20MM X 5MM	EACH
05012	V-BELT 2M X 9.5MM W,FOR LH REE L,STEENBECK ST600 FILM EDITOR	EACH	05080	BELT, FLYWHEEL #016050 FOR UHE R CR210	EACH	05219	250MA ANTI-SURGE 1&1/4 X 1/4"	EACH
05013	BELT 229 X 10MMW,COGGED #180XL 037	EACH	05100	ELECTRICAL FITTING; MISC.		05220	2A 20 X 5MM	EACH
05014	BELT 508 X 10MMW,COGGED #200XL 03P	EACH	05102	TRANSFORMER,PRI 230V,SEC 4.8 O R 12V @ 8VA,BEACON #U11. TO OPERATE BELL OR BUZZER	EACH	05221	500MA ANTI-SURGE 1&1/4" X 1/4"	EACH
05022	BELT,COGGED BOTH SIDES (163 TE ETH) 863MM L,6MM W.PHILIP #532 2-358-20076 (LCB 2116 P PROJECTOR PLAYBACK SPARE)	EACH	05107	PIEZO-ELECTRIC ALARM 2.8KHZ MURATA/ERIE #PKB5-3A0 1.5 - 9VDC OPE RATING RANGE. 42MM DIA 14MM HI	EACH	05222	750MA ANTI-SURGE 1&1/4 X 1/4"	EACH
05023	V-BELT,500MM X 5MM,#4822 145 0 0343 PHILIPS PROJECTOR	EACH	05109	"SAFE-BLOC" 3P MAINS CONNECTOR, BENCH MTG,CLIP CONNECTIONS FUS ED 5A 127 X 64 X 51MM (PHILIPS #4823-290-	EACH	05223	3A ANTI-SURGE 1&1/4 X 1/4"	EACH
05024	V-BELT,315MM X 5MM,#4822 145 0 0344 PHILIPS PROJECTOR	EACH	05111	EARTH STICK C/W LINE CLAMP & HANDLE, TO DWG 1184B (CE #LT-LA)	EACH	05224	5A ANTI-SURGE 1&1/4 X 1/4"	EACH
05025	BELT,1.02M X 12.7MM X 2MM FABR IC #4822 144 00467 PHILIPS PRO JECTOR	EACH	05114	BUZZER 5VDC PCCT MTG. TO-5 PKG #MEB-12C-5	EACH	05225	20A DELAY 1&1/4 X 1/4" LITTLEFUSE #3AB	EACH
05026	BELT,COGGED 762 X 4MM #4822 358 20018 PHILIPS P ROJECTOR	EACH	05121	AC OUTLET BOX 6 WAY 10A CIRCUIT BREAKER	EACH	05226	7.5A ANTI-SURGE 1&1/4 X 1/4"	EACH
05027	BELT,762MM X 12.7MM FLAT, CI 6 02 00,#4822 358 20001. PHILIPS PROJECTOR	EACH	05124	STUDIO WARNING LIGHT COVER RED PERSPEX TO DWG #DF 4799	EACH	05227	125MA 20 X 5MM	EACH
05028	V BELT 265MM X 6MM, CI 4 04 91,#4822 358 10004. PHILIPS PROJECTOR	EACH	05130	MAST LIGHT FITTING,RED LENS 27 X 19CM DIA. SINGLE HOLE 38MM CONDUIT MTG. GEC #ZA401 LAMP S/L080-41	EACH	05228	8A 125V ANTI-SURGE 1&1/4 X 1/4"	EACH
05029	V BELT 560MM X 6MM, 22 5 42 92,#4822 358 10035. PHILIPS PROJECTOR	EACH	05132	OUTER GLASS DOME CLEAR HEAT RESISTING FOR S/L051-30	EACH	05229	10A ANTI-SURGE 1&1/4 X 1/4"	EACH
05030	BELT,1.02M X 12.7MM X 2MM FABR IC,C1 604 03,PHILIPS #4822/358 /20007	EACH	05140	BUSBAR 16 WAY 1 STUD FOR DC WIRING. DRURY #16W-1S	EACH	05230	100MA 20 X 5MM	EACH
05031	V-BELT,711MM X 5MM, C1 605 32,PHILIPS #4822/35 8/30001	EACH	05200	FUSE		05231	160MA ANTI-SURGE 20 X 5MM	EACH
05048	BELT, O-RING 455MM X 3.3MM #01300058 (#13- 058) FOR CUEMAS TER 750	EACH	05201	60MA 1&1/4 X 1/4"	EACH	05232	200MA 20 X 5MM	EACH
05053	V BELT 1600 X 10MM FOR STEENBE CK EDITOR #2137 9959 0113 00	EACH	05202	100MA 1&1/4 X 1/4"	EACH	05233	400MA 20 X 5MM	EACH
05054	V-BELT 1700 X 10MM FOR STEEBEC K EDITOR #10X1700 Z67	EACH	05203	150MA 1&1/4 X 1/4"	EACH	05234	500MA 20 X 5MM	EACH
05055	TIMING BELT,TOOTHED FOR STEENB ECK EDITOR #2106 9959 0239 0 0	EACH	05204	250MA 1&1/4 X 1/4"	EACH	05235	3A 20 X 5MM	EACH
						05236	5A 20 X 5MM	EACH
						05237	250MA ANTI-SURGE 20 X 5MM	EACH
						05238	500MA ANTI-SURGE 5/8 X 3/16"	EACH
						05239	500MA ANTI-SURGE 5/8 X 3/16"	EACH
						05240	250MA ANTI-SURGE 1&1/4 X 1/4"	EACH
						05241	500MA ANTI-SURGE 20 X 5MM	EACH
						05242	175MA ANTI-SURGE 1&1/4 X 1/4"	EACH
						05243	4A ANTI-SURGE 1&1/4 X 1/4"	EACH
						05244	1A 5/8 X 3/16"	EACH
						05245	2.5A 5/8 X 3/16"	EACH
						05246	4A 5/8 X 3/16"	EACH
						05247	750MA 1&1/4 X 1/4"	EACH
						05248	250MA ANTI-SURGE 5/8 X 3/16"	EACH
						05249	500MA ANTI-SURGE 5/8 X 3/16"	EACH
						05250	2A ANTI-SURGE 1&1/4 X 1/4"	EACH
						05251	150MA 20MM X 5MM	EACH
						05252	300MA 20 X 5MM	EACH
						05253	800MA 20 X 5MM	EACH
						05254	40A 130V STUD MTG. 81 X 19 X 12MM. BUSS #ANN40 NAUTEL #FC04	EACH
						05255	7A ANTI-SURGE 1&1/4 X 1/4"	EACH
						05256	2A 1 X 1/4"	EACH

IVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
05275	3A PULL-CAP 25 X 6MM	EACH	05321	30A HRC CARTRIDGE FUSE LINK 7/8 DIA 3&3/8L SLOTTED LUG TERM, MEM 30SB3 EE #T1A30	EACH			
05276	1A ANTI-SURGE 20 X 5MM	EACH				05500	INSULATOR; EGG STRAIN	
05277	250MA 5/8 X 3/16"	EACH	05322	20A HRC CARTRIDGE FUSE LINK 7/8 DIA 3&3/8L SLOTTED LUG TERM, MEM #20SB3 EE #T1A20	EACH	05501	1&1/2 O/L TEMUKA	EACH
05279	2A ANTI-SURGE 20 X 5MM	EACH				05502	STRAIN INSULATOR 57MM L,32MM W NZ INSULATORS # 107	
05280	630MA ANTI-SURGE 20 X 5MM	EACH	05323	6A HRC CARTRIDGE FUSE LINK 17/32 DIA 2&3/8L SOLID LUG TERM,E E #NS6	EACH	05503	4 X 3 BROWN VITREOUS T RAMWAY STRAIN TYPE,TEMUKA	
05281	25A 32V ANTI-SURGE 1&1/4 X 1/4 LITTLEFUSE #3AG 311	EACH				05507	9 X 5 GREY VITREOUS TEMUKA #GY3	
05282	10A 32V ANTI-SURGE 1&1/4 X 1/4 LITTLEFUSE #3AG 311	EACH	05324	25A 450V HRC CARTRIDGE FUSE LINK 11/16 DIA 2&5/32L,SLOTTED LUG TERM, EE #GS450/25	EACH			
05284	200MA 125V 0.348" X 0.25" DIA 1" LEADS 9 0.1 SPACING LITTLEFUSE #279100	EACH	05325	10A HRC CARTRIDGE FUSE LINK 17/32 DIA 2&3/8L, SOLID LUG TERM ,EE #NS10	EACH	05700	INSULATOR; STAND OFF	
05286	1.33A 300V NON-TIME DELAY 2 X 0.28" WHITE INDICATING PIN BUSS #70A. G.T.& E./LENKURT MICROWAVE LINK SPARE	EACH	05326	60A HRC CARTRIDGE FUSE LINK 1&1/32D 4&13/32O/L CENTRAL 2 HOL E LUGS,EE#TB60	EACH	05707	16 X 6.3MM DIA,6BA TPD MTG HOL E,MARCONI #WIS11699/B/1/4,HARWIN #W6003	EACH
05288	3A 300V NON-TIME DELAY 2 X 0.28" BLUE INDICATING PIN BUSS #70C. G.T.& E./LENKURT MICROWAVE LINK SPARE	EACH	05328	FUSE CARRIER, SINGLE CLIP, FOR 20MMX5MM FUSE, PCCT MTG. 2 RE QD PHILIPS #4823.49 2.67001	EACH	05708	70 X 40MM DIA RIBBED PORCELAIN , METAL END INSERTS TPD M6	EACH
05289	5A 300V NON-TIME DELAY 2 X 0.28" GREEN INDICATING PIN BUSS #70D. G.T.& E./LENKURT MICROWAVE LINK SPARE	EACH	05329	4A HRC CARTRIDGE FUSE LINK 17/32 DIA 2&3/8L, SOLID LUG TERM, EE #NS4	EACH	05712	140 X 64MM DIA RIBBED PORCELAIN,METAL ENDS TPD 3/8 WHIT,RILL ON	EACH
05290	0.5A 125V PLUG-IN MICROFUSE LITTLEFUSE #273 AMPEX #070-452	EACH	05330	FUSE CARRIER SINGLE HOLE 13MM PANEL MTG FOR 1&1/4 X 1/4 FUSE -LINK. LITTLEFUSE #3420 12 FOR AMPEX AG440	EACH	05718	10 X 4MM DIA 8BA TPD MTG HOLE, HARWIN #W8003	EACH
05291	2A 125V PLUG-IN MICROFUSE LITTLEFUSE #273 AMPEX #070-053	EACH	05331	FUSE CARRIER, CORD MTG ASSY 2&1/8L X 9/16 OD, FOR 1&1/4 X 1/4 FUSE LINK. UTILUX #H.116	EACH	05730	ROD STAND-OFF INSULATOR 100MM	EACH
05292	250MA 125VAC 60VDC NON-DELAY VIOLET INDICATOR BUSS #GMT. G.T.& E./LENKURT MICROWAVE LINK SPARE	EACH	05332	20A HRC CARTRIDGE FUSE LINK 17/32 DIA 2&3/8L,SOLID LUG TERM, EE #NS20	EACH	05800	INSULATOR; THROUGH PANEL	
05298	2A 250V NON-TIME DELAY 1 X 1/4". BUSSMAN #AGC	EACH	05333	30A HRC CARTRIDGE FUSE LINK 17/32 DIA 2&3/8L,SOLID LUG TERM, EE #NS30	EACH	05817	BOWL TYPE,4&3/8H 7 DIA PYREX C /W 18L BRASS ROD ASSY	EACH
05300	FUSE & FUSE CARRIER		05337	FUSE LINK (INDICATING) 2A. REY ROLLE #MD2A F313 FOR BTM2 TX	EACH	06000	INSULATOR; MISCELLANEOUS	
05301	FUSE CARRIER SINGLE SHROUDED SURFACE MTG FOR 1&1/4 X 1/4" FUSE. B/LEE #L1045/C3	EACH	05338	FUSE LINK (INDICATING) 5A. REY ROLLE #MD5A F315 FOR BTM2 TX	EACH	06012	SPACING INSULATOR,CERAMIC,1/8" DIA X 3/16"L	EACH
05302	FUSE CARRIER SINGLE HOLE MTG FOR 1&1/4 X 1/4" FUSE B/L #L1348	EACH	05339	FUSE LINK (INDICATING) 10A. REY ROLLE #MD10A F318 FOR BTM2 TX	EACH	06013	SPACING INSULATOR 8MM DIA,8MM LONG MORLYNN #5	EACH
05304	FUSEHOLDER SINGLE HOLE, 125MM PANEL MTG. TAKES 20 X 5MM FUSE BULGIN #F296, B/L #E6011B SEE ALSO S/L053-99	EACH	05342	0.5A (GMT GRASSHOPPER) BUSSMAN #BUGMT 95ADF	EACH	06200	INSULATING MATERIAL; ROD	
05306	TUBULAR FUSE LINK 8 AMP,32 VOL T SLOW BLOW,1 1/4" X 1/4" DIAM." BUSS MDL TYPE.	EACH	05343	1.0A (GMT GRASSHOPPER) BUSSMAN #BUGMT 1ADF	EACH	06209	1/2 DIA UFNOL	INCH
05311	2A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE #SS2	EACH	05344	3.0A (GMT GRASSHOPPER) BUSSMAN #BUGMT 3ADF	EACH	06210	3/4 DIA TUFNOL	INCH
05312	4A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE #SS4	EACH	05345	5/9A (GMT GRASSHOPPER) BUSSMAN #BUGMT 5ADF	EACH	06211	1 DIA TUFNOL	INCH
05313	6A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE #SS6	EACH	05346	FUSE,10 AMP;"GRASSHOPPER",BUSSMAN #GMT 10	EACH	06214	ROD, SOLID FIBREGLASS, 20MM DIA X 5 METRE LONG	EACH
05314	10A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE#SS10	EACH	05347	10 AMP 20 X 5MM	EACH	06400	INSULATING MATERIAL; SHEET	
05315	15A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE#SS15	EACH	05349	5 AMP (SLO-BLO) FUSE LINK,20 X 5MM GLASS CARTRIDGE,LITTLEFUSE #213	EACH	06435	3MM (1/8) ACRYLIC SHEET,1METRE SQUARE,CLEAR	EACH
05316	20A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE#SS20	EACH	05360	SNAP IN PANEL MOUNTING HOLDER FOR 5MM X 20MM FUSE.MAX RATING 250V,6A	EACH	06436	1/4 PERSPEX CLEAR SHEET,2FT X 1FT	SQFT
05317	25A HRC CARTRIDGE FUSE LINK 1/2 DIA 2L,1/2 X 1/2 SOLID LUG TERM,EE#SS25	EACH	05361	VERTICAL PCB MOUNTING HOLDER FOR 5MM X 20MM FUSE.MAX RATING 250V,6A	EACH	06448	3/8 CLEAR PERSPEX 3FT X 1FT	EACH
			05362	15A SLO-BLO 250V 1&1/4 X 1/4 DIA (AMPEX 070-487)	EACH	06600	INSULATING MATERIAL; SLEEVING; HELSYN, SPAGHETTI ETC.	
			05399	PROTECTIVE PVC FUSEHOLDER TERMINAL COVER, B/LEE #L2118 (FITS 20 X 5MM FUSE CARRIER S/L 053-04)	EACH	06601	H15 X 1/2 HELSYN RED,ID 1.5MM ,AP X 1/2(EA = PKT OF 100)	EACH
						06602	H15 X 1/2 HELSYN BLACK,ID 1.5 MM,AP X 1/2(EA = PKT OF 100)	EACH
						06603	H15 X 5/8 HELSYN BLACK,ID 1.5 MM,AP X 5/8(EA = PKT OF 100)	EACH
						06604	H15 X 3/4 HELSYN BLACK,ID 1.5 MM,AP X 3/4(EA = PKT OF 100)	EACH
						06605	H30 X 1/2 HELSYN BLACK,ID 3MM , BP X 1/2(EA = PKT OF 100)	EACH
						06606	H30 X 5/8 HELSYN BLACK,ID 3MM	EACH

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
06607	H30 X 3/4 HELSYN BLACK, ID 3MM , BP X 3/4(EA = PKT OF 100)	EACH	06630	HEAT SHRINK TUBING, GREEN, 13MM (1/2") DIA, NOMINAL 1.2M (48") L ONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06724	WHITE NYLON CABLE CLAMP (FOR S /L 224-04, 224-16) TYPE A	EACH
06609	H50 X 3/4 HELSYN BLACK, ID 5MM , CP X 3/4(EA = PKT OF 100)	EACH	06631	HEAT SHRINK TUBING, GREEN, 19MM (3/4") DIA, NOMINAL 1.2M (48") L ONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06725	WHITE NYLON CABLE CLAMP (FOR S /L 224-10, 224-17) TYPE B	EACH
06610	H50 X 1 HELSYN BLACK, ID 5MM, CP X 1(EA = PKT OF 100)	EACH	06632	1MM SILICONE RUBBER, BROWN (1 METRE L)	EACH	06800	INSULATING MATERIAL; MISC.	
06611	H75 X 3/4 HELSYN BLACK, ID 7.5 MM, DP X 3/4(EA = PKT OF 100)	EACH	06633	1MM SILICONE RUBBER, BLACK (1 METRE L)	EACH	06812	DENSO TAPE, 76MM W ROLL (3")	EACH
06612	H75 X 1 HELSYN BLACK, ID 7.5M M, DP X 1(EA = PKT OF 100)	EACH	06634	1MM SILICONE RUBBER, RED (1 METRE L)	EACH	06814	INSULATION TAPE, 19MM W ROLL (3 /4")	EACH
06614	HEAT SHRINK TUBING, RED, 6MM (1/ 4") DIA, NOMINAL 1.2M (48") LONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06637	1MM SILICONE RUBBER, GREEN (1 METRE L)	EACH	06817	TAPE, SELF AMALGAMATING, PIB 25M M W 10M L ROLL, ROTUNDA	EACH
06615	HEAT SHRINK TUBING, RED, 13MM (1/ 2") DIA, NOMINAL 1.2M (48") LON G FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06638	1MM SILICONE RUBBER, BLUE (1 METRE L)	EACH	06820	TAPE, INSULATING, 18MM X 10M ROL L, RED SELLOTAPE #1702	EACH
06616	HEAT SHRINK TUBING, RED, 19MM (3/ 4") DIA, NOMINAL 1.2M (48") LON G FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06645	0.5MM SILICONE RUBBER, ORANGE (1 METRE L)	EACH	06821	TAPE, INSULATING, 18MM X 10M ROL L, YELLOW SELLOTAPE #1702	EACH
06617	HEAT SHRINK TUBING, BLUE, 6MM (1/ 4") DIA, NOMINAL 1.2M (48") LON G FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06647	0.5MM SILICONE RUBBER, GREEN (1 METRE L)	EACH	06822	TAPE, INSULATING, 18MM X 10M ROL L, BLUE SELLOTAPE #1702	EACH
06618	HEAT SHRINK TUBING, BLUE, 13MM (1/ 2") DIA, NOMINAL 1.2M (48") LO NG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06650	0.5MM SILICONE RUBBER, GREY (1 METRE L)	EACH	06823	TAPE, INSULATING, 18MM X 10M ROL L, BLACK SELLOTAPE #1702	EACH
06619	HEAT SHRINK TUBING, BLUE, 19MM (3/ 4") DIA, NOMINAL 1.2M (48") LO NG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06654	1.5MM SILICONE RUBBER, RED (1 METRE L)	EACH	06824	TAPE, INSULATING, 18MM X 10M ROL L, GREEN SELLOTAPE #1702	EACH
06620	HEAT SHRINK TUBING, CLEAR, 9.5MM (3/8") DIA, NOMINAL 1.2M (48") L ONG, NON-FLAME R ETARDED, 50% SHRINKAGE WITH HEA	EACH	06657	1.5MM SILICONE RUBBER, GREEN (1 METRE L)	EACH	06825	TAPE, INSULATING, 18MM X 10M ROL L, WHITE SELLOTAPE #1702	EACH
06621	HEAT SHRINK TUBING, BLACK, 9.5MM (3/8") DIA, NOMINAL 1.2M (48") L ONG, FLAME RETAR DED, 50% SHRINKAGE WITH HEAT	EACH	06664	2MM SILICONE RUBBER, RED (1 METRE L)	EACH	06826	TAPE, 9.5KV INSULATION, 18MM X 2 0M ROLL, RED VINYL PLASTIC 3M #35	EACH
06622	HEAT SHRINK TUBING, CLEAR, 12.7M M(1/2") DIA, NOMINAL 1.2M (48") L ONG NON-FLAME R ETARDED, 50% SHRINKAGE WITH HEA	EACH	06668	3.5MM SILICONE RUBBER, BLACK (1 METRE L)	EACH	06827	TAPE, 9.5KV INSULATION, 18MM X 2 0M ROLL, YELLOW VYNYL PLASTIC 3M #35	EACH
06623	HEAT SHRINK TUBING, BLACK, 12.7M M(1/2") DIA, NOMINAL 1.2M (48") L ONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT	EACH	06670	3.5MM SILICONE RUBBER, RED (1 METRE L)	EACH	06828	TAPE, 9.5KV INSULATION, 18MM X 2 0M ROLL, BLUE VINYL PLASTIC 3M #35	EACH
06624	HEAT SHRINK TUBING, CLEAR, 19MM (3/4") DIA, NOMINAL 1.2M (48") L ONG NON-FLAME R ETARDED, 50% SHRINKAGE WITH HEA	EACH	06674	5MM SILICONE RUBBER, BLACK (1 METRE L)	EACH	06829	TAPE, 9.5KV INSULATION, 18MM X 2 0M ROLL, BLACK VINYL PLASTIC 3M #33	EACH
06625	HEAT SHRINK TUBING, BLACK, 19MM (3/4") DIA, NOMINAL 1.2M (48") L ONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT	EACH	06700	INSULATING MATERIAL; GROMMET		06830	TAPE, 9.5KV INSULATION, 18MM X 2 0M ROLL, GREEN VINYL PLASTIC 3M #35	EACH
06626	HEAT SHRINK TUBING, YELLOW, 6MM (1/4") DIA, NOMINAL 1.2M (48") L ONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06701	5/32 DIA HOLE FOR 1/4 DIA CHASSIS HOLE, RUBBER	EACH	06831	TAPE, 9.5KV INSULATION, 1,MM X 2 0M ROLL, WHITE VINYL PLASTIC 3M #35	EACH
06627	HEAT SHRINK TUBING, YELLOW, 13MM (1/2") DIA, NOMINAL 1.2M (48") LONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06702	3/16 DIA HOLE FOR 5/16 DIA CHASSIS HOLE, RUBBER	EACH	06900	INDUCTOR; AF	
06628	HEAT SHRINK TUBING, YELLOW, 19MM (3/4") DIA, NOMINAL 1.2M (48") LONG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06703	3/8 DIA HOLE FOR 1/2 DIA CHASSIS HOLE, RUBBER	EACH	06917	6.9UH, 27 X 5MM DIA FERRITE CO RE	EACH
06629	HEAT SHRINK TUBING, GREEN, 6MM (1/ 4") DIA, NOMINAL 1.2M (48") LO NG FLAME RETAR DED, 50% SHRINKAGE WITH HEAT, R	EACH	06704	5/16 DIA HOLE FOR 7/16 DIA CHASSIS HOLE, RUBBER	EACH	07000	INDUCTORS- RF	
			06705	7/16 DIA HOLE FOR 9/16 DIA CHASSIS HOLE, RUBBER	EACH	07003	0.1UH CHOKE, TOL 25%, MAX DC RES 0.10 OHMS, Q 45@25MHZ, 10MM L, 4 MM DIA	EACH
			06706	9/16 DIA HOLE FOR 3/4 DIA CHAS SIS HOLE, RUBBER	EACH	07005	0.22UH CHOKE, TOL 25%, MAX DC RE S 0.14 OHMS, Q 45@25MHZ, 10MM L, 4MM DIA	EACH
			06707	1/2 DIA HOLE FOR 5/8 DIA CHASSIS HOLE, RUBBER	EACH	07007	0.47UH CHOKE, TOL 25%, MAX DC RE S 0.21 OHMS, Q 45@25MHZ, 10MM L, 4MM DIA	EACH
			06711	9/16 DIA HOLE FOR 3/4 DIA C HASSIS HOLE, POLYETHYLENE	EACH	07009	1.0UH CHOKE, TOL 25%, MAX DC RES 0.31 OHMS, Q 45@25MHZ, 10MM L, 4 MM DIA	EACH
			06713	1&1/4 DIA HOLE FOR 1&1/2 DIA C HASSIS HOLE, POLYETHYLENE	EACH	07011	2.2UH CHOKE, TOL 25%, MAX DC RES 0.45 OHMS, Q 40@8MHZ, 10MM L, 4M M DIA	EACH
			06714	3/16 DIA HOLE FOR 1/4 DIA C HASSIS HOLE, POLYETHYLENE	EACH	07012	3.3UH CHOKE, TOL 25%, MAX DC RES 0.53 OHMS, Q 40@8MHZ, 10MM L, 4M M DIA	EACH
			06716	7/16 DIA HOLE FOR 1/2 DIA C HASSIS HOLE, POLYETHYLENE	EACH	07013	4.7UH CHOKE, TOL 25%, MAX DC RES 0.63 OHMS, Q 40@8MHZ, 10MM L, 4M M DIA	EACH
			06717	NYLEX GROMMET SECTION EXTRUSIO N 3/16 FOR 20G STEEL #IP498	MTR			
			06718	NYLEX GROMMET SECTION EXTRUSIO N 1/4 FOR 18G STEEL #IP948	MTR			
			06719	NYLEX GROMMET SECTION EXTRUSIO N 3/8 FOR 16G STEEL #IP449	MTR			

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
07014	6.8UH CHOKE,TOL 25%,MAX DC RES 1.00 OHMS,Q 40@8MHZ,10MM L,4M M DIA	EACH	07124	* TUNING COIL,VAR.ROTARY,28UH, 5A,12G WIRE,182MM L X 63.5MM W X 75.4MM H MULTRONICS #22 9-203 (RESTRICTED USE,FOR BEC	EACH	07314	TOROID, 4C6 GRADE, VIOLET COAT ING, NYLON COATED, 14 X 9 X 5M M PHILIPS # 4322 020 97180	EACH
07015	10UH CHOKE,TOL 25%,MAX DC RES 1.7 OHMS,Q 40@8MHZ,10MM L,4MM DIA	EACH	07126	* TRAP COIL,42UH 30A,610 X 216 X 235MM H,9.5MM TUBING	EACH	07315	TOROID, 4C6 GRADE, VIOLET COAT ING, NYLON COATED, 23 X 14 X 7 MM PHILIPS #4322 020 97190	EACH
07016	15UH CHOKE,TOL 25%,DC RES LESS THAN 0.38 OHMS,Q 40@2.5MHZ,10 MM L,4MM DIA	EACH	07127	* TRAP COIL, 47UH 40A, 610 X 2 73 X 298MM H, 12.7MM TUBING	EACH	07316	TOROID, 4C6 GRADE, VIOLET COAT ING, NYLON COATED, 36 X 23 X 1 5MM PHILIPS #4322 020 97200	EACH
07017	22UH CHOKE,TOL 25%,DC RES LESS THAN 0.45 OHMS,Q 40@2.5MHZ,10 MM L,4MM DIA	EACH	07128	*TUNING COIL,VAR.ROTARY,10UH 3 A,14G WIRE,111MM L X 63.5MM W X 75.4MM H MULTRONICS #229 -201 (RESTRICTED USE,FOR BEC S	EACH	07317	TOROID,4C6 GRADE,VIOLET COATIN G,NYLON COATED, 6 X 4 X 2MM PHILIPS #4322-020-97160	EACH
07018	33UH CHOKE,TOL 25%,DC RES LESS THAN 0.60 OHMS,Q 40@2.5MHZ,10 MM L,4MM DIA	EACH	07129	*TUNING COIL, VAR. ROTARY, 18U H 5A 12G WIRE, 150MM L X 63.5M M X 75.4MM H MULTRONICS #229 -202 (RESTRICTED USE, FOR BEC	EACH	07325	TOROID MU 400 FREQUENCY RANGE 10MHZ INDIANA GENERAL #F1707-1-Q1 89MM OD X 51MM 1D X 12.7MM THICK	EACH
07019	47UH CHOKE,TOL 25%,MAX DC RES 1.35 OHMS,Q 40@2MHZ,10MM L,4MM DIA	EACH	07131	*TUNING COIL 53UH 15A EDGEWOUN D MULTRONICS #M53-15 MOUNTING SPACE REQUIRED NOMINAL 337 X	EACH	07326	TOROID MU 400 FREQUENCY RANGE 10MHZ INDIANA GENERAL #F568-1 -Q1 61MM OD X 36MM 1D X 12.7MM THICK	EACH
07021	100UH CHOKE,TOL 25%,MAX DC RES 1.9 OHMS,Q 40@2MHZ,10MM L,4MM DIA	EACH	07132	INDUCTOR, VARIABLE EDGEWOUND, 32VH 15V. 381L X 197W X 157MMH MULTRONICS #M	EACH	07327	TOROID MU 400 FREQUENCY RANGE 10MHZ INDIANA GENERAL #F626-1 2-Q1 32MM OD X 19MM 1D X 9.5MM THICK	EACH
07023	220UH CHOKE,TOL 25%,MAX DC RES 6.5 OHMS,Q 45@0.8MHZ,10MM L,4 MM DIA	EACH	07137	* TRAP COIL, 30UH 60A, 603MM L ,DIA 345MM, 19MM TUBING	EACH	07340	TOROIDAL CORE,AMIDON #T30-6 MI X (YELLOW) FOR BCNZ UHF TRANSM ITTER	EACH
07027	1000UH CHOKE,TOL 25%,MAX DC RE S 48 OHMS,Q 50@0.8MHZ,10MM L,4 MM DIA	EACH	07138	INDUCTOR 120UH 20A MULTRONICS #M120-20	EACH	07341	TOROIDAL CORE,AMIDON #T68-6 MI X (YELLOW) FOR BCNZ UHF TRANSM ITTER	EACH
07066	5MH 500MA RDC 0.5 OHM CHOKE ST ANDBY DIESEL CONTROLLER (450-3 9)WILLIS C32	EACH	07139	INDUCTOR 175UH 20A MULTRONICS #M175-20A	EACH	07500	INDUCTOR; COIL FORMER & FITTINGS	
07100	INDUCTOR; RF POWER		07140	INDUCTOR,15 UH,15 AMP,(FIXED), 9" X 5.81" X 5.56",MTG 2" X 8.375 " #L15-15	EACH	07525	FERROXCUBE POTCORE,GRADE 4C6,U 33,FOR PHILIPS P14/8 ASSY # 4322-022-22830 (REQUI RES S/L 075-26,27,28,29 & 30 F	EACH
07101	INDUCTOR CLIP, JOHNSON #LC4 FOR 1.5MM EDGEWISE STRIP.	EACH	07141	INDUCTOR,26 UH,15 AMP,(FIXED), 9.5" X 5.81" X 5.56",MTG 2" X 8.3 75" #L26-15	EACH	07526	FORMER FOR PHILIPS P14/8 ASSY #4322-021-30250	EACH
07102	INDUCTOR CLIP, JOHNSON #LC8 FOR 2.3MM EDGEWISE STRIP.	EACH	07142	INDUCTOR,40 UH,15 AMP,(FIXED), 9.75" X 6.81" X 6.56",MTG 2" X 9. 125,#L40-15	EACH	07527	ADJUSTER FOR PHILIPS P14/8 ASS Y #4322-021-30950	EACH
07104	INDUCTOR CLIP, JOHNSON #RC6 FOR 9.5MM TUBING	EACH	07200	INDUCTOR; POWER CHOKE	EACH	07528	TAG PLATE FOR PHILIPS P14/8 AS SY #4322-021-30440	EACH
07105	*INDUCTOR CLIP FOR 12.7MM TUBI NG. JOHNSON #RC8	EACH	07202	STATIC DRAIN CHOKE,100MM DIA,4 57MM H,ROCKWELL-COLLINS #SD-1	EACH	07529	BRASS CONTAINER FOR PHILIPS P1 4/8 ASSY #4322-021-30520	EACH
07106	* INDUCTOR CLIP FOR 19MM TUBIN G	EACH	07217	100MH 4A,G.E.C #224-1-2A FOR N ZBC 2925 & 5555 SIGNAL SUPPLIE S	EACH	07530	SPRING FOR PHILIPS P14/8 ASSY #4322-021-30630	EACH
07112	TUNING COIL 78UH 20A EDGEWISE WOUND RIBBON. 370MM L. 205MM W. 205MM H. JOHNSON #4346N5	EACH	07219	C-CORE #CHC-1 FOR #11680 POWER SUPPLY (S/L 502-25)	EACH	07531	FERROXCUBE POTCORE,GRADE 3H1,U 220,FOR PHILIPS P22/13 ASSY,#4 322-022-26280	EACH
07113	* TUNING COIL 15UH 20A EDGEWIS E WOUND RIBBON. 225MM L, 155MM W, 152MM H. JOHNSON #4164N5	EACH	07222	10 MH,8AMP,FOR #14267 POWER SU PPLY TELECO #BW19	EACH	07532	FERROXCUBE POTCORE,GRADE 3H1,U 330,FOR PHILIPS P22/13 ASSY, # 4322-022-26290 (REQUI RES S/L 075-35,36,37,38 & 39 F	EACH
07114	* TRAP COIL, 18UH 40A, 483MM L ,203MM W,203MM H, 12.7MM TUBIN G	EACH	07223	5.0MHY,95 X 73 X 80MM H,FLANGE MTG.#FC72 (FOR #10841 P/S)	EACH	07533	FERROXCUBE POTCORE,GRADE 3H1,U 1840,FOR PHILIPS P22/13 ASSY,# 4322-022-06200 (REQUI RES S/L 075-36,37,38,39,40,41	EACH
07115	* TRAP COIL, 30UH 40A, 483MM L ,279MM W,279MM H, 12.7MM TUBIN G	EACH	07225	# W/H # 700 WU 60 35 MH 9 10A RECTIFIER S ET # TNE 50/10	EACH	07534	ADJUSTER FOR PHILIPS P22/13 AS SY (U220) #4322-021-31100	EACH
07117	* TRAP COIL, 25UH 60A, HOR MTG . JOHNSON #202-1403-001	EACH	07226	# W/H # 220 WU 23 16 MH 9 10A RECTIFIER S ET # TNE 50/10	EACH	07535	ADJUSTER FOR PHILIPS P22/13 AS SY (U330) #4322-021-31240	EACH
07118	* TRAP COIL, 22UH 30A, 9.5MM C OPPER TUBING, 440MM L, 222.2MM DIA. JOHNSON #3148NT1 2.	EACH	07300	INDUCTORS CORE; IRON DUST, FERROXCUBE		07536	FORMER FOR PHILIPS P22/13 ASSY #4322-021-30300	EACH
07120	* TUNING COIL 50UH 20A EDGEWIS E WOUND RIBBON, 270MM L, 181MM W, 178MM H. JOHNSON #4275N4	EACH	07301	BALUN CORE, FERRITE GRADE F14. NEOSID #1050/1.	EACH	07537	TAG PLATE FOR PHILIPS P22/13 A SSY #4322-021-30460	EACH
07121	* TRAP COIL, 33UH 30A, 428MM L . 222MM W, 222MM H, 9.5MM TUBI NG MULTRONIC S #MJ33-30T	EACH	07310	FERRITE BEAD 3MM L X 3.5MM OD X 1.2MM 1D F14 MATERIAL NEOSID #35-002-31	EACH	07538	BRASS CONTAINER FOR PHILIPS P2 2/13 ASSY #4322-021-30540	EACH
07123	TUNING COIL 32 UH 20A,EDGEWOUN D,MULTRONICS #M32-20	EACH	07311	FERRITE BEAD, 43 MATERIAL, 6 H OLE, SHIELD BEAD USE 30-600MHZ 10 X 6MM DIA AMIDON #F	EACH			
			07312	FERRITE BEAD,DIA.5.5MM,LENGTH 3.9MM,I.D.1.5MM,PHILIPS #4313- 020-15460	EACH			

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
07539	SPRING FOR PHILIPS P22/13 ASSY #4322-021-30650	EACH	07822	CELLULOID WINDOWS 12.7 X 444MM L,WITH WHITE PAPER STRIP FOR DESIGNATION STRIP HOLDER 078-20	EACH	07923	CATTLE EAR MARKING TAG,#4 ORANGE,LETTERED "CH" (SEE ALSO S/L 079-20) (SUITABLE FOR TV FEEDER CABLE MARKERS)	EACH
07540	NUT FOR PHILIPS P22/13 ASSY (U1840) #4322-021-30710	EACH	07825	JACK STRIP SINGLE,ANODISED ALL OY,DWG A1 10013/3,C/W WIRING BAR,JACK ASSY DWG A1-10013-3,C AN BE PAINTED TO MATCH,CARTON	EACH	07924	CATTLE EAR MARKING TAG,#4 PURPLE,LETTERED "CH" (SEE ALSO S/L 079-20) (SUITABLE FOR TV FEEDER CABLE MARKERS)	EACH
07541	BUSH FOR PHILIPS P22/13 ASSY (U1840) #4322-021-30720	EACH	07826	CELLULOID WINDOW 3/4W 19L WITH WHITE PAPER STRIP FOR 078-25	EACH	07925	CATTLE EAR MARKING TAG,#4 BLUE,LETTERED "CH" (SEE ALSO S/L 079-20) (SUITABLE FOR TV FEEDER CABLE MARKERS)	EACH
07600	JACK. SEE 175 SERIES ALSO		07827	STRIP STOP,WHITE PLASTIC.19MM L,DWG #10624 (FOR S/L 078-25)	EACH	07926	SELF ADHESIVE 220MMX70MM."DANGER!!"THIS PLANT MAY START AUTOMATICALLY. KEEP CLEAR.DISCONNECT REMOTE CONTROL GEAR BEFORE	EACH
07603	TELEPHONE JACK,STD.,TWIN CIRCUIT,NORMALLED,4MM DIA.TIP,RING & SLEEVE,S,LUG	EACH	07840	BANTAM JACK STRIP,C/W 48PRS BACK-TO-BACK WIRE WRAP TERM JACKS WITH NORMALS STRAPPED TO SOLIDS.REPL JACK S/L 078-4	EACH	07930	SELF ADHESIVE 27 X 6MM LETTERED "CAUTION DANGEROUS VOLTAGES", SHEET CONTAINS TEN LABELS (SEE ALSO S/L 079-35)	SHT
07604	TELEPHONE JACK,STD.,TWIN CIRCUIT,NORMALLED,4MM DIA.TIP,RING & SLEEVE,S,LUG (WITH BUSY C/O SWITCH)	EACH	07841	BANTAM JACK STRIP,C/W 48 BACK TO BACK WIRE-WRAP TERM JACKS(NOT STRAPPED)	EACH	07931	450 X 380MM."DANGER HIGH VOLTAGE-DO NOT CLIMB" TO DWG A2/136 50/1	EACH
07606	HEADPHONE JACK,MONO MINIATURE, 3.5MM DIA TIP NORMALLED ONLY,S LUGS	EACH	07844	BANTAM BACK-TO-BACK WIRE WRAP TERMINATION JACK.STRAP NORMALS TO SOLIDS WHEN USING WITH STRIP S/L 078-40.	EACH	07932	450 X 380MM,DANGER HIGH VOLTAGE - KEEP OUT,TO DWG. A2 13650/1	EACH
07607	HEADPHONE JACK,STEREO,6.3MM DIA. PANEL MTG.,CHROME BOSS WITH INS,BUSH AND WASHERS,PCB TAGS (SHORT)	EACH	07846	BANTAM BACK-TO-BACK WIRE WRAP TERMINATION JACK.USE WITH STRIP S/L 078-41.	EACH	07935	SELF ADHESIVE 27 X 6MM LETTERED "CAUTION DANGEROUS VOLTAGES" WHITE LETTERING ON RED BACKGROUND	EACH
07608	HEADPHONE JACK,STEREO,6.3MM, PANEL MTG. ALL NORMALLED,CHROME BOSS,INSULATED.	EACH	07848	BANTAM PATCH CORD,300 MM L ADC # PJ-712	EACH	07942	SELF ADHESIVE 108 X 25MM LETTERED "CAUTION DANGEROUS VOLTAGES" WHITE LETTERING ON RED BACKGROUND	EACH
07610	HEADPHONE JACK,STEREO,6.3MM,ALL NORMALLED,CHROME BOSS,INSULATED,S,LUGS	EACH	07849	BANTAM PATCH CORD,600 MM L ADC # PJ-714	EACH	07943	SELF ADHESIVE 54 X 13MM LETTERED "CAUTION DANGEROUS VOLTAGES" WHITE LETTERING ON RED BACKGROUND	EACH
07614	HEADPHONE JACK,MONO,6.3MM,BOTH NORMALLED,ALL INSULATED,S,LUGS	EACH	07850	BANTAM PATCHCORD,900 MM L ADC # PJ-712	EACH	07952	216 X 76MM METAL,PAINTED,LETTERED "DANGER AC & RF VOLTAGES"	EACH
07616	JACK,HEADPHONE,DOUBLE CIRCUIT, TRS,(ICM SOUND DESK SPARE),NEUTRIK #NJ3FP6C	EACH	07851	BANTAM PATCH CORD,1500MM L ADC # PJ-720	EACH	07966	SELF ADHESIVE,READS "CAUTION-THIS DUCT CONTAINS AC WIRING" 89 X 38MM WHITE LETTER RING,RED BACKGROUND (SHEET CONTAINS 10)	SHT
07700	JACK PLUG. SEE 175 SERIES ALSO		07854	CONVERSION PLUG(CONNECTS STANDARD JACK TO BANTAM) ADC # AP-051	EACH	07971	SAFETY LABEL "POISON",100MM SQ,SELF ADHESIVE PLASTIC #IMCO 13	EACH
07701	SINGLE TIP RING & SLEEVE B GAUGE(4MM TIP)	EACH	07855	BANTAM PLUG,SINGLE ADC # PJ-777R	EACH	07973	SAFETY LABEL "CORROSIVE",100MM SQ,SELF ADHESIVE PLASTIC #IMCO 19	EACH
07703	PLUG CLEANING PASTE P & T #KA54	EACH	07856	BANTAM JACK,SINGLE ADC # PJ-839W	EACH	07974	SAFETY SIGN "WEAR EAR PROTECTIVE WHEN DIESEL OPERATES",SIZE 250 X 300MM	EACH
07709	SINGLE TIP & SLEEVE,CIRCULAR BARREL A GAUGE(6MM DIA TIP)	EACH	07857	DESIGNATION STRIP KIT FOR S/L 078-40 & 078-41 ADC # PJ728	EACH	08000	LAMP; PHOTOGRAPHIC & ACCESS. PROJECTOR, EXCITER, PHOTOCCELL, ETC.	
07710	HEADPHONE JACK,STEREO,6.3 MM BARREL,SCREW TERMINALS,METAL BODY WITH STRAIN RELIEF MARUSHIN MP	EACH	07858	DUMMY PLUG (BREAKS CONTACTS) FOR OR BANTAM JACKS. BLACK #PJ 748	EACH	08004	EXCITER LAMP,4V 0.75A,P15S CAP CLASS G27,VERT FIL. BULB DIA 16MM,O/L 57MM,LCL 28.65MM.	EACH
07715	MINIATURE TIP & SLEEVE,SWITCHCRAFT # 750 TINI-PLUG. SOCKET -SEE S/L 076-06	EACH	07859	GUARD PLUG ADC # PJ-925R	EACH	08007	EXCITER LAMP,4V 0.75A,S15S/19 SCC CAP CLASS G VERT FIL. BULB DIA 16MM O/L 57MM,LCL 28.5, FOR STEENBECK EDITOR	EACH
07800	JACK FITTING; SEE 175 SERIES ALSO		07861	BANTAM JACK AFFIXING SCREW,3-48 X 0.312" ADC # 9-20342-8908	EACH	08010	EXCITER LAMP, 6V 1A P15S CAP CLASS G5, VERT FIL. BULB DIA 16MM,O/L 56MM, LCL 28.6MM,(SEE ALSO S/L 080-13)	EACH
07810	SCREW, SPECIAL SHORT CONNECTOR HEAD,FOR #5004 PATCHCORD PLUGS	EACH	07900	LABEL & TRANSFER, ETCHED ALUMINIUM, SELF ADHESIVE ETC.		08013	EXCITER LAMP 6V 1A P15S CAP VERT FIL.BULB DIA 16MM,O/L 49MM, LCL 28.6MM PHILIPS #7210C. (SEE ALSO 080-10)	EACH
07811	LUG,TIP,FOR PATCH CORD STC #LP 16797	EACH	07906	LABEL "DANGER,NOT ISOLATED BY EMERGENCY-OFF".PLASTIC STICK-ON,145 X 70MM BLACK LETTERING,YELLOW BACKGROUND	EACH	08014	EXCITER LAMP 6V 5A,SCC PATHE COLLAR CAP,CLASS G HOR.FIL.BULB DIA 18MM O/L 52MM,LCL 27MM,OSRAM #70262,(SEE ALSO 080-1	EACH
07812	PATCHCORD 300MM L SHIELDED WITH SINGLE TIP RING & SLEEVE PLUGS	EACH	07919	LABEL,"CAUTION - THIS COMPONENT MAY CONTAIN SINTERED BERYLLIUM OXIDE" SELF ADHESIVE 75 X 40MM (DISPENSED ON STRIP)	EACH			
07813	PATCHCORD 510MM L SHIELDED WITH SINGLE TIP RING & SLEEVE PLUGS	EACH	07920	STUD,#1 ORANGE,FOR USE WITH CABLE MARKER TAGS (S/L 079-21 TO 079-25)	EACH			
07814	PATCHCORD, TIP, RING & SLEEVE PLUGS. 1800MM LONG	EACH	07921	CATTLE EAR MARKING TAG,#4 ORANGE,LETTERED "CH U" (SEE ALSO S/L 079-20) (SUITABLE FOR TV FEEDER CABLE MARKERS)	EACH			
07820	DESIGNATION STRIP HOLDER 12.7MM W FOR AWA JACK STRIPS WITH SCREWS ANODISED NATURAL	EACH	07922	CATTLE EAR MARKING TAG,#4 PURPLE,LETTERED "CH L" (SEE ALSO S/L 079-20) (SUITABLE FOR TV FEEDER CABLE MARKERS)	EACH			

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
08019	EXCITER LAMP, 10V 5A, MED PREF OCUS SCC CAP VERT FIL. T8 TUBULAR BULB DIA 28MM,O/L 76MM WH#5A/T85CP/	EACH	08123	LAMP,650W,240V,3200K,Q/H,P28S CAPO/L 125MM,BULB DIA 39MM LCL 556MM (T22) PHILIPS #69 98C (REPLACES T13 LAMP)	EACH	08162	LAMP,1250/1250W 240V,DUAL,FILAMENT,4 PRONG G38Q CAPTUNGSTEN HALOGEN #CP30 O/L 220MM,BULB DIA 60MM,LCL 143MM,3200K	EACH
08020	LAMP 100W 12V,QH,MIN BI-POST SPACED 7MM,HOR.FIL,BULB DIA 11M M,O/L 44MM LCL 23MM,ATLAS A1/215,(FOR STEENBECK EDIT	EACH	08124	LAMP 575W 240V METAL HALIDE (HMI-WOTAN) FOR SIRIO 2061 LUMINAIRE	EACH	08163	LAMP 1200W 240V METAL HALIDE (HMI-WOTAN) FOR SIRIO 2070 LUMINAIRE	EACH
08021	PROJECTOR LAMP 50W 12V,QH,2 PIN (G6.35)BASE,O/L 44MM,DIA 11M M,LCL 30MM ATLAS#A1/220,NO RELCO#BRL,(ALSO FOR MACBETH TD-	EACH	08126	LAMP,650W 230V,3400K,Q/H,MIN BI-POST GX5.33 CAP (19 X 9MM CERAMIC BASE) BULB DIA 21MM,O/L 58MM,LCL 37MM, GE #DYJ	EACH	08165	LAMP,1KW,240V,PAR 64, SPOT (FOR PAR "CANS")	EACH
08022	PROJECTOR LAMP,50W,8V,QH,MIN. BI-POST,PHILIPS #6847 FOR LDK600 PROJECTOR.	EACH	08132	LAMP 650W 120V Q/H 5000K PAR 36 DICHROIC COATED MEDIUM FLOOD /SPOT,GEC #FBE (FOR MINIBRUTE 6 LUMINAIRE)	EACH	08166	LAMP,1KW,240V,PAR 64, MED.FLOOD (FOR PAR "CANS")	EACH
08031	PROJECTOR LAMP,150W 24V,QH,MIN BI-POST SPACED 6.3MM,HOR FIL. CLASS A1/216 BULB DIA 13.5MM, O/L 50MM,LCL 32MM	EACH	08133	LAMP 650W 120V,Q/H 5000K,PAR36 MEDIUM BEAM,GE #FGK "UNIFLOOD" (FOR MINIBRUTE 6,SEE ALSO S/L 081-32	EACH	08167	LAMP,1KW,240V,PAR 64, WIDE FLOOD (FOR PAR "CANS")	EACH
08040	LAMP 250W,30V,Q/H,G6.35 BI-POST BASE,SYLVANIA #EPL (FOR KOBO LD PROFI MINI)	EACH	08134	LAMP,650W 120V,QH 3200K,PAR 36 MEDIUM FLOOD,COLORTRAN #BPM6-32 FOR MINIBRUTE 6, (SEE ALSO S/L 081-33)	EACH	08175	LAMP,2000W 240V,QH,BI-38 LARGE BI-POST,O/L 210MM,BULB DIA 38MM,LCL 127MM ATLAS #CP41	EACH
08041	PROJECTOR LAMP,250W 115V,P28/25 PRE-FOCUS CAP CLASS B1/7. O/L 120MM,DIA 80MM,LCL55.5MM,FOR GEC #ZA401 MA	EACH	08136	LAMP,600W,28V,PAR 64,SCREW TERMINALS GE #4559 (SEALED BEAM AIRCRAFT LANDING LAMP)	EACH	08177	LAMP,2000W,240V,Q/H,P40 PREFOCUS CAP,#CP53,O/L 180MM,BULB DIA 40MM,LCL 9CM	EACH
08044	PROJECTOR LAMP 250W,24V,QH,2 PIN (G6.35)BASE,O/L55MM,DIA 13MM M,LCL 33MM #A1/223 (7748)	EACH	08138	LAMP 650W 120V 3400K,PAR 36 SPOT,COLORTRAN #BPS6-34 FOR MINIBRUTE 6 SEE ALSO 081-33	EACH	08178	LAMP 2KW 240V,GY-16 CAP,40MM DIA BULB,O/L 145MM,LCL 70MM,CLASS CP72/CP79	EACH
08054	PROJECTOR LAMP,500W XENON,OSRAM #XBO 500WH OFR FOR PHILIPS LCB0019 PROJECTOR (LCB45	EACH	08140	LAMP 800W,240V,3200K,QH TUBULAR,O/L 117MM,BULB DIA.11MM,CLEAR,R7S CAP ATLAS P2/11 RDS B25-32 (SEE ALSO S/L 081-	EACH	08182	2500W METAL HALIDE FOR IANARO SIRIO LUMINAIRE,OSRAM 2274/106 88(WOTAN HMI)	EACH
08055	PROJECTOR LAMP,650W,240V,Q/H,BI-PIN GY9.5 BASE,CLASS A1/233 (ANSI REF.DYR) BULB DIA 23MM,O/L 65MM,LCL 36.5MM	EACH	08141	LAMP 800W,240V,3200K,QH TUBULAR,O/L 117MM,BULB DIA.11MM,FROSTED,R7S CAP ATLAS P2/11F RDS B25-32F (SEE ALSO 08140)	EACH	08183	LAMP 2KW,240V,Q/H,3200K,R7S CAP TUBULAR O/L145MM,BULB DIA 25MM,(FEX) P2/27 (FOR IANARO "BLONDE" LUMINAIRE	EACH
08066	XENON 1600W,BULB DIA 47MM,O/L 235MM,PHILIPS #CSX 1600W/HS-OF SHORT VERSION	EACH	08142	LAMP 800W,240V,Q/H,CLEAR TUBULAR,O/L 78MM,BULB DIA 11MM,R7S CAP #P2/13 (FOR RDS 65 0 & "REDHEAD" LUMINAIRE,SEE ALSO	EACH	08184	LAMP 4KW 240V METAL HALIDE (HMI-WOTAN) FOR SIRIO 2097 LUMINAIRE	EACH
08100	LAMP; TV STUDIO LIGHTING REFER ALSO 080 & 089 SERIES		08143	LAMP 800W,240V,Q/H,FROSTED TUBULAR,O/L 78MM,BULB DIA 11MM,R7S CAP #P2/13F (FOR RDS 65 0 & "REDHEAD" LUMINAIRE,SEE ALSO	EACH	08189	LAMP 1250/2500KW DUAL FILAMENT Q/H 4 PIN BASE,ATLAS CP58 BULB DZA 60MM,O/L 93MM,	EACH
08101	LAMP 100W,3200K,QH,Q/L 55MM,BULB DIA 11MM,MES SCC CAP,FAV AMERICAN (ALSO FOR MEGALUX HAND LAMP S/L 089-	EACH	08145	LAMP 1000W 120V DAYLIGHT Q/H,60 HOUR WIDE FLOOD,COLORTRAN #176-071 (FOR MAXIBRUTE 6 LUMINAIRE)	EACH	08191	LAMP,2.5/5KW 240V,3200K,DUAL FILAMENT,4 PRONG CAPTUNGSTEN HALOGEN O/L 210MM,BULB DIA 66MM,LCL 143MM #CP32,SEE ALSO	EACH
08106	LAMP,80W,240V,PAR 38 ECONOMY FLOOD,E27 (ES) CAP. PHILIPS #92 38-105	EACH	08152	LAMP 1KW 240V,3200K,Q/H,GX9.5 BI-POST,BULB DIA 35MM,O/L110MM LCL 55MM (ATLAS #CP2 4/CP48,PHILIPS #6363P) SEE ALSO	EACH	08193	LAMP,10KW 240V,3200K Q/H,G38 BI-POST BASE,75MM DIA BULB,O/L 380MM,LCL254MM T	EACH
08107	LAMP,120W,240V,PAR 38 ECONOMY FLOOD,E27 (ES) CAP, PHILIPS #9 238-106-45523	EACH	08154	LAMP,1000W 240V,3200K,Q/H,TUBULAR O/L 189MM,BULB DIA 11MM #P2/7	EACH	08194	LAMP,6KW,240V,HMI,460CM O/L,FLYING LEADS, OSRAM	EACH
08108	LAMP,275W,250V,Q/H 3400K,BC CAP (B22D),61MM DIA BULB,108MM O/L,CLASS P1/1	EACH	08155	LAMP 1000W 240V 3400K QH,TUBULAR,O/L 125MM,BULB DIA 11MM #P1/12 CERAMIC SCC RECESSED CAP EACH END,FOR BAUER AN	EACH	08196	LAMP 1KW 120V 3200K PAR64 (NSP) SPOT #176-057 FOR MAXIBRUTE	EACH
08109	LAMP,275W,250V,Q/H 3400K,ES CAP (E27S),61MM DIA BULB,110MM O/L,CLASS P1/1	EACH	08156	LAMP 1000W 240V 3200K BI-PIN CAP O/L 89MM,BULB DIA 19MM,LCL 60MM,SYL.#FEP (FOR COLORTRAN #1000 LUMINAIRE)	EACH	08197	LAMP,1000W,120V,3200K,PAR 64 N ARROW SPOT (VNSP)#176-055 FOR MAXIBRUTE	EACH
08112	LAMP,150W 240V,E27 ES CAP,REFLECTOR FLOOD,O/L 133MM,BULB DIA 122MM, PAR PRESSED GLASS,COMPTALUX #13012E/99	EACH	08157	LAMP 1KW,240V,Q/H,BI-22 MED.BI-POST,BULB DIA 35MM,O/L 140MM,LCL 63.5MM (ATLAS #CP4 0/PHILIPS #7802P)	EACH	08198	LAMP 1KW 120V 3200K PAR64 MFL FLOOD #176-059 FOR MAXIBRUTE	EACH
08116	LAMP,625W 240V,Q/H,TUBULAR O/L 118MM,BULB DIA 11MM,R7S CAP CERAMIC SCC RECESSED CAP EACH END,	EACH	08158	LAMP,1KW,230V CSI MERCURY HALIDE FOR BERKEY #2185 SPOT LAMP, THORN #99-0221 (BI-22)BI-PIN BASE	EACH	08199	LAMP,1000W,120V,3200K,PAR 64 WIDE FLOOD (WFL) #176-061 FOR MAXIBRUTE	EACH
08117	LAMP 625W,240V,3200K,QH,TUBULAR O/L 189MM,BULB DIA 11MM FROSTED,R7S CAP CERAMIC SCC RECESSED CAP EACH END (ATLAS/GEC #	EACH	08161	LAMP,1250W 240V,3200K,Q/H,TUBULAR O/L 189MM,BULB DIA 117MM #P2/12	EACH	08200	LAMP; FITTING, LAMPHOLDER ETC.	
08122	LAMP,500W,240V,Q/H,GY9.5 CAP,BULB DIA 25MM,O/L 90MM,LCL 46.5MM,CLASS T18	EACH			EACH	08230	LAMPHOLDER FOR T5 BASE LILIPUT LAMP,C/W MTG NUT, LESS CAP S/L 082-31 TO 35FITS 11MM DIA HOLE,43MM BEHIND PANEL LILIPUT #	EACH
					EACH	08231	LAMP,CAP,WHITE DOMED #183 FOR LILIPUT #188 LAMPHOLDER S/L 082-30	EACH
					EACH	08232	LAMP,CAP,RED DOMED #183 FOR LILIPUT #188 LAMPHOLDER S/L 082-30	EACH
					EACH	08233	LAMP,CAP,GREEN DOMED #183 FOR LILIPUT #188 LAMPHOLDER S/L 082-30	EACH

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
08234	LAMPCAP,AMBER DOMED #183 FOR L ILIPUT #188 LAMPHOLDER S/L 082 -30	EACH				08516	230V 7W SES CAP 17 MM DIA BULB 54MM O/L NEOFLEX # 2554	EACH
			08500	LAMP; PILOT, SWITCHBOARD ETC.				
08400	LAMP; NEON & FLUORESCENT		08501	6.5V 0.3A MES CAP 11 MM DIA BULB 30MM O/L PHILIPS # 8045D(EQUIV.)	EACH	08517	24V 0.05A MCC CAPT3&1/4 BULB 10MM DIA,O/L 30MM VITAL ITY #W568	EACH
08402	240VAC,MES CAPT3&1/4 LENS END ,FITS 084-26 & 084-27	EACH	08502	6.5V 0.3A MCC CAP 11 MM DIA BULB 30MM O/L PHILIPS # 8024N(EQUIV.)	EACH	08518	28V 0.04A MID GROOVED 6 MM DIA BULB 16MM O/L GE #334	EACH
08410	250V RED,SUB MINIATURE,18 X 8M M DIA,1/4 UNF TH.BODY,RS #575- 891 (PROWEST MONITOR SPARE)	EACH	08503	6.3V 0.15A MES CAP 11 MM DIA BULB 30MM O/L PHILIPS # 8008D FOR MASTE R VU METER	EACH	08519	24-28V 0.4A LES CAP5MM DIA BU LB,15MM O/L,VITALITY #688 (FOR SATO 3280)	EACH
08425	240V INDICATOR C/W RED PLASTIC BEZEL & LAMP,12.7MM DIA MTG H OLE, 15.1MM DIA BEZEL ,21.4MM BEHIND PANEL,BULGIN #D	EACH	08504	2.5V 0.3A MES CAP 11 MM DIA BULB 30MM O/L PHILIPS # 4569D	EACH	08521	8V 0.15A MES CAP 10 MM DIA BULB 30MM O/L VITALITY #539	EACH
08426	240V INDICATOR RD RED PLASTIC BEZEL C/W LAMP (084-02) 16MM D IA MTG HOLE 20MM DIA BE ZEL,34MM BEHIND PANEL, JAUTZ	EACH	08505	12V 0.1A MES CAP 11 MM DIA BULB 30MM O/L PHILIPS # 8003D	EACH	08522	28V 0.04A LES CAP 5M M DIA BULB 17MM O/L (AMPEX #06 0-070) GE#335 (SEE ALSO 085-19)	EACH
08427	240V INDICATOR RD AMBER PLASTI C BEZEL C/W LAMP (084-02) 16MM DIA MTG HOLE 20MM DIA BE ZEL,34MM BEHIND PANEL, JAUTZ	EACH	08506	8V 0.3A MES CAP 11 MM DIA BULB 30MM O/L VITALITY #527	EACH	08523	12V 0.08A LES CAP 5 MM DIA BULB 15MM O/L VITALITY #679	EACH
08466	15WATT DAYLIGHT 6500K,46CM X 2 5MM DIA (18" X 1") G13 BI PIN C AP (FOR FILM LIGHT BOX)	EACH	08507	6.3V 0.06A LES CAP 5 MM DIA BULB 15MM O/L VITALITY #673 FOR SATO #3280 HOLDER	EACH	08524	28V,0.08A, MID.FLG. 6MM DIA B ULB,15MM O/L,PHILIPS #8222-203 -065 (FOR #PM55 65 W/F MONITOR #5322-134-44177	EACH
08474	40W,1200MM,3000K,DE LUXE WARM WHITE,BI-PIN CAPS (RA-79) TV U SE ONLY	EACH	08510	6V 0.1A MID FLG 6 EACH MM DIA BULB 15MM O/L VITALITY #723	EACH	08525	12V 2.0W,BA7S CAP,6.7MM TUBULA R BULB,O/L 21MM, OSRAM #281	EACH
08477	60W 240V DOUBLE CAPS,TUBE 284 X 25MM DIA FROSTED STRIP LIGHT	EACH	08511	24V 2.8W MES CAP,11MM DIA BU LB,28MM O/L, GE #650	EACH	08526	28V 40MA,MIN.BI-PIN,YELLOW BU LB (T1-3/4) 6MM DIA,O/L 16MM	EACH
08480	30W 230V,222 X 25MM DIA,SCC DO UBLE CAPS STRIPLIGHT FROSTED 2 REQUIRED FOR U SE WITH S/L 051-26 @ 082-04	EACH	08512	24V 0.17A MCC CAP 11 MM DIA BULB 30MM O/L GE #1818	EACH	08527	6.5V 0.15A LES CAP 5 MM DIA BULB 15MM O/L VITALITY #674 FOR SATO #3280 HOLDER	EACH
08484	8W 305MM (12")L,16MM (5/8")DI A,COOL WHITE,BI-PIN CAPS (AMPE X #060-500) PHILIPS "TL" 8W/33 #9280-010-033 OR SYLVAN	EACH	08513	5V 0.115A SUB-MID FLG 3 MM DIA BULB 10MM O/L VITALITY #V718	EACH	08530	12V 3W MES CAP 11 MM DIA BULB 24MM O/L PHILIP #1 2875D	EACH
08494	8W,305MM (12") DAYLIGHT 6500K FLUORESCENT TUBE,BI-PIN CAPS FOR USE WITH 084-65 (SEE ALSO 084-89	EACH	08514	2V 0.06A MES CAP 11 MM DIA BULB 30MM O/L GE #48	EACH			
			08515	24V 0.05A MES CAP 11 MM DIA BULB 30MM O/L PHILIPS # 8108D	EACH			

TVNZ SUPPLY GROUP TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
08532	2.5V,350MA,S5.7S MIDGET GROOVE CAP,GT L 1-3/4 (6MM)BULB, ANSI CODE 253 (SEE ALSO S /L 085-33)	EACH	08563	12V 30MA (T1)SUB-MIN FLG BASE, O/L 9.5MM,BULB DIA 3MM, OSHINO #OL-3024 (MARCONI #PC 48610-2)	EACH	08603	24V 50MA,SLIDE BASE,T5.5 LILIP UT,5MM DIA,30MM O/L	EACH
08533	2.5V,350MA,S5.7S MIDGET GROOVE CAP,T 1-3/4 (6MM)BULB, # OL-253 (SEE ALSO S/ L 085-32)	EACH	08568	6.3V, 0.15A, MBC,30MM O/L GE #47 TEKTRONIX #150-0001-00	EACH	08604	24V 20MA,SLIDE BASE T5 LILIPUT 5MM DIA, 30MM O/L, FOR GTE M ICROWAVE P/S	EACH
08535	120V 25MA,MCC CAP,8MM DIA BULB ,28MM O/L, SYLVANIA #120MB	EACH	08570	14V 40MA MID FLG 6MM DIA BULB 12.6MM O/L VITALITY #733 MARCONI #P C48603-10	EACH	08605	50V 35MA,SLIDE BASE,#2 SWITCHBOARD,7MM DIA,44MM O/L	EACH
08536	12V 0.12A SIDE CONTACT 7 MM DIA BULB 27MM O/L RAFI FOR EMT # 140 ECHO PLATE	EACH	08573	T1 WIRE TERM 3MM DIA BULB,O/L 6MM GE#255 (SCULLY/ METROTECH LOGGING RECORDER SPA	EACH	08606	6V, 40MA,SLIDE BASE,T5.5 LILIP UT,5MM DIA,30MM O/L	EACH
08539	28V 0.04A,T1-3/4 BI-PIN CART. SHORT CYL,YELLOW CAP,7MM DIA,2 8MM O/L (AMPEX #132 -099) MIL.SPEC.#MS18235-3YT	EACH	08576	14V 0.05A LES E5/8 CAP (T1 & 1 /2) 5MM DIA BULB,O/L 15MM,VITALITY #682	EACH	08607	48V,20MA,SLIDE BASE,T5.5 LILIP UT,5MM DIA,30MM O/L	EACH
08541	28V 0.06A MID FLG 6 MM DIA BULB 16MM O/L GE #387 FOR CUEM ASTER 750 #084035 & AMPEX VTR	EACH	08577	12V 0.08A GREEN LENS #CML5402 82 (CDL #311-178)	EACH	08608	24V 50MA,SLIDE BASE,#2 SWITCHBOARD,7MM DIA,44MM O/L	EACH
08542	24V 0.073A BI-PIN CART 7M M DIA BULB 32MM O/L SYLVANIA # BP24P FOR AMPEX AG440 #4610017-01	EACH	08579	12V 0.03A GREEN #BFB12 (ASTOR SPG PILOT LIGHT	EACH	08609	12V,50MA,SLIDE BASE,T5.5 LILIP UT,5MM DIA,30MM O/L	EACH
08543	6V 0.2A MCC CAP 11 MM DIA BULB 24MM O/L GE #51	EACH	08580	28V 0.024A WIRE TERM. 3M M DIA BULB 6.35MM O/L VITALITY #CM6838	EACH	08611	0.5W 230V BC CAP NEON PIGMY	EACH
08544	28V 0.04A BI-PIN CART 7M M DIA BULB 28MM O/L ELDEMA C-L ITE #CF-S-2187 COLOUR BLUE FOR TEKTRONIX SCOPE #150-00	EACH	08581	5V 0.06A SUB-MIN BI-PIN 3 MM DIA BULB 9.5MM O/L VITALITY #CM7680	EACH	08612	15W 230V BC CAP PLAIN PIGMY	EACH
08548	6V 0.2A MID FLG,6MM DIA BULB ,15MM O/L GE #328 (AMPEX #060-482)	EACH	08583	24V 35MA,T1-1/4,MIN BI-PIN,BUL B DIA 4MM,O/L 20MM (#A-7589-30) #OL-4060BPE (FOR JE AN RENAUD #TJ SWITCH	EACH	08613	15W 230V BC CAP RED PIGMY	EACH
08549	14V, 80MA,T-1&3/4 BULB,MIN.BI-PIN CAP, ANSI #7-7330	EACH	08584	6V 20W,Q/H,2-PIN G4 CAP,BULB DIA 8.5MM,O/L 30MM,3200K,BLV #1 407,ATLAS #M30 (FOR ACMADE PIC SYNC,)SEE ALSO S/L 085-99	EACH	08614	28V,40MA,SLIDE BASE T5.5 LILIP UT 5MM DIA BULB,30MM O/L (FOR DOLBY UNIT AND ELEKTRO-APPARATEBAU L	EACH
08552	5V WIRE LEADS 3M M BULB 6MM O/L FOR HP LO GIC PROBES 10525T & 545A #2140	EACH	08585	6.3V,70MA,MIN BI-PIN(T1-3/4) 6 MM TUBULAR,O/L 15MM, #CM7377 (VIDIFONT S PARE)	EACH	08615	60V 0.02A SLIDE BASE T5.5 LILIPUT 5MM DIA BULB 30MM O/L TAUNUSLIC HT #5530.00.060.020	EACH
08553	24-30V,1W,WEDGE BASE,BULB DIA 5MM,O/L 18MM OSRAM #2341 (FOR Z ETTLER 620,JEANRENAUD TD & 3M	EACH	08587	28V 40MA,T1-3/4,WIRE TERM,5.7M M DIA BULB,O/L 13.2MM (AMPEX # 060-422)#2187D	EACH	08617	24V 50MA MINIATURE TYPE BA7S 6 .6MM DIA 22MM O/L FOR GT&E MIC ROWAVE	EACH
08554	6.3V 0.2A MID GROOVE 5. 5MM DIA BULB,15MM O/L #CM398 (CN8-398) (TEKTRONIX #150-0047-00)	EACH	08589	14V,80MA,T-1&3/4 MID.GROOVE,6M M DIA BULB,O/L 16MM, REF # 336/386 (TEKTRONIX #150-0044-00)	EACH	08619	60V 5W 80MA MBC CAP (BA15D) O/L 46MM,TUBULAR BULB 16MM DIA ,(#ECB 101)	EACH
08555	28V 0.17A MBC CAP LC L 16MM,O/L 30MM GE#313 (AMPEX #060-002)	EACH	08590	14V,80MA,(T1-3/4) SC MID.FLANG E,6MM DIA BULB,O/L 16MM REF #3 30 (AMPEX #060-087)	EACH	08620	40W 230V BC CAP RED	EACH
08556	28V 0.04A MBC CAPO/L 30MM,GE #1819,AMPEX #060-342 (SUPERSE DE #060-431)	EACH	08591	24V 6W FESTOON 10 MM DIA 35MM O/L OSRAM #65 3 METER ILL UMINATION PHILIPS SOUND DESKS	EACH	08621	14V,80MA,T1-3/4 BULB,MID.FLANG E CAPO/L 16MM,BULB DIA 6MM, GE #382 (AMPEX VPR-2 #060-407)	EACH
08557	28V 0.04A (T1-3/4) BI-PIN,5MM DIA,16MM O/L (AMPEX #060-449) #CM7-7387	EACH	08592	28V,40MA,BI-PIN CARTRIDGE (NO LENS),7MM DIA,18MM O/L,PINS 5M M L SPACED 3.5MM APART. DRAKE #11-503	EACH	08622	60W 230V BC CAP GREEN	EACH
08558	28V 0.04A MID.FLG. T 3/4 B ULB 6MM DIA,15MM O/L,VITALITY 727/GE 327 (AMPEX #06 0-019)	EACH	08593	12V 40MA WIRE TERM T7/8 BULB DIA 2.3MM X 6.35MM L (ANGENIEUX RANGE EXTENDER BULBS MARCONI	EACH	08623	60W 230V BC CAP RED	EACH
08559	28V 0.07A MBC CAPO/L 30MM , GE #1829 (AMPEX #060-011)	EACH	08594	24V,40MA,T1-1/2 WIRE TERM,BULB DIA 5MM,O/L 13MM, VITALI TY #687WE	EACH	08624	24V 20MA SLIDE BASE T4.6 LILIP UT,4.6MM DIA,22MM O/L (FOR CUE MASTER #750) (ALSO RAFI SWITCHES S/L 169-60 & 61)	EACH
08560	28V 0.04A BI-PIN CART 7M M DIA BULB (NO LENS)28MM O/L C /W SLEEVE ELDEMA C-LITE #CFW - S - 2187	EACH	08598	12V 30MA,T-1 BULB (3MM),WIRE TERMINALS,C-2F FILAMENT, OSHI NO #OL-3023 (MARCONI M K V111 CAMERA EXTENDER RANGE S	EACH	08625	12V,40MA,SLIDE BASE T5.5K LILI PUT,5.5MM DIA,22MM O/L	EACH
08561	2.5V 0.2A BI-PIN CART 7M M DIA BULB (NO LENS)28MM O/L C /W SLEEVE ELDEMA C-LITE #CFW - S - 1783	EACH	08599	6V 20W,Q/H,2-PIN G4 CAP,BULB DIA 8.5MM,O/L 30MM,2900K, ATLAS #M34 (FOR RANK/C INTEL T/C) SEE ALSO S/L 085-84	EACH	08626	24V 40MA,T5.5K LILIPUT SLIDE BASE,5.5MM DIA,O/L 22MM,OSHI NO #OL-552440K (CDL #3 11-108)	EACH
08562	28V 0.24A SUB-MID FLG,3MM TUBU LAR (T1) O/L 9.5MM VITALITY #V6839 (MARCONI #PC	EACH	08601	6V 40MA SLIDE BASE #2 SWITCHRO	EACH	08627	30V,40MA,SLIDE BASE T5.5K LILI PUT,5.5MM DIA,22MM O/L	EACH
						08628	12V 0.06A SUB-MID FLG 3MM DIA BULB,10MM O/L, VITALITY # V32	EACH
						08629	24V 55MA,SLIDE BASE (BPO #2)7M M DIA,44MM O/L,(SEE ALSO 086-0 8)#PC48605-1	EACH
						08630	36V 20MA,SLIDE BASE T5 LILIPUT 5MM DIA,30MM O/L #DIN 49838B (MARCON I TC CHAIN REMOTE C.P'S)	EACH
						08636	12V 30MA,WEDGE BASE (WIRE TER M) BULB DIA 5MM,O/L 18MM. OSR AM 12-15/30 (FPR R & S COLOUR GAIN/DELAY SET)	EACH
						08641	24V PLASTIC WEDGE BASE,BULB DI A 5MM,O/L 17MM,FOR WARD BECK R 1200 CONSOLE	EACH

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
08701	28V 0.04A MIN BI-PIN CART.RED LENS,7MM DIA,O/L 24MM, #CML029 (540291) (AMPEX #060-079)	EACH	08807	12V 3W TUBULAR,S7 CAP DOUBLE E NDED,7.55MM DIA BULB 31MM O/L	EACH	09102	LENS DOOR (COMPLETE) #2080/7 (FOR "SIRIO" HMI 2.5KW)	EACH
08702	28V 0.04A,MIN BI-PIN CART.GREEN LENS,7MM DIA,O/L 24MM #CML029(540292) (AMPEX #060-078)	EACH	08811	240V 10W E12 CANDELABRA CAP BULB DIA 18MM O/L 47MM	EACH	09103	HINGE PIN #293/60 (REPLACES #2080/8&9) FOR "SIRIO" HMI 2.5KW	EACH
08703	28V 0.04A,MIN BI-PIN CART.YEL/AMB.LENS,7MM DIA,O/L 24MM #CML029(540293) (AMPEX #060-076)	EACH	08814	6V 10W,SBC B15S CAP,18MM DIA BULB,33MM O/L,PHILIPS #6814	EACH	09104	LENS CLIP #2080/12 (FOR "SIRIO" HMI 2.5KW)	EACH
08705	28V 0.04A,MIN BI-PIN CART.WHIT E LENS,7MM DIA,O/L 24MM #CML029(540295) (AMPEX #060-080)	EACH	08818	6V 24W,S15/18S SCC CAP,VERT FILL BULB DIA 38MM,O/L 56MM #106, FOR HKS VIEWER	EACH	09105	PUSH BUTTON,ON/OFF #2080/21 (FOR "SIRIO" HMI 2.5KW)	EACH
08706	CONNECTOR,2P FEMALE FOR CML029 SERIES CART.LAMP (10 X 7 X 5M M D)	EACH	08900	LIGHTING; TV STUDIO & ACCESSORIES. REFER ALSO 080 & 081 SERIES		09106	LAMP SOCKET SUPPORT #2080/59 (FOR "SIRIO" HMI 2.5KW) (REPLACES #2080/29)	EACH
08707	SPEED CLIP FOR CML029 SERIES CART.LAMP (DIALCO #507-3918-)	EACH	08908	LIGHTMETER,BROCKWAY SEKONIC #L398 (REPLACES #L28C)	EACH	09107	MICROSWITCH #2080/44 (FOR "SIRIO" HMI 2.5KW)	EACH
08708	CONNECTOR,2P FEMALE FOR CML029 SERIES CART.LAMP,7MM DIA.SEE ALSO 087-06	EACH	08910	SPIGOT,BS2063 28.575MM DIA,DWG A4/7917	EACH	09108	HIGH VOLTAGE CABLE #2080/50 (FOR "SIRIO" HMI 2.5KW)	EACH
08710	28V,20MA,MIN BI-PIN CART.RED LENS,7MM DIA,28MM O/L DIALCO LED D ATALAMP #507-4761-3331-500 (AM	EACH	08911	SCAFFOLD SKT CLAMP,#MRA/4,FOR USE WITH PANTOGRAPH 50.8MM DIA PIPE CLAMP	EACH	09109	MIRROR #2080/53 (FOR "SIRIO" HMI 2.5KW)	EACH
08711	28V,20MA,MIN BI-PIN CART.GREEN LENS,7MM DIA,28MM O/L DIALCO LED D ATALAMP #507-4861-3332-500 (AM	EACH	08913	LOCKING PIN FOR SCAFFOLD SKT CLAMP S/L 089-11)	EACH	09110	BARN DOOR, LONG LEAF. #2084/175(FOR "SIRIO" HMI 2.5KW) (REPLACES #2	EACH
08712	28V,20MA,MIN BI-PIN CART.YELLOW LENS,7MM DIA,28MM O/L DIALCO LED D ATALAMP #507-4961-3333-500 (AM	EACH	08928	LAMPHOLDER,4 PIN,FOR BERKEY 2083 "QWART" LUMINAIRE	EACH	09111	LAMPHOLDER (PAIR) LEFT & RIGHT #2080/AR-2080/R (FOR "SIRIO" 2080)	PAIR
08716	28V,0.04A,MIN.BI-PIN CART.7MM DIA,C/W PANEL MTG SOCKET & RED LENS SYLVANIA #93	EACH	08929	LAMPHOLDER,FOR BERKEY 208-221 CYCLORAMA	EACH LUMINAIRE	09112	INLINE PLUG FOR CABLE #2082/A5 (FOR HMI "SIRIO" 2080)	EACH
08717	28V,0.04A,MIN.BI-PIN CART.7MM DIA,C/W PANEL MTG SOCKET & YELLOW LENS SYLVANIA #93	EACH	08932	GAFFER GRIP,RDS CODE GAG,FOR RDS 650 QUARTZ LIGHT S/L 089-60	EACH	09113	INLINE SOCKET FOR CABLE #2082/A6 (FOR HMI "SIRIO" 2080)	EACH
08720	24-28V,MULTI-LED,T-1&3/4 MIDGE T FLANGE,YELLOW,POS.POLARITY,O SHINO #OLY6124 (REPLACES 24-28V INCANDESCENT/FILAMENT	EACH	08949	LENS,305MM DIA (12")FRESNEL C/W WIRE GUARD FOR QWART #2083 LUMINAIRE	EACH	09116	IGNITOR #2060/19 (FOR HMI "SIRIO" 2060) 575WATT	EACH
08721	24-28V,MULTI-LED,T-1&3/4 MIDGE T FLANGE,YELLOW,NEG.POLARITY,O SHINO #OLY6224 (REPLACES 24-28V INCANDESCENT/FILAMENT	EACH	08957	CARBINE HOOK 6MM X 50 (SEE S/L 089-59)REMOVABLE EYELET IF NOT REQUIRED	EACH	09117	LENS DOOR COMPLETE FOR CASTOR LUMINAIRE #2070/7	EACH
08722	24-28V,MULTI-LED,T-1&3/4 MIDGE T FLANGE,RED,NEG.POLARITY O SHINO #OLR6224 (REPLACES 24-28V INCANDESCENT/FILAMENT	EACH	08958	CARBINE HOOK 8MM X 60 (SEE S/L 089-60)REMOVABLE EYELET IF NOT REQUIRED	EACH	09120	SOCKET 2-PIN,GX38Q PORCELAIN,B & W #938-Z-07-938/223	EACH
08723	24-28V,MULTI-LED,T-1&3/4 MIDGE T FLANGE,GREEN,NEG.POLARITY O SHINO #OLG6224 (REPLACES 24-28V INCANDESCENT/FILAMENT	EACH	08959	LUMINAIRE SAFETY CABLE,90CM L, FITTED WITH 6MM X 50 CARBINE HOOK (SEE ALSO S/L 089-60)	EACH	09122	ROTARY SWITCH 283/53 #64045 33	EACH
08724	24-28V,MULTI-LED,T-1&3/4 BI-PIN CAP,YELLOW,POS.POLARITY O SHINO #OLY6524 (REPLACES 24-28V INCANDESCENT/FILAMENT	EACH	08960	LUMINAIRE SAFETY CABLE,90CM L, FITTED WITH 8MM X 60 CARBINE HOOK (SEE ALSO S/L 089-59)	EACH	09123	ROTARY FOCUS CONTROL #261/9 (#6401093)	EACH
08800	LAMP; MISCELLANEOUS		08972	TV DESIGN PROTRACTOR (TO DWGS A2/13041/-) SEE ALSO S/L 089-73 & 74	EACH	09124	LAMP SOCKET SUPPORT 2070/29 #6420296	EACH
08801	120V 6W SES CANDELABRA E12 CAP,BULB DIA 18MM,O/L 48MM	EACH	08973	TV DESIGN STENCIL (SEE ALSO S/L 089-72 & 74)	EACH	09125	BALLAST 2.5KW EARTH PUSHBUTTON #2087/17	EACH
08803	12V 5W,SBC (BA9S) CAP,ROUND BULB 14MM DIA,O/L 28MM THORN #989	EACH	08974	TV LIGHTING GAUGE STENCIL (SEE ALSO S/L 089-72 & 73)	EACH	09126	HAND LAMP,100W,12V Q/H,MEGALUX #2790 C/W DICHROIC FILTER & FILTER MOUNT (LAMP USE S/L 081-01, SPARE FILTER & MOUNT	EACH
08804	240V 10W SES E12 CAP,BULB DIA 17MM O/L 50MM	EACH	08979	FLOOR STAND,FOLDING,ALUMINIUM LIGHTWEIGHT	EACH	09127	BARNDOOR,2-LEAF #3020 FOR MEGALUX HAND LAMP S/L 091-26	EACH
			09000	LIGHTING; TV ACCESSORIES		09128	DICHROIC DAYLIGHT FILTER (GLASS ONLY) #3021 FOR MEGALUX #2790 HAND LAMP	EACH
			09006	MONOPOLE "ALWAYSE" BALL UNIT,M 8 X 23MM L #1003	EACH	09129	DICHROIC FILTER MOUNT #3021/BS FOR MEGALUX #2790 HAND LAMP S/L 091-26	EACH
			09100	IANARO LUMINAIRE & ACCESSORIES		09131	LENS 250MM FRESNEL (FOR "CASTOR" 1.25/2/2.5KW)	EACH
			09101	LENS #2080/6 (FOR "SIRIO" HMI 2.5KW)	EACH	09140	REFLECTOR #3150/2 (FOR "BLONDE" 2KW)	EACH
						09141	BLACK CUP #3150/3 (FOR "BLONDE" 2KW)	EACH

TVNZ SUPPLY GROUP TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
09142	ACCESSORY HOLDER #3150/7 (FOR "BLONDE" 2KW)	EACH	09190	LENS 300MM DIA (12") FRESNEL #283/W2 (FOR "POLLUX" 5KW/ #282)	EACH	09608	48 WAY CRIMP HOUSING. FIXED. TOOL S/L 096-01, -02, -03, -04. HARTING #3201 90L 15W CONTACT S/L 096-06, -0	EACH
09143	FOCUS MECHANISM #3150/15 (FOR "BLONDE" 2KW)	EACH	09191	BARNDOR 4-LEAF #284 (FOR "POLLUX" 5KW/ #282)	EACH	09609	48 WAY FIXED WW TERM. POSTS (SEE S/L 095-01) 85L, 15W HARTING #6801	EACH
09144	CARRIAGE #3150/16 (FOR "BLONDE" 2KW)	EACH	09192	LAMP HOLDER 4-PIN GX38Q, #282/34 (#2082/34) FOR "POLLUX" & "CASTOR" LUMINAIRE	EACH	09610	31 WAY FIXED 24 WW TERM. 7 QC TAGS (S/L 322-88) SEE S/L 095-02 HARTING #6821	EACH
09145	BRACKET, TOP HINGED #3150/22 (FOR "BLONDE" 2KW)	EACH	09193	REFLECTOR #283/27 (FOR "POLLUX" 5KW & "CASTOR" 2KW LUMINAIRE)	EACH	09611	48 WAY PCB ANGLE MOUNT (SEE S/L 095-01) HARTING #6836	EACH
09146	BRACKET, BOTTOM & SIDE #3150/24 (FOR "BLONDE" 2KW)	EACH	09194	CLIP FOR REFLECTOR #2082/12 (FOR "POLLUX" 5KW/ #282)	EACH	09612	LOCATOR, FOR TOOLS S/L 096-01, 096-02	EACH
09147	DICHROIC FILTER (FOR "BLONDE" 2KW)	EACH	09196	SWITCH CASING #283/51 (64-045-17) FOR "POLLUX" 5KW/ #282	EACH	09613	15 WAY, CAGE WIRE CLAMP, 9 5L, 15W, 32D SEE S/L 095-13 HARTING #2813	EACH
09160	SWITCH, 8 AMP, IN LINE #3142/25 (#3140/9) FOR "REDHEAD" 800W	EACH	09197	MIRROR #3265/6 (64-090-67) (FOR PALLAS 1 MODEL 3390)	EACH	09614	COVER, RH OR LH ENTRY, 105L, 60 H, 15W (FOR S/L 096-13) HARTING # D	EACH
09161	LOCKING KNOB #3140/11 (FOR "REDHEAD" 800W)	EACH	09198	OPERATING POLE 1.5M LONG #3250/100	EACH	09615	48 WAY PCB MTG. SOLDER PINS HARTING #6835	EACH
09162	FOCUS CONTROL KNOB #3142/1 (FOR "REDHEAD" 800W)	EACH	09199	OPERATING POLE 2.5M LONG #3220/100	EACH	09616	64 WAY, RIBBON CABLE, 1DC TYPE WITH CABLE GUIDE, 2 ROWS OF 32 1.27MM PITCH GDS A-C	EACH
09163	TOP ACCESS HOLDER BRACKET #3144/1 (FOR "REDHEAD" 800W)	EACH	09500	CONNECTOR; PCB MALE		09623	16 CCT, 2.54 PITCH CARD EDGE TO O RIBBON (S/L 218-80) RN #IDE-16-E-TG	EACH
09164	ACCESSORY HOLDER BRACKET #3144/2 (FOR "REDHEAD" 800W)	EACH	09501	48 WAY PCB MOUNT, 94L, 15W (SEE S/L 096-08, -09, -11) HARTING #6901	EACH	09624	50 CCT 2.54 PITCH CARD EDGE TO RIBBON (S/L 218-80) RN #IDE-50-E-TG	EACH
09165	DICHROIC FILTER (FOR "REDHEAD" 314 2, S/L 091-66)	EACH	09502	31 WAY PCB MOUNT, 7 QC TAGS (S/L 322-88) SEE S/L 096-10 HARTING #6923	EACH	09625	22/44 CCT 2.54 PITCH CARD EDGE TO WW 0.63 SQ. AMPHENOL #261-10022-2	EACH
09166	LUMINAIRE, IANEBEAM "REDHEAD" 800W #3142 C/W BARNDOR & ACCESSORY HOLDER	EACH	09503	64 WAY, PCB MOUNT, RT ANGLE SOLDER PINS, 2 ROWS OF 32 PINS AT 2.54MM PITCH DIN 41612 FORM C, GDS A-C	EACH	09626	25/50 CCT 2.54 PITCH CARD EDGE TO WW 0.63 SQ EDAC #345-050-540-202	EACH
09167	REFLECTOR #3140/4 (FOR "REDHEAD" 314 2/3143)	EACH	09513	15 WAY, QC TAB (S/L 322-88) 9 4L, 15W, 25D SEE S/L 096-13 HARTING #2922	EACH	09627	34 CCT 2.54 PITCH CARD EDGE TO RIBBON (S/L 218-80) RN #IDE-34E-TG30	EACH
09168	BARNDOR, 4-LEAF #3146 (FOR "REDHEAD" 314 2)	EACH	09539	PCB HEADER, 36 PINS, 91MM L O/L, BERG STICK #6564 6-136	EACH	09628	35/70 CCT 2.54 PITCH CARD EDGE TO PC PIN 0.46 SQ. EDAC #345-070-524-202	EACH
09169	HOUSING, FOR "REDHEAD" 800W LUMINAIRE	EACH	09540	PC HEADER, RT ANGLE 2.54 PITCH. 36X0.64SQ. PINS (15MM BEND) RN #WTS-36R-3	EACH	09629	35/70 CCT 2.54 PITCH CARD EDGE TO WW 0.63 SQ. VIKING #3VH35/1JND1	EACH
09170	CARRIAGE LAMP HOLDER (#3142/2) #3142/61 (FOR "REDHEAD" 3142)	EACH	09541	PC HEADER, RT ANGLE 2.54 PITCH. 36X0.64SQ. PINS (17.5MM BEND) RN #WTS-36R-6	EACH	09634	40 CCT 3.18 PITCH CARD EDGE TO SOLDER TAG EDAC #346-40-500-402	EACH
09180	PRIMARY MIRROR #3270/4 (FOR "ANTARES" 5KW)	EACH	09600	CONNECTOR; PCB FEMALE ALL DIMENSIONS IN MM		09639	POLARIZING KEY FOR S/L 096-41, 42, 45, 48, 49, 51, 52	EACH
09181	LAMP SOCKET (NEW DESIGN) #3660/5 (FOR "ANTARES" 5KW) (REPLACES #32)	EACH	09601	CRIMP TOOL FOR S/L 096-06 HARTING #0076	EACH	09640	10 CCT 3.96 PITCH CARD EDGE TO SOLDER PIN 0.8 X 1.0 10L	EACH
09182	LAMP SOCKET, R7S, TYPE "A" LONG (40 X 23MM DIA) #3260/5 (FOR "ANTARES" 5KW/3271) (SEE ALSO S/L 091-81 & 83)	EACH	09602	CRIMP TOOL FOR S/L 096-07 HARTING #0077	EACH	09641	10/20 CCT 3.96 PITCH CARD EDGE TO SOLDER TAG. POL. KEY S/L 096-39 PCB GUIDES S	EACH
09183	LAMP SOCKET, R7S, TYPE "B" SHORT (31 X 20MM DIA) #3320/3 (FOR "ANTARES" 5KW/3266) (SEE ALSO S/L 091-81 & 82)	PAIR	09603	PIN INSERTION TOOL FOR S/L 096-06, 096-07 HARTING #0088	EACH	09642	15 CCT 3.96 PITCH CARD EDGE TO SOLDER PIN 0.8 X 1.0 10L /W BOARD GUIDES. POL. KEY S/L 0	EACH
09184	EGG CRATE #3268 (FOR "ANTARES" 5KW /3266)	EACH	09604	PIN EXTRACTION TOOL FOR S/L 096-06, 096-07 HARTING #0087	EACH	09643	15/30 CCT 3.96 PITCH CARD EDGE TO WW 0.63 SQ. POL KEY S/L 096-44 VIKING SPECIAL #231-4219	EACH
09185	MIRROR SUPPORT #283/30 (64-043-08) FOR "POLLUX" 5KW/ #282	EACH	09605	SOLDER CONTACT FOR S/L 096-08 (TOOLS S/L 096-03, 04) #090 6 000 6420	EACH	09644	POLARIZING KEY FOR S/L 096-43	EACH
09186	RED CUP #283/33 (64-043-32) FOR "POLLUX" 5KW/ #282	EACH	09606	CRIMP CONTACT FOR 0.14 - 0.56 CSA WIRE (S/L 096-08, 096-01) HARTING #6431	EACH	09645	15/30 CCT 3.96 PITCH CARD EDGE TO SOLDER TAG POL KEY S/L 096-39 PCB GUIDES S	EACH
09187	YELLOW CUP #283/37 (64-043-75) FOR "POLLUX" 5KW/ #282	EACH	09607	CRIMP CONTACT FOR 0.5 - 1.5 CSA WIRE (S/L 096-08, 096-02) HARTING #6432	EACH			
09188	WHITE CUP #283/38 (64-043-83) FOR "POLLUX" 5KW/ #282	EACH						
09189	BLUE CUP #283/39 (64-043-91) FOR "POLLUX" 5KW/ #282	EACH						

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
09646	POLARIZING KEY FOR S/L 096-45, 49 AMPHENOL #22 5A-594	EACH	09715	RED, 12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09742	GREY, 17.3W 17L (MM) N.O. E CG # 4511	EACH
09647	22 CCT 3.96 PITCH CARD EDGE TO SOLDER PIN 0.8 X 1.0 10L	EACH	09716	ORANGE,12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09743	YELLOW,17.3W 17L (MM) N.O. E CG # 4511	EACH
09648	22 CCT 3.96 PITCH CARD EDGE TO SOLDER PIN.C/W BOARD GUIDE S P OL.KEY S/L 096-39	EACH	09717	GREEN, 12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09744	BLUE, 17.3W 17L (MM) N.O. E CG # 4511	EACH
09649	22/44 CCT 3.96 PITCH CARD EDGE TO SOLDER TAG POL KEY S/L 096-39 PCB G	EACH	09718	WHITE, 12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09745	RED, 17.3W 17L (MM) N.O. E CG # 4511	EACH
09651	22/44 CCT 3.96 PITCH CARD EDGE TO WW 0.8 SQ. POL KEY S/L 096-39	EACH	09719	GREEN 12.3W 17L (MM) NO (WEATHERPROOF) RED LED ECG #4 541-M-7-0 RED	EACH	09746	ORANGE,17.3W 17L (MM) N.O. E CG # 4511	EACH
09652	43/86 CCT 3.96 PITCH CARD EDGE TO WW 1.143 SQ.POL KEY S/L 09 6-39 EDA	EACH	09720	WHITE 12.3W 17L (MM) NO (WEATHERPROOF) RED LED ECG #4 541-M-8-0 RED	EACH	09747	GREEN, 17.3W 17L (MM) N.O. E CG # 4511	EACH
09653	22/44 CCT 3.96 PITCH CARD EDGE TO WW POSTS	EACH	09721	BLACK, 12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09748	WHITE, 17.3W 17L (MM) N.O. E CG # 4511	EACH
09660	PCB SOCKET,4 PIN,10MM L, BERG STICK #6695 1-004	EACH	09722	GREY, 12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09751	BLACK, 17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09661	PCB SOCKET,30 PIN,76MM L, BERG STICK #6695 1-030	EACH	09723	YELLOW,12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09752	GREY, 17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09700	SWITCH; SIGMATAST PCB KEYBOARD		09724	BLUE, 12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09753	YELLOW,17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09701	BLACK, 12.3W 17L (MM) N.O. E CG # 4501	EACH	09725	RED, 12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09754	BLUE, 17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09702	GREY, 12.3W 17L (MM) N.O. E CG # 4501	EACH	09726	ORANGE,12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09755	RED, 17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09703	YELLOW,12.3W 17L (MM) N.O. E CG # 4501	EACH	09727	GREEN, 12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09756	ORANGE,17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09704	BLUE, 12.3W 17L (MM) N.O. E CG # 4501	EACH	09728	WHITE, 12.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4502	EACH	09757	GREEN, 17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09705	RED, 12.3W 17L (MM) N.O. E CG # 4501	EACH	09729	WHITE 12.3W 17L (MM) NO (WEATHERPROOF) ECG #4 541-M-8-X	EACH	09758	WHITE, 17.3W 17L (MM) N.O. RED LED E CG # 4511	EACH
09706	ORANGE,12.3W 17L (MM) N.O. E CG # 4501	EACH	09731	BLACK, 12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09761	BLACK, 17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09707	GREEN, 12.3W 17L (MM) N.O. E CG # 4501	EACH	09732	GREY, 12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09762	GREY, 17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09708	WHITE, 12.3W 17L (MM) N.O. E CG # 4501	EACH	09733	YELLOW,12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09763	YELLOW,17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09709	RED 12.3W 17L, (MM) NO (WEATHERPROOF) RED LED ECG #4 541-M-5-0 RED	EACH	09734	BLUE, 12.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4502	EACH	09764	BLUE, 17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09710	ORANGE 12.3W 17L, (MM) NO (WEATHERPROOF) RED LED ECG #4 541-M-6-0 RED	EACH	09735	RED, 12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09765	RED, 17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09711	BLACK, 12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09736	ORANGE,12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09766	ORANGE,17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09712	GREY, 12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09737	GREEN, 12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09767	GREEN, 17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09713	YELLOW,12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09738	WHITE, 12.3W 17L (MM) PUSH ON -PUSH OFF. RED LED E CG # 4502	EACH	09768	WHITE, 17.3W 17L (MM) PUSH ON -PUSH OFF E CG # 4512	EACH
09714	BLUE, 12.3W 17L (MM) N.O. RED LED E CG # 4501	EACH	09741	BLACK, 17.3W 17L (MM) N.O. E CG # 4511	EACH	09771	BLACK, 17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
09772	GREY, 17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	09952	PP METER,SCALE 0 - 7,FACE PLAT E 49MM W X 42MM H,CUT-OUT 38MM DIA, 2 STUD M2 X 10MM MTG. (AD 160 MIXER SPARE	EACH	10048	5K OHM,0.5W,SINGLE TURN,SIDE ADJ,7 X 6 X 9MM H. BOURN S #3329W	EACH
09773	YELLOW,17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	09959	HOURLMETER 100,000HR. 230VAC 50 HZ,50.5MM DIA,HOLE #H27 -40-760	EACH	10049	10K OHM,0.5W,SINGLE TURN,SIDE ADJ,7 X 6 X 9MM H. BOURN S #3329W #DNS-0 4	EACH
09774	BLUE, 17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	09961	10000HR,200/250V 50HZ,4CM SQ.6 CM DIA,35.5MM SQ MTG HOLE,SANG AMO #S477-2-26	EACH	10050	20K OHM,0.5W,SINGLE TURN,SIDE ADJ,7 X 6 X 9MM H. BOURN S #3329W	EACH
09775	RED, 17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	10000	TRIMPOT; CERMET, PCCT (BOURNS 3006P,3299W,3329P- 3329W OR EQUIVALENT) SEE ALSO 118 SERIES	EACH	10063	100 OHM,0.5W,TWENTY TURN, TOP A DJ,10MM SQ.X 6MM D,PC PINS, BO URNS #3299W	EACH
09776	ORANGE,17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	10004	100 OHM 0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10065	500 OHM,0.5W,TWENTY TURN, TOP A DJ,10MM SQ.X 6MM D,PC PINS, BO URNS #3299W	EACH
09777	GREEN, 17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	10005	200 OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10066	1K OHM,0.5W,TWENTY TURN, TOP A DJ,10MM SQ.X 6MM D,PC PINS, BO URNS #3299W	EACH
09778	WHITE, 17.3W 17L (MM) PUSH ON -PUSH OFF RED LED E CG # 4512	EACH	10006	500 OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM BO URNS #3006P	EACH	10068	5K OHM,0.5W,TWENTY TURN, TOP A DJ,10MM SQ.X 6MM D,PC PINS, BO URNS #3299W	EACH
09800	SWITCH; PUSHBUTTON, PCB & MISC		10007	1K OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10069	10K OHM,0.5W,TWENTY TURN, TOP A DJ,10MM SQ.X 6MM D,PC PINS, BO URNS #3299W	EACH
09801	DIL CHANGEOVER (NEEDS PCB LINK) . END STACKABLE SPECTRA #SDC 1	EACH	10008	2K OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10070	20K OHM,0.5W,TWENTY TURN, TOP A DJ,10MM SQ.X 6MM D,PC PINS, BO URNS #3299W	EACH
09802	DIL DUAL SPST END STACKABLE SPECTRA #SDS 2	EACH	10009	5K OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10080	10 OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09804	MINI DIP4 POLE 25VDC 25MA #DNS-0 4	EACH	10010	10K OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10081	20 OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09805	MINI DIP6 POLE 25VDC 25MA #DNS-0 6	EACH	10011	20K OHM,0.75W,15 TURN,END ADJ. RECTANGULAR,19 X 6 X 5MM B OURNS #3006P	EACH	10082	50 OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09806	MINI DIP8 POLE 25VDC 25MA #DNS-0 8	EACH	10013	100K OHM 0.75W 20 TURN END ADJ RECTANGULAR 19 X 6 X 5MM SPE CTROL #43P104	EACH	10083	100 OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09807	16 POS.2 POLE BINARY EECO #23005 7GB	EACH	10023	100 OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10084	200 OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09808	TACTILE SWITCH,2M CONTACTS,1MA @ 36VDC,LOW PROFILE,PCB MTG.C /W KEY TOP AND COVE R,(RNZ DIGITAL TIMER SPARE)	EACH	10025	500 OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10085	500 OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09900	METER; VOLT/AMP/RF/AC/DC/HOUR		10026	1K OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10086	1K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09910	0-100UA DC. 86 X 78MM, C/W PA NEL CUT-OUT JEMPLATE # CMC65P	EACH	10027	2K OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10087	2K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09919	0-15A,80MM SQ, TERA0 #MAB RECTIFIER S ET # TNE 50/10	EACH	10028	5K OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10088	5K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09921	0-1MA DC,80MM SQ FACE,65MM DIA MTG HOLE,30MM BEHIND PANEL T EW #MRA-65	EACH	10029	10K OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10089	10K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09940	VU METER SIFAM #R38AC, SCALE B . 90MM X 50MM. PANEL CUTOUT 88 MM X 48MM	EACH	10030	20K OHM,0.5W,SINGLE TURN, TOP A DJ,6MM DIA X 5MM H. BOURN S #3329P	EACH	10090	20K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09947	VU METER SHURE #95A559 FOR SHU RE MIXER #SE30-2E 200MA 1 800 OHM MOVEMENT	EACH	10043	100 OHM,0.5W,SINGLE TURN, SIDE ADJ,7 X 6 X 9MM H. BOURN S #3329W	EACH	10092	50K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09950	PP METER,SCALE -12DB TO +12DB, 91.5MM W X 74.5MM H,PANEL CUT- OUT 63.5MM, 3 X M2, 5 FIXING STUDS SIFAM "DI	EACH	10045	500 OHM,0.5W,SINGLE TURN, SIDE ADJ,7 X 6 X 9MM H. BOURN S #3329W	EACH	10093	100K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
09951	PP METER,SCALE 1 TO 7,ILLUMINA TED,91.5MM W X 74.5MM H,CUT-OU T 63.5MM 3 X M2.5 STUDS (SEE S/L324-03 FOR PCB STAND-O	EACH	10046	1K OHM,0.5W,SINGLE TURN, SIDE ADJ,7 X 6 X 9MM H. BOURN S #3329W	EACH	10095	250K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH
						10096	500K OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
10097	1MEG OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH	10514	2000 OHM TRIMPOT, TOP ADJUST SONY #1-228-457-00 4.3 X 5 MM DIA.	EACH	10612	ADP2 TRANSPARENT COVER,PVC,(1-METER) SEE ALSO 106-13.#0485 30	EACH
10098	2MEG OHM,0.5W,TWENTY TURN, TOP ADJ,10MM SQ.X 6MM D,TO-5 GRID, SPECTROL #64Y	EACH	10515	5000 OHM TRIMPOT, TOP ADJUST SONY #1-228-458-00 4.3 X 5 MM DIA.	EACH	10613	HP2 SUPPORT BRACKET (USE WITH ADP2 S/L 106-12) #0485 66	EACH
10100	TRIMPOT; CERMET, PCCT SEE ALSO 118 SERIES		10516	10K OHM TRIMPOT, TOP ADJUST SONY #1-228-459-00 4.3 X 5 MM DIA.	EACH	10614	MB MTG.BRACKET (SAKS1) #0334 96	EACH
10107	1K0 OHM 0.5W 25 TURN END ADJ 10MM SQ X 5MM. TO-5 GRID SPEC TROL #64Z	EACH	10517	20K OHM TRIMPOT, TOP ADJUST SONY #1-228-460-00 4.3 X 5 MM DIA.	EACH	10620	SAK16 TERMINAL,FEED-THRU.12MM #0271 02	EACH
10108	5K0 OHM 0.5W 25 TURN END ADJ 10MM SQ X 5MM. TO5 GRID SPECT ROL #64Z	EACH	10518	50K OHM TRIMPOT, TOP ADJUST SONY #1-228-461-00 4.3 X 5 MM DIA.	EACH	10621	AP END SECTION,3MM (SAK16) #0271 12	EACH
10109	500 OHM 0.5W,25 TURN,END ADJ. 10MM SQ X 5MM. TO-5 GRID SPEC TROL #64Z	EACH	10519	100K OHM TRIMPOT, TOP ADJUST SONY #1-228-462-00 4.3 X 5 MM DIA.	EACH	10622	VH12 DISTANCE SLEEVE (SAK16/SAK6N) #0249 00	EACH
10111	20K OHM 0.5W 25 TURN END ADJ 10MM SQ X 5MM. TO-5 GRID SPEC TROL #64Z	EACH	10520	200K OHM TRIMPOT, TOP ADJUST SONY #1-228-463-00 4.3 X 5 MM DIA.	EACH	10623	BS SCREW WITH WASHER, M3 X 20 (SAK16/SAK6N) #0303 00	EACH
10500	TRIMPOT; MINIATURE		10521	500K OHM TRIMPOT, TOP ADJUST SONY #1-228-464-00 4.3 X 5 MM DIA.	EACH	10624	QL2 JOINING BAR,2-WAY (SAK16) #0470 70	EACH
10501	500 OHM TRIMPOT, SIDE ADJUST SONY #1-228-470-00 5 X 5.4 X 6.2MM HIGH	EACH	10522	1M OHM TRIMPOT, TOP ADJUST SONY #1-228-465-00 4.3 X 5 MM DIA.	EACH	10625	QL3 JOINING BAR,3-WAY (SAK16) #0470 80	EACH
10502	1000 OHM TRIMPOT, SIDE ADJUST SONY #1-228-471-00 5 X 5.4 X 6.2MM HIGH	EACH	10523	2M OHM TRIMPOT, TOP ADJUST SONY #1-228-466-00 4.3 X 5 MM DIA.	EACH	10626	QL4 JOINING BAR,4-WAY (SAK16) #0470 90	EACH
10503	2000 OHM TRIMPOT, SIDE ADJUST SONY #1-228-472-00 5 X 5.4 X 6.2MM HIGH	EACH	10600	KLIPPON TERMINATION		10627	QL10 JOINING BAR,10-WAY (SAK16) #0471 00	EACH
10504	5000 OHM TRIMPOT, SIDE ADJUST SONY #1-228-473-00 5 X 5.4 X 6.2MM HIGH	EACH	10601	SAKS1 FUSE TERMINAL.13MM #0191 22	EACH	10640	SAK6N TERMINAL,FEED-THRU.8MM #0193 22	EACH
10505	10K OHM TRIMPOT, SIDE ADJUST SONY #1-228-474-00 5 X 5.4 X 6.2MM HIGH	EACH	10602	AP END SECTION,3MM (SAKS1) #0191 32	EACH	10641	AP END SECTION,1.5MM (SAK6N) #0117 92	EACH
10506	20K OHM TRIMPOT, SIDE ADJUST SONY #1-228-475-00 5 X 5.4 X 6.2MM HIGH	EACH	10603	EWK1 END BRACKET,8.5MM (SAKS1) #0206 16	EACH	10642	QL2 JOINING BAR,2-WAY (SAK6N) #0194 30	EACH
10507	50K OHM TRIMPOT, SIDE ADJUST SONY #1-228-476-00 5 X 5.4 X 6.2MM HIGH	EACH	10604	TS32AL,MTG.RAIL,ALUMINIUM,1-ME TRE (SAKS1) #0169 30	EACH	10643	QL3 JOINING BAR,3-WAY (SAK6N) #0194 40	EACH
10508	100K OHM TRIMPOT, SIDE ADJUST SONY #1-228-477-00 5 X 5.4 X 6.2MM HIGH	EACH	10605	QL3 JOINING BAR,3-WAY (SAKS1) #0191 50	EACH	10644	QL4 JOINING BAR,4-WAY (SAK6N) #0194 50	EACH
10509	50 OHM TRIMPOT, TOP ADJUST SONY #1-228-452-00 4.3 X 5M M DIA	EACH	10606	QL4 JOINING BAR,4-WAY (SAKS1) #0191 60	EACH	10645	QL10 JOINING BAR,10-WAY (SAK6N) #0338 30	EACH
10510	100 OHM TRIMPOT, TOP ADJUST SONY #1-228-453-00 4.3 X 5 MM DIA	EACH	10607	FW DEKAFIX TAG.HORIZONTAL, NUMBERED 1-50, #0473 46	EACH	10646	TW PARTITION (1.5MM) (SAK6N) #0131 6-00	EACH
10511	200 OHM TRIMPOT, TOP ADJUST SONY #1-228-454-00 4.3 X 5 MM DIA	EACH	10608	BS SCREW WITH WASHER M3 X 7 FOR QL BARS #0199 70	EACH	10650	DK4 TERMINAL,FEED-THRU,6MM #0438 46	EACH
10512	500 OHM TRIMPOT, TOP ADJUST SONY #1-228-455-00 4.3 X 5 MM DIA	EACH	10609	QL2 JOINING BAR,2-WAY (SAKS1) #0191 40	EACH	10651	AP END SECTION,1.5MM (DK4) #0436 56	EACH
10513	1000 OHM TRIMPOT, TOP ADJUST SONY #1-228-456-00 4.3 X 5	EACH	10610	QL10 JOINING BAR,10-WAY (SAKS1) #0338 80	EACH	10652	VH5 DISTANCE SLEEVE (DK4) #0296 80	EACH
			10611	EWK2 END BRACKET (15MM) (SAKS1) #0199	EACH	10653	BS SCREW WITH WASHER,M2.5 X 10 (DK4) #0400 10	EACH
						10654	QL2 JOINING BAR,2-WAY (DK4) #0297 20	EACH
						10655	QL3 JOINING BAR,3-WAY (DK4) #0297 30	EACH

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
10656	QL4 JOINING BAR,4-WAY (DK4) #0297 40	EACH	10823	INS.TERM.15A.BLACK. 4MM SOCKET IN HEAD. #B/L1850 REQUIRES PAN EL MOUNT S/L 108-26	EACH	10916	40-PIN DIL SOCKET,PCB MTG,OPEN BODY,TINNED CONTACTS, RN #IC T-403-S-T	EACH
10657	QL10 JOINING BAR,10-WAY (DK4) #0339 20	EACH	10824	INS.TERM.15A.RED. 4MM SOCKET IN HEAD. #B/L1850 REQUIRES PAN EL MOUNT S/L 108-26	EACH	10917	20-PIN DIL SOCKET,PCB MTG,LOW PROFILE,OPEN BODY,TINNED CONTACTS. (SEE ALSO S/L 109-14)	EACH
10660	SCREW TERMINAL STRIP,6-WAY (MK6/6) #0620 2 440V,40AM P, 76 X 23 X 22MMH.CONDUCTOR S	EACH	10825	INS.TERM.15A.GREEN. 4MM SOCKET IN HEAD. #B/L1850 REQUIRES PAN EL MOUNT S/L 108-26	EACH	10920	14-PIN DIL SOCKET,PCB MTG,OPEN BODY,GOLD CONTACTS RN #IC N-143-S3G	EACH
10661	MARKING STRIP FOR MK6/6 (S/L106-60) #0304 50	EACH	10826	PANEL FITTING FOR S/L 108-23,1 08-24,108-25. #B/L11	EACH	10921	16-PIN DIL SOCKET,PCB MTG,OPEN BODY,GOLD CONTACTS RN #IC N-163-S3G	EACH
10662	TERMINAL STRIP,6-WAY (BK6) #0625 22 440V,36AM P, 52 X 22 X 20MMH.CONDUCTOR S	EACH	10842	5 PAIR,BAKELITE,41MM L X 32MM W,WITH 2 MTG HOLES BULGIN #C120 (TFRD EX S/L 110-11)	EACH	10922	16-PIN DIL SOCKET,PCB MTG,CLOSED BODY,TINNED CONTACTS, RN #IC O-163-S8T	EACH
10663	SCREW TERM.STRIP,10-WAY ,PCB MTG (MK8/10) #0302 66 110V,16AM P, 51 X 13 X 13MMH.CONDUCTOR S	EACH	10843	10 PAIR,BAKELITE,81MM L X 32MM W,WITH 2 MTG HOLES BULGIN #C125 (TFRD EX S/L 110-12)	EACH	10925	28-PIN DIL SOCKET,PCB MTG,OPEN BODY,GOLD CONTACTS UTILUX #USO SERIES	EACH
10664	SCREW TERM.STRIP,18-WAY (MK7/18) #0291 80 250V,20AM P, 189 X 25 X 17MMH	EACH	10844	12 WAY,95MM L X 16MM W,POLYETHYLENE B/LEE #L1409 (TFRD EX S/L 110-15)	EACH	10948	10-PIN DIL SOCKET (FOR RIBBON CABLE 218-79480) RN #SR-10K.	EACH
10665	ASK1 FUSE TERMINAL #0456 36	EACH	10845	4 LUG ON CERAMIC PILLARS MTD ON METAL BASE W & R #TS104 (TFRD EX S/L 110-16)	EACH	10949	RETAINING CLIP FOR S/L 109-48. RN #IDS-10NPK T.	EACH
10666	AP END SECTION (1.5MM) FOR ASK1 #03803 6	EACH	10900	CONNECTOR; DIL/DIP PLUG & SOCKET (IC'S,RIBBON ETC)		10950	14-PIN DIL PLUG.(FOR RIBBON CABLE 218-79 & 80) RN #ID P-143-T	EACH
10667	QB3 CROSS CONNECT COMB,3-POL ES #04612 0	EACH	10901	8-PIN DIL SOCKET,WIRE-WRAP,GOLD PLATED CONTACTS RN #IC N-083-WBG	EACH	10951	RETAINING CLIP FOR S/L 109-50, 02 & 20 RN #RC -143-IDP	EACH
10668	QB4 CROSS CONNECT COMB,4-POL ES #04613 0	EACH	10902	14-PIN DIL SOCKET,WIRE-WRAP,GOLD PLATED CONTACTS RN #IC N-143-WGB	EACH	10952	16-PIN DIL PLUG (FOR RIBBON CABLE 218-79 & 80) RN #ID P-163-T	EACH
10669	SAKR TEST/DISCONNECT TERMINAL #0412 16	EACH	10903	16-PIN DIL SOCKET,WIRE-WRAP,GOLD PLATED CONTACTS RN #IC N-163-WBG	EACH	10953	RETAINING CLIP FOR S/L 109-52, 03 & 21 RN #RC -163-IDP	EACH
10670	QB25 CROSS CONNECT COMB,25 POLES,(SAKR) #0134 00	EACH	10904	18-PIN DIL SOCKET,WIRE-WRAP,GOLD PLATED CONTACTS RN #IC N-183-WBG	EACH	10954	24-PIN DIL PLUG (FOR RIBBON CABLE 218-79 & 80) RN #ID P-246-T	EACH
10671	AP END SECTION,1.5MM (SAKR) #0211 36	EACH	10905	20-PIN DIL SOCKET,WIRE-WRAP,TIN PLATED CONTACTS RN #IC N-203-WBT	EACH	10955	20-PIN DIL PLUG (FOR RIBBON CABLE 218-79 & 80) UTILUX #5370	EACH
10700	MICROPHONE ADAPTOR		10906	24-PIN DIL SOCKET,WIRE-WRAP,GOLD PLATED CONTACTS RN #IC N-243-WBG	EACH	10956	RETAINING CLIP FOR S/L 109-54 & 06) RN #RC -243-IDP	EACH
10729	MIC STAND ADAPTOR,1/2 WHIT MALE,1/2BSP FEMALE DWG 3904	EACH	10907	40-PIN DIL SOCKET,WIRE-WRAP,GOLD PLATED CONTACTS RN #IC N-403-WBG	EACH	10960	34-PIN DIL SOCKET (FOR RIBBON CABLE 218-79480) RN #SR-34K.	EACH
10732	MIC STAND ADAPTOR 5/8 X 27TP1 MALE,TO 1/2 X 14TP1 FEMALE ALU MINIMUM ALLOY DWG 5524	EACH	10910	8-PIN DIL SOCKET,PCB MTG,OPEN BODY,GOLD CONTACTS, RN #IC T-083-S-TG	EACH	10961	RETAINING CLIP FOR S/L 109-60. RN #IDS-34NPK T.	EACH
10800	TERMINAL; CONNECTOR STRIP		10911	14-PIN DIL SOCKET,PCB MTG,OPEN BODY,TINNED CONTACTS, RN #IC T-143-S-T	EACH	11000	TERMINAL; PCCT BOARD & ACCESSORIES	
10805	6 WAY SOLID BAKELITE 68MM X 20MM X 17.5MM,MTG BY 2 ONLY 4BA CLEARANCE HOLES 58MM CENTRES	EACH	10912	16-PIN DIL SOCKET,PCB MTG,OPEN BODY,TINNED CONTACTS, RN #IC T-163-S-T	EACH	11001	#8943-352 EXTENDER BOARD SIDED, 310 X 80MM FOR 2.54MM SPACED CONNECTOR	EACH
10806	12 WAY UNIVERSAL POLYETHYLENE CONNECTOR STRIP 5A 96MM LONG	EACH	10913	18-PIN DIL SOCKET,PCB MTG,OPEN BODY,GOLD CONTACTS, RN #IC T-183-S-TG	EACH	11002	RELAY MOUNTING PCB (AVALON SUITE 3 EQUIP.SPARE)DWGS.A3 11907 /35 & 36	EACH
10807	12 WAY FLEXIBLE CONNECTOR STRIP 10A 127MM LONG B/LEE #L1473	EACH	10914	20-PIN DIL SOCKET,PCB MTG,OPEN BODY,TINNED CONTACTS, RN #IC T-203-S-T	EACH	11004	#8943/355 EXT.BOARD,D/SIDED,32 1X109 MM FOR 0.1MM SPACED 70 PIN CONNECTOR	EACH
10811	4 WAY(INTERLOCKING)SCREW TERMS ,10MM PITCH,90 DEG.WIREWRAP PINS	EACH	10915	24-PIN DIL SOCKET,PCB MTG,OPEN BODY,TINNED CONTACTS, RN #IC T-243-S-T	EACH	11005	TERM.HEADER STRIP,0.1" CENTRES, 3.6" O/L,GOLD PLATED CONTACTS, RN #WTS-36S-3-G	EACH
10822	TWIN CHASSIS MOUNTING SPEAKER JACK SOCKETS,1 RED 1 BLACK DJ REID CAT T19.	EACH				11006	13960 PCCT,FOR RNZ PROGRAM MIC AMPLIFIER	EACH
						11007	60063 PCCT,FOR RNZ (2 IN 10 OUT) DISTRIBUTION AMPLIFIER	EACH
						11008	60055 PCCT,FOR RNZ MIXING AMPLIFIER (VAR.GAIN 10 IN 3 OUT)	EACH

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
11014	#60062/2 & 3 RNZ LOW DRIVE DUAL RELAY	EACH	11157	#13751/1F,PCCT FOR 100 WATT MONITOR AMPLIFIERS	EACH	11301	SINGLE LUG & GROUND 14MM L,#40 /12 MINIATURE	EACH
11016	# 12670/71 TRANSMISSION REMOTE CONTROL VIDEO SENSOR	EACH	11158	#13751/2, PCCT FOR 100 WATT MONITOR AMPLIFIERS	EACH	11302	2LUG & GROUND 22MM L,#40 /15 MINIATURE	EACH
11017	# 12670/75 & 76 TRANSMISSION REMOTE CONTROL AUDIO SENSOR	EACH	11159	#13451 PCCT FOR 2 WATT MONITOR AMPLIFIERS (500-08)	EACH	11303	3 LUG & GROUND #T12 (DJ REID)	EACH
11018	# 10084/2B UNIVERSAL VOLTAGE REGULATOR	EACH	11162	WIRE WRAP PCB,2H,LENGTH 135 MM ,2.54 MM (0.1") 44 CONTACT EDGE CONNECTOR TO DWGS. 8943/353 & 354	EACH	11304	4 LUG & GROUND #T13 (DJ REID)	EACH
11019	#14267/16A TRANSLATOR MK2 POWER SUPPLY (S/L 502-02) REPLACES #13781/8	EACH	11163	WIRE WRAP PCB,2H,LENGTH 225MM, 2.54MM (0.1") 44 CONTACT EDGE CONNECTOR TO DWGS.8943/353 & 354	EACH	11321	SINGLE LUG CERAMIC INS 25MM H, 6BA MTG SCREWS WINGROVE & RODGERS #TS5-01/7	EACH
11032	# 12746/6.3 PHASE MONITOR MK5, (FOR TRANSMISSION REMOTE CONTROL).	EACH	11165	CAMBION SOLDER PCCT MOUNT JACK FOR 1MM PIN	EACH	11400	PICKUP; CARTRIDGE & STYLII	
11033	PCB CARD GUIDE,280MM L, EDAC # 616-220-307	EACH	11170	#60173/5A GP AMP GAIN CONTROL (SEE S/L 337-02,03 & 04 FOR MTG HARDWARE) (GP AMP #60 173 MANUAL-REFER DWG.60173/08)	EACH	11419	PICKUP ARM SEDCO #S-220 C/W HEADSHELL	EACH
11034	#14091/1 CONTROL PROCESSOR BOARD FOR DIESEL CONTROLLER.	EACH	11171	PCB SOCKET PIN VERO #66-3487E	EACH	11446	CARTRIDGE, STEREO STANTON MAGNETICS #500A C/W 0.7MIL STYLUS	EACH
11035	#14091/6 BATTERY MONITOR BOARD FOR DIESEL CONTROLLER.	EACH	11172	PCB HANDLE (ORIGINAL TYPE) TO DWG A2/10495 (SEE ALSO S/L 111-78)	EACH	11447	STYLUS, STEREO 0.7MIL #D5107A FOR STANTON MAGNETICS #500A CARTRIDGES	EACH
11036	#14091/10 AC SQUARE WAVE GENERATOR BOARD FOR DIESEL CONTROLLER.	EACH	11173	LABEL FOR PCB HANDLE S/L 111-72 - AVAILABLE FOR INDIVIDUAL ISSUES	EACH	11448	STYLUS, 2.7MIL #5127 FOR STANTON MAGNETICS #500A CARTRIDGE	EACH
11037	#14091/62 SUPERVISORY INTERFACE BOARD FOR DIESEL CONTROLLER.	EACH	11174	HATFIELD #A1-210-D, PCCT FOR LOW COST HYBRID CONSTRUCTION. 135MM X 76MM (FOR ASSOCIATED TRANSFORMER SEE S/L 179	EACH	11500	POTENTIOMETER; MISCELLANEOUS	
11038	#14091/7 INDICATOR PANEL BOARD FOR DIESEL CONTROLLER.	EACH	11175	#15375/1 MAINS STARTER ONLY FOR ELECTRONIC SPEED SWITCH (SEE ALSO 111-91)	EACH	11501	10K OHM LIN. SLIDE CARBON RUWIDO #1021-000 DATALINE SPARE	EACH
11080	# 13239/7, PCCT FOR RINGING DETECTOR	EACH	11176	WIRE WRAP PCB,0.1" 70 CONTACT EDGE CONNECTOR TO DWG A1 13365/3	EACH	11516	5K LIN (MINIATURE) COLVERN CLR 051/MP (FOR RANK CINTEL T/C)	EACH
11083	# 60007/26,PCCT FOR 3-TONE CODER	EACH	11177	#13124-8A PCCT FOR BCNZ POWER SUPPLY (500-02)	EACH	11518	47K DUAL,SLOTTED SHAFT 13MM L, 6MM DIA, DICK SMITH #R-6 853 (RESTRICTED ISSUES - STAFF TRG.USE ONLY)	EACH
11084	# 60009/6, PCCT FOR 4 X 1 MATRIX	EACH	11178	#13124-8A PCCT FOR BCNZ POWER SUPPLY (500-02)	EACH	11520	10K 5% 0.5W TRIMPOT,BOURNS #3300S-1-103 (CDL DIGISYNC UNIT)	EACH
11087	* 60025/55,PCCT FOR REGULATOR	EACH	11179	PCB HANDLE (NEW DESIGN) TO DWG .A4/10495/1 (SEE ALSO S/L 111-72)	EACH	11527	470K REVERSE LOG, 30MM X 4MM DIA SHAFT PHILIPS #2322 380 65353 FOR LINE EQU	EACH
11092	* 60032/43,PCCT FOR RECT.FILTER	EACH	11193	#12912/1 REED RELAY 5 X 1 CARD PCB,SIDE 1	EACH	11538	10K OHM LEVER TYPE #78-209-09 FOR RICHMOND HILL VPM 2000 MIX EFFECTS	EACH
11093	* 60050/112,PCCT FOR MTG 4 X PZ4 RELAYS	EACH	11194	#12921/1 COMMS.SYSTEM,MIC PRE-AMP PCB	EACH	11543	10K LIN SLIDE. RUWIDO #1051-000. 85MM LONG X 12MM WIDE X 16MM DEEP (USED IN DATALITE STUDIO LIGHTING)	EACH
11096	* 60110/48,PCCT FOR SILENCE DETECTOR	EACH	11195	#12921/2 COMMS.SYSTEM,L/S AMP PCB,SIDE 1	EACH	11547	10K,10 TURN,6.35MM SHAFT,SPECTROL #534 (FOR #14341 TX DEMODULATOR)	EACH
11100	TERMINALS, PCCT BOARDS & ACCESSORIES		11196	#12921/4 COMMS.SYSTEM,UTILITY AMP PCB	EACH	11550	1K LIN CONDUCTIVE PLASTIC 27MM DIA 6.3MM SHAFT BOURNS #3438S -1-102 FOR ANGENIEUX ZOOM LENS	EACH
11101	VEROBOARD 15" X 8" SHEET,SINGLE-SIDED,0.1" MATRIX CODE #67-1902F	EACH	11199	# 60030/2,PCCT FOR 16 X 1 AUDIO SW. MATRIX	EACH	11557	POTENTIOMETER, SLIDE CARBON 10K LOG FOR STEENBECK ST1901 EDITOR	EACH
11106	#60007-2, PCCT FOR 3-TONE DECODER S/L504-17	EACH	11200	TERMINAL BLOCK		11558	POTENTIOMETER, 5K REF. DWG 3927600500 FOR STEENBECK ST1901 EDITOR	EACH
11109	# 30415-2,PCCT FOR PPM METER AMPLIFIER	EACH	11204	156 PR.1.7MM DIA.WRAP TAG (178 X 65 X 133H)MM. GUARD S/L 112-05 TOOLS S/L 302-68 ,302-70	EACH	11559	1K,CCW REV.LOG TAPER,CONDUCTIVE PLASTIC ELEMENT,16 X 16 X 16 MM,PC TERM, 6.3MM SHAFT,SLOTTED,	EACH
11114	CIRCUIT BOARD SUPPORT,INSERT #6 SELF-TAPPING SCREW THROUGH CHASSIS AND INTO SUPPORT SUITABLE	EACH	11214	EARTH BAR,TO DWG A48954,FOR USE WITH TERMINAL BLOCKS	EACH	11560	10K CW AUDIO TAPER CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 16MM BODY SHAFT 6.3MM	EACH
11124	PCB STANDOFF,TO FIT 3.8MM TOP, 5MM BOTTOM HOLES O/L 24MM VERO # 22-1418B	EACH	11217	60 PAIR,165L X 70W,X 95MM H, WW TABS	EACH	11561	100K/100K CW AUDIO TAPER CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 26MM BODY SHAFT 6.3MM	EACH
11126	11652/1B,PCCT FOR #11652 BALANCED TRACKING REGULATOR	EACH	11218	125 PAIR,165L X 65W X 125MM H, WW TABS	EACH			
11127	VEROBOARD 2.54MM MATRIX.PLAIN 450MM X 95MM VERO #01-01340	EACH	11300	TERMINAL; TIE POINT				
11134	#11729-1,2,PCCT FOR BINARY ENCODING OF PUSHBUTTONS	EACH						
11156	#11523/25,PCCT FOR 11523 GENERAL PURPOSE AMPLIFIER	EACH						

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
11562	10K/10K/50K CCW AUDIO TAPER/CCW AUDIO TAPER/LIN CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 37MM BODY SHAFT 6.3MM O	EACH	11614	1M LIN #2322-380-00314	EACH	11728	22K LOG #2322-350-72728	EACH
11563	100K/100K/100K CCW AUDIO TAPER . CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 37MM BODY. 6.3MM SHAFT B	EACH	11625	2K2 LOG #2322-380-00325	EACH	11729	47K LOG #2322-350-72729	EACH
11564	100K/100K/50K CCW AUDIO TAPER . CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 37MM BODY. 6.3MM SHAFT B	EACH	11627	10K LOG #2322 380 00327	EACH	11731	100K LOG #2322-350-72731	EACH
11565	10K/10K/50K CCW AUDIO TAPER /CCW AUDIO TAPER/LINEAR. CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 37MM BODY B	EACH	11628	22K LOG #2322-380-00328	EACH	11732	220K LOG #2322-350-72732	EACH
11566	25K/1K CCW AUDIO TAPER . CONDUCTIVE PLASTIC. DUAL CONCENTRIC PC PINS. 16 X 16 X 26MM BODY B	EACH	11631	100K LOG #2322-380-00331	EACH	11733	470K LOG #2322-350-72733	EACH
11567	50K/50K CCW AUDIO TAPER . CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 26MM BODY. 6.3MM SHAFT B	EACH	11633	470K LOG #2322-380-00333	EACH	11734	1M LOG #2322-350-72734	EACH
11568	50K CCW AUDIO TAPER . CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 16MM BODY. 6.3MM SHAFT B	EACH	11634	1M LOG #2322-380-00334	EACH	11735	2M2 LOG #2322-350-72735	EACH
11570	10K LINEAR. CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 16MM BODY. 6.3MM SHAFT B	EACH	11640	100K LIN.TANDEM #2322-390-74611	EACH	11750	1K/1K LOG TANDEM 60 X 6MM DIA SHAFT #2322 360 70724	EACH
11571	10K CW AUDIO TAPER. CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 16MM BODY. 6.3MM SHAFT B	EACH	11641	10K LOG.TANDEM #2322-390-70327	EACH	11790	NUTS, HEX M10 X 0.75 ROTARY SWITCHES AND POTS	EACH
11572	10K/10K CW AUDIO TAPER. CONDUCTIVE PLASTIC PC PINS. 16 X 16 X 26MM BODY. 6.3MM SHAFT B	EACH	11642	10K LIN.TANDEM PHILIPS CP16 SERIES #2322-390-70307	EACH	11800	POTENTIOMETER & TRIMPOT CARBON & CERMET. ACCESSORIES S/L 336-24 & 29	
11574	10K 10% 0.5W LIN HOT MOLDED, LOCKING BUSH. 32 X 3.2MM DIA SHAFT ALLEN-BRADLEY #G	EACH	11643	22K LIN.TANDEM #2322-390-70308 (PHILIPS CP16 SERIES)	EACH	11813	10 K OHM 15 MM X 4 MM SHAFT WITH SWITCH USED IN 2 W MONITOR AMPLIFIERS.	EACH
11581	50K/50K DUAL, LINEAR, CONDUCTIVE PLASTIC. 22 X 6.3MM DIA SHAFT ALLEN BRADLEY #7	EACH	11690	NUTS, HEX M 7 X 0.75 ROTARY SWITCHES AND POTS	EACH	11824	1K LIN / 1K LIN DUAL,PHILIPS #E091CG/60E01	EACH
11582	1K/1K DUAL, LOG, CONDUCTIVE PLASTIC. 16 X 6.3MM DIA SHAFT ALLEN BRADLEY #7	EACH	11691	VARIABLE RESISTOR MOUNTING BRACKET (AS USED IN 100 WATT AMP S)	EACH	11825	470K/470K REVERSE LOG DUAL, 60 MM X 6.35MM DIA SHAFT PHILIP S #2322 360 72753 FOR LINE EQU	EACH
11600	POTENTIOMETER; CARBON GENERAL PURPOSE, 16MM DIA BODY, 4MM DIA. SHAFT. MOUNTING HARDWARE S/L 116-90.		11700	POTENTIOMETER; CARBON GENERAL PURPOSE, 23MM DIA. 6.3 DIA. SHAFT. MOUNTING HARDWARE 117-90.		11826	100K/100K LOG DUAL, 60MM X 6.3 5MM SHAFT PHILIP S #2322 360 72731 FOR LINE EQU	EACH
11604	1K LIN #2322-380-00304	EACH	11702	220 LIN #2322-350-72702	EACH	11827	5K/5K LOG DUAL HOT MOLDED. 12. 7 X 6.3MM DIA SHAFT. 16 X 16 X 25MM BODY C/W LOCK W ASHER & 2 NUTS ALLEN BRADLEY	EACH
11605	2K2 LIN #2322-380-00305	EACH	11703	470 LIN #2322-350-72703	EACH	11828	5K0 LOG CONDUCTIVE PLASTIC. 1 2.7 X 6.3MM DIA SHAFT. 16 X 16 X 12.7MM DEEP ALLEN BRADLEY #7	EACH
11606	4K7 LIN #2322-380-00306	EACH	11704	1K LIN #2322-350-72704	EACH	11830	10K/10K LOG DUAL,PHILIPS #E091CG/60E29	EACH
11607	10K LIN #2322-380-00307	EACH	11705	2K2 LIN #2322-350-72705	EACH	11834	4K7 LIN TRIMMER 10MM DIA PCCT VERT MTG PHILIPS #2322 410 050 56	EACH
11608	22K LIN #2322-380-00308	EACH	11706	4K7 LIN #2322-350-72706	EACH	11835	10K LIN TRIMMER 10MM DIA. PCCT VERT. MTG. PHILIPS #2322 410 05057	EACH
11609	47K LIN #2322-380-00309	EACH	11707	10K LIN #2322-350-72707	EACH	11836	470K LIN TRIMMER 18MM DIA. PCCT VERT. MTG PHILIPS #2322 411 02263	EACH
11611	100K LIN #2322-380-00311	EACH	11708	22K LIN #2322-350-72708	EACH	11839	1K LIN TRIMMER 10MM DIA. PCCT VERT. MTG PHILIPS #2322 410 05054	EACH
11612	220K LIN #2322-380-00312	EACH	11709	47K LIN #2322-350-72709	EACH	11843	10K OHM LIN TRIMMER 18MM DIA. PCCT VERT. MTG PHILIPS #2322 4 11 02257	EACH
11613	470K LIN #2322-380-00313	EACH	11711	100K LIN #2322-350-72711	EACH	11844	1M OHM LIN TRIMMER 10MM DIA. PCCT VERT. MTG PHILIPS #2322 4 10 05064	EACH
			11712	220K LIN #2322-350-72712	EACH	11848	470 OHM LIN TRIMMER 10MM DIA. PCCT VERT. MTG PHILIPS #2322 4 10 05053	EACH
			11713	470K LIN #2322-350-72713	EACH	11851	22K OHM LIN TRIMMER 18MM DIA. PCCT VERT. MTG PHILIPS #2322 4 11 02258	EACH
			11714	1M LIN #2322-350-72714	EACH	11852	22K OHM LIN TRIMMER 10MM DIA. PCCT VERT. MTG PHILIPS #2322 4	EACH
			11715	2M2 LIN #2322-350-72715	EACH			
			11724	1K LOG #2322-350-72724	EACH			
			11725	2.2K LOG #2322-350-72725	EACH			
			11726	4.7K LOG #2322-350-72726	EACH			
			11727	10K LOG #2322-350-72727	EACH			

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
11859	200 OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG PINS	EACH	11901	10 OHM 3W,COLVERN #4001/15S	EACH	12119	TAPE, STANDARD PLAY, 12.7MM W 732M SPOOL (2400FT) ON NAB SPOOL	EACH
11860	100 OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11904	50 OHM 3W,COLVERN #CLR4001/22	EACH	12120	TAPE, NAB CARTRIDGE, 10 SEC. AUDIOPAK	EACH
11861	500 OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11917	2.5K 3W,COLVERN #CLR4001/22	EACH	12122	TAPE, NAB CARTRIDGE, 48 SEC. AUDIOPAK	EACH
11862	1K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11921	2.5K 1W COLVERN #CLR127/11,S LOTTED SHAFT 19MM L(FOR AWA #F 240 D&N METER)	EACH	12123	TAPE, NAB CARTRIDGE, 63 SEC. AUDIOPAK	EACH
11863	2K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG PINS	EACH	11937	1000 OHM 2W 10 TURN BODY 23MM DIA SHAFT 21 X 6.3MM CLAROSTA T #73JA	EACH	12125	PRESSURE PAD SET FOR A2 AUDIOP AK NAB CARTRIDGE	EACH
11864	5K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11938	*5K 1W LIN, BODY 17 X 24MM DIA COLVERN #CLR1206/11 FOR AWA D&N METE R #F240	EACH	12126	TAPE, NAB CARTRIDGE, 4 MINUTE AUDIOPAK	EACH
11865	10K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11940	1K 3W,C/W POT LOCK & CAP	EACH	12129	TAPE, MASTER RECORDING, 50.8MM 762M (2" X 2500FT) ON NAB REEL AMPEX GRAND MASTER #456	EACH
11866	20K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11943	1K 0.5W BODY 12.6 X 12.6MM DIA SHAFT 25.4 X 3.17MM DIA COLVE RN #CLR051MX RANK CINTEL MK3 TELECINE SPARE #617020	EACH	12130	TAPE, LOW NOISE MASTERING 25.4MM X 732M (2400FT)	EACH
11867	50K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11979	TRIMPOT 50 OHM 0.5W,WW,PCB MT G/HOR ADJ 8MM DIA BOURNS #3305P	EACH	12131	TAPE, LOW NOISE, 6.3MM X 732M (2400FT) ON NAB REEL	EACH
11868	100K OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11980	TRIMPOT 100 OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12136	TAPE, LONG PLAY, 6.3MM X 274M ON 130MM REEL. SCOTCH #809	EACH
11870	1MEG.OHM,0.5W,SINGLE TURN,SIDE ADJ.9.5MM SQ.X 5MM,PCB 0.1"IN LINE MTG.PINS	EACH	11982	TRIMPOT 500 OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12137	TAPE, NAB CARTRIDGE, 3 MINUTE AUDIOPAK	EACH
11879	500 OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	11983	TRIMPOT 1K OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12138	TAPE, NAB CARTRIDGE, 3.5 MIN. AUDIOPAK	EACH
11880	100 OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	11984	TRIMPOT 2K OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12142	SCOTCHCART, NAB CART. 40 SEC.	EACH
11881	200 OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG PINS	EACH	11985	TRIMPOT 5K OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12143	SCOTCHCART, NAB CART. 70 SEC.	EACH
11882	1K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	11986	TRIMPOT 10K OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12144	SCOTCHCART, NAB CART. 100 SEC.	EACH
11883	2K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	11987	TRIMPOT 20K OHM 0.5W,WW,PCB MT G/HOR.ADJ,8MM DIA BOURNS #3305P	EACH	12145	SCOTCHCART, NAB CART. 2.5 MIN.	EACH
11884	5K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	12100	TAPE; SOUND RECORDING & ACCESS		12146	SCOTCHCART, NAB CART. 3 MIN.	EACH
11885	10K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	12102	TAPE CASSETTE #C10. LEADERLESS 10 MINUTE	EACH	12147	SCOTCHCART, NAB CART. 3.5 MIN.	EACH
11886	20K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	12103	TAPE CASSETTE #C30. LEADERLESS 30 MINUTE	EACH	12148	SCOTCHCART, NAB CART. 4 MIN.	EACH
11887	50K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	12104	TAPE CASSETTE #C60. LEADERLESS 60 MINUTE	EACH	12149	SCOTCHCART, NAB CART. 4.5 MIN.	EACH
11888	100K OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	12105	TAPE CASSETTE #C30	EACH	12150	SCOTCHCART, NAB CART. 5.5 MIN.	EACH
11890	1MEG OHM,0.5W,SINGLE TURN, TOP ADJ.9.5MM SQ.X 5MM,PCB TO-5 GR ID MTG.PINS	EACH	12106	TAPE CASSETTE #C60	EACH	12151	SCOTCHCART, NAB CART. 7.5 MIN.	EACH
11895	470 OHM 0.5W SINGLE TURN 10MM CERMET TOP ADJ PHILIPS #2322 482 22471	EACH	12107	TAPE, STANDARD PLAY, 6.3MM 732M (2400FT) ON NAB SPOOL	EACH	12200	RECORDING ACCESSORIES	
11900	POTENTIOMETER; WIREWOUND 119-01 TO -43, TRIMPOTS 0.5 WW SINGLE TURN 119-70 TO -87		12112	TAPE, STANDARD PLAY, 6.3MM 366M (1200FT) ON 7" SPOOL	EACH	12204	130MM DIA PLASTIC SPOOL.(5")	EACH
			12113	TAPE, STANDARD PLAY, 6.3MM 183M (600FT) ON 5" SPOOL	EACH	12205	180MM DIA PLASTIC SPOOL.(7")	EACH
			12114	TAPE, NAB CARTRIDGE, 40 SEC. AUDIOPAK	EACH	12206	SPOOL, 270MM DIA NAB HUB FOR 6 .35MM TAPE (10 & 1/2")	EACH
			12115	TAPE, NAB CARTRIDGE, 70 SEC. AUDIOPAK	EACH	12209	270MM DIA METAL SPOOL NAB HUB FOR 25.4MM TAPE	EACH
			12116	TAPE, BULK LUBRICATED FOR NAB CARTRIDGES, 6.3MM X 548M	EACH	12225	BULK ERASER FOR MAGNETIC TAPE E	EACH
			12117	CARTRIDGE, NAB UNLOADED AUDIOPAK	EACH	12229	LEADER TAPE,6.3MM X 366M SPOOL ,(1/4" X 1200FT)	EACH
			12118	TAPE, NAB CARTRIDGE 33 SEC	EACH	12231	* 5.8MM SPLICING STRIPS BASF # PW384 (EA = DISPENSER CONTAINING 500 PIECES)	EACH
						12232	SPLICING TAPE 6MM W (7/32") SC OTCH BRAND #620.	EACH
						12233	SPLICER FOR 6.3MM (1/4")RECORD ING TAPE,EMITAPE JOINTING BLOC K #AT610	EACH
						12235	HEAD DEMAGNETISER "HAN-D-MAG" #220	EACH
						12500	RELAY; BPO	

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
12531	1000/1000 OHM COIL 4C 10A 230V AC HD CONTACTS,PLUG IN. 1&7/16 X 2&9/16 X 4&9/16H,KEYSWITCH #P33T	EACH	13143	PNEUMATIC TIMING UNIT,ADJ 0.5-60 SEC, SPST 10A CONTACT, FOR DELAY ON OR OFF PACK 5 SIZE 5 FOR MTE #UC05 OR UCO10.	EACH	13271	RELAY 12V COIL 4C/O 10A CONTACTS 36 X 36 X 50MM PLUG-IN, REL ECO #MR52 SOCKET SEE S/L 132-74	EACH
12546	1000/1000 OHM COIL 6CPD PLUG I N KEYSWITCH #P33	EACH	13144	CONTACT BANK, BROWN, 4M 10A CONTACTS, PACK3 SIZE5B, MAIN CONTACT BANK FOR UCO5, AUX BANK UCO10 RELAYS	EACH	13272	RELAY 24V COIL 4C/O 10A CONTACTS 36 X 36 X 50MM PLUG-IN, REL ECO #MR52 SOCKET SEE S/L 132-74	EACH
12553	CHASSIS MTG SOCKET & CLAMP FOR KEYSWITCH P33 & P33T RELAYS S/L 125-46 & 125-31	EACH	13145	AUX CONTACT BANK, YELLOW, 2M 2 B 10A CONTACTS, PACK3 SIZE 5Y FOR MTE #UC05 & UCO10.	EACH	13273	RELAY 240VAC COIL 4C/O 10A CONTACTS 36 X 36 X 50MM PLUG-IN, RELECO #MR32 SOCKET SEE S/L 132-74	EACH
13000	RELAY; MISCELLANEOUS		13147	DUMMY CONTACT BANK, BLACK,PACK 4 SIZE 5 FOR USE WITH TIMER ON UCO5 & UCO10	EACH	13274	SOCKETS #SK 3004 FOR RELECO MR 52/32 RELAYS	EACH
13013	48VDC COIL (1250 OHM) 4 HD C/O .PLUG IN BASE FOR #TNE 50/10 RECT.SET	EACH	13200	RELAY; MISCELLANEOUS		13275	850 OHM,24VDC COIL,4 C/O AU/AG ,PCB MTG (AUDIO SWITCHING).ITT #PZ4A2626 (REPLACES # PZ4A2615) SEE ALSO S/L 132-43	EACH
13015	SPST, 12V COIL CONTACTS 12V 30 A TYPE 28RA LUCAS # 333 75	EACH	13202	550/550 OHM COIL 4C PLUG-IN 19 MM X 30MM X 30MM. SOCKET SEE 1 32-27	EACH	13276	RELAY, REED 1200 OHM 24V COIL, 2PST SIGMA #191TE2A1-24L 8 PIN DIL ON 14 PIN MTG BLOCK. RICHMOND	EACH
13016	PLUG IN SOCKET FOR S/L 130-15 LUCAS # 511 54201	EACH	13206	890 OHM 24V COIL 4C TYPE N CRADLE,PLUG-IN,SIEMENS #V23154-DO 721-B110 (SOCKET & RETAINER SPRING SEE 132-35 &	EACH	13279	DIL REED RELAY,500 OHM 5V COIL WITH DIODE.ONE NC CONTACT # 1 31B-4	EACH
13020	24VDC 2C HEAVY DUTY CONTACTS (FOR PUREGAS ALARM) SIEMENS V 23154	EACH	13207	48V 2000 OHM COIL FOR MAGNETIC DEVICES #596 RELAY(S/L132-12 & 18 ONLY)	EACH	13280	DIL REED RELAY,500 OHM 4.5-8V COIL,2M CONTACTS,3W,110MA,28V RATING PICKERI NG #97-2-A-5/2D (DIODE FITTED)	EACH
13080	DIL REED RELAY 5V 200 OHM COIL 2M CONTACTS (EQUIV.TO S/L 1 32-80) D IODE FITTED HAMLIN #HE7-22	EACH	13214	ERNI #REL-14-BO-5.2-24VDC,2000 OHM BI-STABLE COIL,6 MTG PINS ,FLAT PACK, 1C/O CONTACTS,28 X 19 X 10MM H,(FOR TX.PR	EACH	13281	DIL REED RELAY,500 OHM,4.5-8V COIL,1C/O CONTACTS,3W 250MA,28 V RATING PICKERI NG #97-1-C-5/3D (DIODE FITTED)	EACH
13081	DIL REED RELAY 5V 200 OHM COIL 1C/O CONTACT (EQUIV.TO S/L 1 32-81) D IODE FITTED HAMLIN # HE7-2	EACH	13227	SOCKET,CHASSIS MTG C/W RETAINI NG CLIP FOR RELAYS 132-02,03,0 4,33 & 37	EACH	13282	DIL REED RELAY,140 OHM 4.5-8V COIL,2C/O CONTACTS,2W 110MA,28 V RATING PICKERI NG #97-2-C-5/5D (DIODE FITTED)	EACH
13083	DIL REED RELAY 5V 500 OHM COIL 1M CONTACT (EQUIV.TO S/L 1 32-83) D IODE FITTED HAMLIN # HE7-2	EACH	13232	COAX RELAY SPDT ISOLATION CONN ECTOR IN DE-ENERGIZED POSITION 12VDC COIL, N CONNECTORS,DOW KEY #60-2225	EACH	13283	DIL REED RELAY,500 OHM,4.5-8V COIL,1M CONTACT,10W 0.5A,100V RATING PICKERI NG #97-1-A-5/1D (DIODE FITTED)	EACH
13100	RELAY; POWER		13234	* 400/340 OHM 24VDC COILS 4C,T YPE P CRADLE,PLUG-IN, SIEMENS #V23003-B0037-C110	EACH	13284	DIL REED RELAY 140 OHMS 4.5-8V COIL 2C/O CONTACTS,2W 110MA,2 8V RATING PICKERI NG #97-2-C-5/8D (DIODE FITTED)	EACH
13101	3 C/O 250VAC 10A CONTACTS 12VD C COIL 40LX35WX60H IMO #60. 13	EACH	13235	* SOCKET,CHASSIS MTG 32.5MM X 19.2MM,SIEMENS # V23154-Z1006. FOR 132-34,132-3 9	EACH	13285	DIL RELAY 280 OHM COIL 12V, 2 C/O CONTACTS 30W 100V IT T #73	EACH
13102	11CONTACT BASE FOR S/L 131-01 RAIL OR SURFACE MOUNT IMO	EACH	13236	* RETAINER SPRING,SIEMENS #V23 154-Z1022. FOR 132-34,132-39	EACH	13286	DIL RELAY 1070 OHM COIL 24V, 2 C/O CONTACTS 30W 100V IT T #73	EACH
13103	3 C/O,24 VOLT DC COIL,250 VAC 10 AMP CONTACTS #IMO 60.13 (AS USED IN DIESEL CONTROLLER).	EACH	13238	*REED,MIN MERCURY WETTED,12V E RG #M11-1MAW-12VOLT	EACH	13287	RELAY,MAG. LATCH, 24/24Y,390/450 OHM COIL,AU/AG 6 C/O CONTACTS (LID,SEE S /L 132-46.REFER ALSO S/L 132-4	EACH
13104	2M-2B 600 V/DC 12AMP,CASE AND CONTACTORS LESS COIL #22-125-1 03-61 SPRECHER & SCHUH (COILS REFER S/L 131-05 & 131	EACH	13239	"IZUMI"ALUMINIUM EXTRUSION.REL AY MOUNTING RAIL,(IE 131-02 RE LAY BASES). 1 METRE LEN GTHS.	EACH	13299	SOLID STATE AC RELAY,OPTICALLY ISOLATED,240V,10A,3 - 32VDC,4 -TERMINAL SURFACE MTG.5 7L X 43W X 21MM H. RANCO	EACH
13105	CS4C.12VDC-22Z COIL,FOR SPRECH ER & SCHUH CASE.(S/L 131-04).# 22-125-304-63	EACH	13242	RELAY,24V 900 OHM COIL. 6 C/O GOLD CONTACTS.FOR AUDIO CCTS. #PZ6-A2826	EACH	13244	TOP LID FOR # PZ4 RELAYS (S/L 132-43 & 68)	EACH
13106	CS4C-24VDC-22Z COIL,FOR SPRECH ER & SCHUH CASE.(S/L 131-04).# 22-125-304-66	EACH	13244	TOP LID FOR # PZ4 RELAYS (S/L 132-43 & 68)	EACH	13300	RESISTOR; MISCELLANEOUS	
13138	AC SOLENOID ACTUATOR,PACK 1 SI ZE 5 FOR MTE #UC05 & UCO10 REL AYS	EACH	13245	RELAY,LATCHING,24V COIL,6 C/O AU/PD CONTACTS ITT # PZM6/B2630 LID SEE S/L 132-46,SEE ALSO S/L 132-87)	EACH	13301	ZERO OHM (PHILIPS SRF25/0.4W S IZE) #2322-181-90018	EACH
13139	COIL 50VAC, PACK 2 SIZE 5 FOR MTE #UC05 & 10 RELAYS	EACH	13246	TOP LID FOR LATCHING RELAY TYP E PZM-6/B2630 S/L 132-45	EACH	13320	RESISTOR NETWORK,THICK FILM,8 X 100K OHMS,SINGLE IN-LINE PAC KAGE DALE #CS C-09A01-104G (RNZ DIGITAL TIM	EACH
13140	COIL 240VAC, PACK 2 SIZE 5 FOR MTE #UC05 & 10 RELAYS	EACH	13268	RELAY 12V COIL, 210 OHM, 4C AG /PD, 24 X 29 X 15MM H. 1TT #PZ 4 A2600 MOUNTS ON PCCT S/L111-50 (TOP LID S/	EACH	13400	RESISTOR; 1% 0.25W, HIGH STAB.	
13141	COIL 420VAC, PACK 2 SIZE 5 FOR MTE #UC05 & 10 RELAYS	EACH	13270	RELAY 40V COIL,2 C/O CONTACTS, CRADLE N,SIEMENS #V23154-DO721 -F104 (STEEN BECK EDITOR #9952-8050)	EACH	13402	600 OHM 0.25W	EACH
13142	CONTACT BANK, 3X20A, 1X5A PACK 3, SIZE 10, FOR UCO10 RELAY (MAIN CONTACTS)	EACH				13600	RESISTOR; 1% 1W, HIGH STAB.	

TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
13608	600 OHM	EACH	16401	131 X 76MM 8 OHM 3W PHILIPS AD 3595/X8 #2422 256 30332	EACH	16630	CIRCUIT BREAKER 20A 240VAC,MIN PLUG-IN TO SUIT STD FUSE BASE ,PUSH/RESET (NZI #42 01,MARCONI #CC174002-1)	EACH
14000	RESISTOR; 4W WW, PIGTAIL TERM. 140-01 TO 49, 7W PIGTAIL TERM. 140-50 TO -55		16402	20CM DIA 8 OHM 25W LASER #LA8 0S	EACH	16631	EARTH LEAKAGE CIRCUIT BREAKER, 2 POLE,15 AMP,240V,(SEE ALSO S /L 166-32) FUJI ELECTR IC #SG32	EACH
14001	4.7 OHM 5% 19 X 6MM DIA #2322 330 22478	EACH	16403	127 X 76MM 4 OHM 3W	EACH	16632	SURFACE MTG COVER #D123 FOR EL CB #SG32/EG32 (S/L 166-31)	EACH
14002	5.1 OHM 5% 19 X 6MM DIA #2322 330 22518	EACH	16404	TWEETER 8 OHM FOR LAMBERT MONITOR #SP225	EACH	16648	ROTARY,DPST,B BEFORE M,250V 16 A,KRAUS & NAIMER #B16	EACH
14005	22 OHM 5% 19 X 6MM DIA #2322 330 22229	EACH	16407	152 X 102MM ELLIPTICAL 4 OHM 10W. DAVCREED #SK33-4	EACH	16665	BCD THUMBWHEEL SUB MIN SW,FRONT STYLE,COSMOCORD-STOLLEC SMF/ BC/10/N/1248 (SEE ALSO 166-66,67 & 68)	EACH
14006	33 OHM 5% 19 X 6MM DIA #2322 330 22339	EACH	16412	139 X 76MM ELLIPTICAL, 15 OHM PHILIPS AD3595/X15 #2422 256 3 0343	EACH	16666	END PLATE C/W MTG CLIPS #SFEP (FOR S/L 166-65)	EACH
14008	68 OHM 5% 19 X 6MM DIA #2322 330 22689	EACH	16421	30 CM DIA 8 OHM BASS UNIT (#24 22 258 41101) PHILIPS #2422 25 7 41362 FOR PHILIP S #LNB1597/00 MONITOR UNIT	EACH	16667	DIVIDER PLATES (PAIR)C/W 2 WAS	EACH
14009	100 OHM 5% 19 X 6MM DIA #2322 330 22101	EACH	16423	5.7CM DIA 8 OHM 0.2W	EACH	16668	BLANK BODY #SMFBB (FOR S/L 166-65)	EACH
14011	220 OHM 5%,17 X 6MM DIA #2322 329 04221	EACH	16424	TWEETER, 25MM DIA. 8 OHM PHILIPS #2422 257 33002 FOR #LBF1183/00 MONITOR UNIT	EACH	16670	BCD THUMBWHEEL(SUB-MIN)#1248 WITH COMPLEMENT,1 COMMON,10 POSITION C & K #30410 9003 (SEE ALSO S/L 166-71 TO 7	EACH
14012	330 OHM 5% 19 X 6MM DIA #2322 330 22331	EACH	16425	13CM DIA. 8 OHM MID-RANGE PHILIPS #2422 257 35302 FOR #LBF1183/00 MONITOR UNIT	EACH	16671	BLANK SECTION #309109808 (FOR C & K SWITCH S/L 166-70)	EACH
14015	1K 5% 19 X 6MM DIA #2322 330 22102	EACH	16426	WHARFDEALE MONITOR UNIT, 8 OHM 38 X 20 X 22CM C/W 17CM WOOFER & 20MM TWEETER	EACH	16672	END PLATES,PAIR,#4003 (FOR C & K SWITCH S/L 166-70) PAIR = EA	EACH
14016	560 OHM 5% 19 X 6MM DIA #2322 329 04561	EACH	16428	LAMBERT #SP225 MONITOR UNIT (EA = STEREO PAIR)	EACH	16673	CONNECTOR #4046 (FOR C & K SWITCH S/L 166-70)	EACH
14051	10 OHM 5% 27 X 8MM DIA #2322 330 32109	EACH	16429	SPEAKER, BASS/MID-RANGE FOR WHARFDEALE LASER 30	EACH	16674	ROTARY SWITCH,ITTTYPE RTA 1 POLE,12 POSITION,WITH SCREWDRIVER SLOT. C/W ADJUSTABLE S TOP PINS,(USED IN AM LIMITERS	EACH
14052	15 OHM 5% 27 X 8MM DIA #2322 330 32159	EACH	16430	TWEETER FOR WHARFDEALE DENTON	EACH	16675	NUT (4 REQUIRED PER SW UNIT)#4 035 (FOR C & K SWITCH S/L 166 -70)	EACH
14053	22 OHM 5% 27 X 8MM DIA #2322 330 32229	EACH	16431	TWEETER FOR WHARFDEALE LASER FOR WHARFDEALE LASER 40	EACH	16677	SCREW FOR 1-3 UNITS (FOR C & K SWITCH S/L 166-70) #4127.01	EACH
14055	47 OHM 5% 27 X 8MM DIA #2322 330 32479	EACH	16432	203 MM DIA,3 WATT DAVREID #SK54-8, AS USED IN IN 2 WATT MONITOR S/L500-08	EACH	16678	SCREW FOR 4-7 UNITS (FOR C & K SWITCH S/L 166-70) #4127.02	EACH
14300	RESISTOR; 20W WIREWOUND		16433	AURATONE 5C SUPER SOUND CUBE (EA = PAIR)	EACH	16679	SCREW FOR 8-10 UNITS (FOR C & K SWITCH S/L 166-70) #4127.03	EACH
14320	5 OHM ADJ 2L 9/16 DIA S LUG MTG IRC #DGA-3	EACH	16500	SWITCH; KEY		16680	THUMBWHEEL SWITCH (0 - 9),15 X 15 X 6MM TH REID # SW-129 (SEE ALSO S/L 1 66-81 TO 83) F	EACH
14321	10 OHMS ADJ 2L 9/16 DIA S LUG MTG IRC #DGA-3	EACH	16550	3 POS 4C EACH WAY ERICSSON #N9315MAT	EACH	16681	SPACER #SW-130 (FOR S/L 166-80) F	EACH
14500	RESISTOR; 30W WIREWOUND		16551	3 POS 4C LOCKING ONE WAY,4C NO N-LOCKING OTHER WAY,ERICSSON # N9318MAT	EACH	16682	LEFT HAND END CAP #SW-131L (FOR S/L 166-80) FOR ICM TIMER	EACH
14503	100 OHMS ADJ 3L 9/16 DIA S LUG WITH FEET,IRC #DJA-3	EACH	16569	2 POS 2K & 2C	EACH	16683	RIGHT HAND END CAP #SW-131R (FOR S/L 166-80) FOR ICM TIMER	EACH
15000	RESISTOR; 100W WIREWOUND		16600	SWITCH; CIRCUIT BREAKER, THERMAL & MISCELLANEOUS		16685	MIN.CIRCUIT BREAKER,0.1A,240V, 50/60HZ,SP THERMAL,10MM DIA SINGLE HOLE MTG. SOLDER/PUSH-ON TERM,34 X 19 X 11MM BEHIND PAN	EACH
15005	10 OHMS ADJ 6&1/2L 1&1/8 DIA S LUG WITH FEET,IRC #HAA-3	EACH	16602	MICROTEMP THERMAL CUTOFF #4283 A/139C 8 X 4MM DIA. PIGTAIL TE RMS HAND-D-MAG SPARE . TEMPERATURE RATING 139 C	EACH	16686	MIN.CIRCUIT BREAKER,0.2A (SPEC S.AS PER S/L 166-85) W EBER #T11-211	EACH
15008	100 OHMS ADJ 6&1/2L 1&1/8 DIA S LUG WITH FEET,IRC #HAA-3	EACH	16611	10A 250VAC THERMAL/MAGNETIC,BEHIND PANEL MTG BACK WIRING 57 X 19 X 51MM B/LEE #L5000/10/ R/SD	EACH	16687	MIN.CIRCUIT BREAKER,0.3A (SPEC S.AS PER S/L 166-85) W EBER #T11-211	EACH
15500	RESISTOR; NON LINEAR VDR, LDR		16612	15A 250VAC THERMAL/MAGNETIC,BEHIND PANEL MTG BACK WIRING 57 X 19 X 51MM B/LEE #L5000/15/ R/SD	EACH	16688	MIN.CIRCUIT BREAKER,0.5A (SPEC S.AS PER S/L 166-85) W EBER #T11-211	EACH
15509	LDR 2FC RES. 28K OHM. MIN DARK RES. 10M OHM. TO5 CASE VACTEC #V	EACH	16616	2.0A 250VAC THERMAL/MAGNETIC,BEHIND PANEL MTG BACK WIRING 57 X 19 X 51MM B/LEE #L5211	EACH	16689	MIN.CIRCUIT BREAKER,1.0A (SPEC S.AS PER S/L 166-85) W EBER #T11-211	EACH
15700	RESISTOR; THERMISTOR, NTC, PTC		16618	5.0A 250VAC THERMAL/MAGNETIC,BEHIND PANEL MTG BACK WIRING 57 X 19 X 51MM B/LEE #L5211	EACH			
15705	5K @ 20 DEG.C,0.003W MAX.R-MIN 63 OHM, ITT #RA53	EACH						
15715	THERMISTOR, RODAN # SG11. (FARINON POWER SUPPLY)	EACH						

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
16692	MIN.CIRCUIT BREAKER,5.0A 240V, 50/60HZ,SP THERMAL,PUSH-ON/OFF ,M4 SCREW TERM 10MM DIA SINGLE HOLE MTG.50 X 32 X 15MM BEHIN	EACH	16854	MODULE, HOUSING #2N3, BLACK, 2 LAMPS MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16970	CLARE PENDAR,PB (1M1B)ILLUM.MO M CONTACT #S180-11-E3-F4-G3 (REPLACEMENT USE ONLY)	EACH
16693	MIN.CIRCUIT BREAKER,10.0A (SPEC CS,AS PER S/L 166-92) W EBER #T12-222	EACH	16855	MODULE, HOUSING #2N4, BLACK, 4 LAMPS MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16974	CAP, RED, 12.8 X 18.8MM #01-901.2 FOR ASTROL #01-121 SWIT CHES CUE MASTER SPARE	EACH
16694	MIN.CIRCUIT BREAKER,16.0A (SPEC CS,AS PER S/L 166-92) W EBER #T12-222	EACH	16856	MODULE, SWITCH #2D101,3 SPDT CIRCUITS MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16975	CAP, ORANGE, 12.8 X 18.8MM #01-901.3 FOR ASTROL #01-121 SWIT CHES CUE MASTER SPARE	EACH
16697	MIN.CIRCUIT BREAKER 2.0A,240V, 50/60HZ,PUSH-ON/OFF SP THERMAL ,PLUS AUX.1C/O S./PUSH-ON TERM .50 X 32 X 15MM BEHIND PANEL,1	EACH	16857	MODULE, SWITCH #2D139, 2 SPDT CIRCUITS MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16976	CAP, YELLOW, 12.8 X 18.8MM #01-901.4 FOR ASTROL #01-121 SWIT CHES CUE MASTER SPARE	EACH
16698	MIN.CIRCUIT BREAKER,3.0A (SPEC S,AS PER S/L 166-97) W EBER #T12-221S	EACH	16859	MODULE, SWITCH #2D151, 2 SPDT CIRCUITS MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16977	CAP, GREEN, 12.8 X 18.8MM #01-901.5 FOR ASTROL #01-121 SWIT CHES CUE MASTER SPARE	EACH
16699	MIN.CIRCUIT BREAKER,5.0A (SPEC S AS PER S/L 166-97) W EBER #T12-221S	EACH	16880	ASTROL #01-151.0, 1C	EACH	16978	CAP, BLUE, 12.8 X 18.8MM #01-901.6 FOR ASTROL #01-121 SWIT CHES CUE MASTER SPARE	EACH
16700	SWITCH; MICRO		16881	ASTROL #01-282.0, 2C	EACH	16979	CAP, WHITE, 12.8 X 18.8MM #01-901.9 FOR ASTROL #01-121 SWIT CHES CUE MASTER SPARE	EACH
16707	SPDT NYLON PLUNGER.MAX OPERATING FORCE 340 GRAMS,230VAC 5A, 35 X 11 X 27MM H ,BURGESS #V3	EACH	16882	CAP, RED, 12.8 X 12.8MM #01-951.2 FOR ASTROL #01-151.0 & #01-282.0 SW.	EACH	16982	ZETTLER #620G,2P C/O NON-LOCKING,C/W MTG PLATE & 24V LAMP(S/ L 085-53) (CAPS SEE S/ L 169-83-87) USE 2 X 324-39 FO	EACH
16715	1M NYLON PLUNGER. OPERATING FORCE 140 GRAMS. 250V 10A. 36 X 10 X 18MMH. OMRON #VV-15-3A	EACH	16883	CAP, ORANGE, 12.8 X 12.8MM #01-951.3 FOR ASTROL #01-151.0 & #01-282.0 SW.	EACH	16983	PLASTIC CAPSQ,WHITE,FOR ZETTLER 620 PUSHBUTTON SWITCH	EACH
16716	SPDT STRAIGHT LEVER WITH ROLLER, OPERATING FORCE 50 GRAMS, 2 50VAC 5A 19.8 X 9.4 X 6.3 MM BURGESS #V4T7YR1 FOR CUEMAS	EACH	16884	CAP, YELLOW, 12.8 X 12.8MM #01-951.4 FOR ASTROL #01-151.0 & #01-282.0 SW.	EACH	16984	PLASTIC CAPSQ,GREEN,FOR ZETTLER 620 PUSHBUTTON SWITCH	EACH
16720	PB ASSY.250VAC 5A.1NO 1NC.6.3MM M BLADE TERMS.18MM SQ BUTTON GREEN #83.534	EACH	16885	CAP, GREEN, 12.8 X 12.8MM #01-951.5 FOR ASTROL #01-151.0 & #01-282.0 SW.	EACH	16985	PLASTIC CAPSQ,YELLOW,FOR ZETTLER 620 PUSHBUTTON SWITCH	EACH
16721	PB ASSY.250VAC 5A.1NO 1NC.6.3MM M BLADE TERMS.18MM SQ BUTTON RED #83.534	EACH	16886	CAP, BLUE, 12.8 X 12.8MM #01-951.6 FOR ASTROL #01-151.0 & #01-282.0 SW.	EACH	16986	PLASTIC CAPSQ,RED,FOR ZETTLER 620 PUSHBUTTON SWITCH	EACH
16800	SWITCH; PUSHBUTTON		16887	CAP, WHITE, 12.8 X 12.8MM #01-951.9 FOR ASTROL #01-151.0 & #01-282.0 SW.	EACH	16988	ZETTLER #620 6C/O NON-LOCKING (LESS CAP S/L 169-83-87) LAMP USE 085-53 (REPLACEMENT USE ONLY)	EACH
16801	MINATURE PUSH TO MAKE SINGLE POLE 7MM MOUNTING BUSH. RED BUTTON	EACH	16889	CAP, CLEAR 12.8 X 18.8MM #01-972.7 FOR ASTROL #01-121.0 SW.	EACH	16989	ZETTLER #620 6C/O LOCKING (LESS CAP S/L 169-83-86) LAMP USE 085-53 (REPLACEMENT USE ONLY)	EACH
16802	MINATURE PUSH TO MAKE SINGLE POLE 7MM MOUNTING BUSH. CREAM BUTTON	EACH	16896	CAP, CLEAR 12.8 X 12.8MM #01-975.7 FOR ASTROL #01-151.0 & #01-282.0 SW	EACH	16991	ZETTLER MTG PLATE (1-SECTION) #Z1630-1	EACH
16825	BUTTON EMERGENCY OFF MUSHROOM HEAD 63MM DIA CH #17213 (SEE S/L 168-27)	EACH	16897	ASTROL #01-122.0 2 C/O RANK CINTEL #652493 USES 12.8 X 18.8MM CAP	EACH	16992	ZETTLER MTG PLATE (2-SECTION) #Z1630-2	EACH
16826	CONTACT BLOCK,1NO,1NC FOR S/L 168-25 CH #T3	EACH	16898	ASTROL #01-152.0 2 C/O RANK CINTEL #651349 USES 12.8 X 12.8MM CAP	EACH	16993	ZETTLER MTG PLATE (3-SECTION) #Z1630-3	EACH
16827	LOCKING SWITCH FOR S/L 168-25 CH #T178	EACH	16900	SWITCH; PUSHBUTTON ILLUMINATED		16994	ZETTLER MTG BAR (20 SECTION) MAY BE CUT DOWN FOR SMALLER SECTION	EACH
16850	MODULE, DISPLAY #2L65, LONGITUDINAL SPLIT BASE WHITE/WHITE MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16936	INSERT,RED FOR CLARE PENDAR (120-OA SWITCH CAP S/L 169-67)	EACH	16997	LAMP REMOVAL TOOL, FOR USE WITH ZETTLER 620 PUSHBUTTON SWITCH	EACH
16851	MODULE, DISPLAY #2L70, SINGLE SECTION WHITE MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16937	INSERT,YELLOW FOR CLARE PENDAR (120-OA SWITCH CAP S/L 169-67)	EACH	16998	CAP REMOVAL TOOL, FOR USE WITH ZETTLER 620 PUSHBUTTON SWITCH	EACH
16852	MODULE, DISPLAY #2L81, SINGLE SECTION RED MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16940	CLARE PENDAR #SA1120 MOMENTARY CONTACT 1M1B MARCONI RE MOTE CONTROL PANEL #B-01-3760-	EACH	17100	SWITCH; PB JEANRENAUD #TJ & ACCESSORIES	
16853	MODULE, DISPLAY #2L85, SINGLE SECTION GREEN MSI HONE YWELL 2N SWITCH ASSEMBLY COMPO	EACH	16964	CLARE PENDAR #S181-11,LOCKING, 1M1B CONTACTS (LAMP USE S/L 085-09)	EACH	17106	6C(LESS LAMPHOLDER)LOCKING WITH U SPRING ENGAGED.DISENGAGE/REMOVE SPRING FOR MOMENTARY/INTERLOCK USE.REPLACES S/L 171-0	EACH
			16967	PB CAP SQ,CLEAR,#C1200 FOR CLARE PENDAR S180/S181 PB SWITCH PB SWITCHES (INSERTS SEE 169-36 TO 39 & 1	EACH	17108	SINGLE MICROSWITCH BLOCK(ILLUMINATED) 1C PUSH ON PUSH OFF	EACH
			16968	DIFFUSER INSERT FOR CLARE PENDAR S180/S181 PB CAP S/L 169-67	EACH			

**TVNZ SUPPLY GROUP
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
17109	SINGLE HOLE MOUNTING 2C, PUSH-ON, PUSH-OFF.	EACH	17288	BUTTON, 10MM X 11MM X 6MM. PLA IN WHITE ECG #TAC	EACH	17321	SWITCH, MINIATURE ROTARY, SP, 12 POS. ADJUSTABLE STOP. BBM 1 BANK JE	EACH
17110	SINGLE HOLE MOUNTING 4C, PUSH-ON, PUSH-OFF.	EACH	17289	BUTTON, 10MM X 11MM X 6MM PLA IN BLACK ECG #TAC	EACH	17322	SWITCH, MINIATURE ROTARY, DP, 6 POS.(ADJUSTABLE STOP). B BEFORE M, 2 BANK	EACH
17111	SINGLE HOLE MOUNTING 6C, PUSH-ON, PUSH-OFF.	EACH	17290	BUTTON, 10MM X 11MM X 6MM PLA IN GREY ECG #TAC	EACH	17323	SWITCH, MINIATURE ROTARY, 3P, 4 POS.(ADJUSTABLE STOP). B BEFORE M, 2 BANK	EACH
17112	2C(LESS LAMPHOLDER)LOCKING WITH H U SPRING ENGAGED.DISENGAGE/REMOVE SPRING FOR MOMENTARY/INTERLOCK USE.REPLACES S/L 171-0	EACH	17291	BUTTON, 10MM X 11MM X 6MM PLA IN RED ECG #TAC	EACH	17324	SWITCH, MINIATURE ROTARY, 4P, 3 POS.(ADJUSTABLE STOP). B BEFORE M, 2 BANK	EACH
17113	4C(LESS LAMPHOLDER)LOCKING WITH H U SPRING ENGAGED.DISENGAGE/REMOVE SPRING FOR MOMENTARY/INTERLOCK USE.REPLACES S/L 171-0	EACH	17292	BUTTON, 10MM DIA.BLACK WITH YELLOW SHUTTER ECG #TA201	EACH	17325	SWITCH, MINIATURE ROTARY, 6P, 2 POS. B BEFORE M, 2 BANK. JEANRENAUD #SUK	EACH
17120	MOUNTING CHANNEL FOR ILLUMINATED INTERLOCK KEYS, 12.7MM PITCH H 2 KEY.	EACH	17293	BUTTON, 10MM DIA.BLACK WITH GREEN SHUTTER ECG #TA201	EACH	17326	SWITCH, MINIATURE ROTARY, SP, 12 POS.(ADJUSTABLE STOP). B BEFORE M, 4 BANK	EACH
17124	MOUNTING CHANNEL FOR ILLUMINATED INTERLOCK KEYS, 12.7MM PITCH H 6 KEY.	EACH	17294	BUTTON, 10MM DIA.BLACK WITH BLUE SHUTTER ECG #TA201	EACH	17327	SWITCH, MINIATURE ROTARY, DP, 6 POS.(ADJUSTABLE STOP). B BEFORE M, 4 BANK	EACH
17142	INTERLOCK BAR FOR MOUNTING CHANNEL, 12.7MM PITCH H 4 KEY	EACH	17295	BUTTON, 10MM DIA.BLACK WITH ORANGE SHUTTER ECG #TA201	EACH	17328	SWITCH, MINIATURE ROTARY, SP, 12 POS. ADJUSTABLE STOP. BBM 2 BANK JE	EACH
17144	INTERLOCK BAR FOR MOUNTING CHANNEL, 12.7MM PITCH H 6 KEY	EACH	17296	BUTTON, 10MM DIA.BLACK WITH WHITE SHUTTER ECG #TA201	EACH	17330	SWITCH, 12-POS. 1-POLE. PC MTG., JEANRENAUD #RTA-30 (SEE ALSO S/L 173-31) (SEE ALSO S/L 173-31)	EACH
17146	INTERLOCK BAR FOR MOUNTING CHANNEL, 12.7MM PITCH H 8 KEY	EACH	17300	SWITCH; JEANRENAUD #SUK. MINIATURE ROTARY AND ACCESS.		17331	STOP STUD FOR RTA-30 SWITCH (S/L 173-30)	EACH
17155	RETAINING SPRING, FOR USE WITH INTERLOCK BAR	EACH	17301	2PDT PUSH ON PUSH OFF SOLDER & PCB TAGS ECG #TA-A	EACH	17341	SINGLE MOUNTING BAR. (18MM SCREW CENTRES) ECG #TA0003	EACH
17159	INTERLOCK BAR FOR MOUNTING CHANNEL 15.24MM PITCH 4 KEY	EACH	17302	2PDT MOMENTARY, INTERLOCKING SOLDER & PCB TAGS ECG #TA-A	EACH	17342	2 SWITCH MOUNTING BAR. 12.5MM SPACING ECG	EACH
17160	LUF88/G BUTTON-BLACK, WITHOUT LENS 12.6X12.5X12.5H	EACH	17303	4PDT PUSH ON PUSH OFF SOLDER & PCB TAGS ECG #TA-A	EACH	17343	3 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17161	PLAIN LENS FOR LUF88 BUTTON RED	EACH	17304	4PDT MOMENTARY, INTERLOCKING SOLDER & PCB TAGS ECG #TA-A	EACH	17344	4 SWITCH MOUNTING BAR 12.5MM SPACING, 58MM MTG. CENTRES ECG (SEE ALSO S/L 173-34)	EACH
17163	PLAIN LENS FOR LUF88 BUTTON GREEN	EACH	17305	6PDT PUSH ON PUSH OFF SOLDER & PCB TAGS ECG #TA-A	EACH	17345	5 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17164	PLAIN LENS FOR LUF88 BUTTON BLUE	EACH	17306	6PDT MOMENTARY, INTERLOCKING SOLDER & PCB TAGS ECG #TA-A	EACH	17346	6 SWITCH MOUNTING BAR 12.5MM SPACING	EACH
17165	PLAIN LENS FOR LUF88 BUTTON WHITE	EACH	17311	2PDT PUSH ON PUSH OFF PCB TAGS ECG #TA-C	EACH	17347	7 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17167	CHECKERED LENS FOR LUF88G BUTTON RED	EACH	17312	2PDT MOMENTARY, INTERLOCKING PCB TAGS ECG #TA-C	EACH	17348	8 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17168	CHECKERED LENS FOR LUF88G BUTTON ORANGE	EACH	17313	4PDT PUSH ON PUSH OFF PCB TAGS ECG #TA-C	EACH	17349	9 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17174	LAMPHOLDER, FOR SINGLE SWITCH BLOCK (ILLUMINATED) (FOR SUITABLE LAMP SEE S/L 085-83)	EACH	17314	4PDT MOMENTARY, INTERLOCKING PCB TAGS ECG #TA-C	EACH	17350	10 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17200	SWITCH; WAFER ACCESSORIES S/L336-24 & 29		17315	6PDT PUSH ON PUSH OFF PCB TAGS ECG #TA-C	EACH	17351	11 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17203	SP 11 POS B BEFORE M 2 BANK, YALEY	EACH	17316	6PDT MOMENTARY, INTERLOCKING PCB TAGS ECG #TA-C	EACH	17352	12 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17217	DP 3 POS B BEFORE M SINGLE BANK, OAK	EACH	17317	8PDT MOMENTARY, INTERLOCKING SOLDER & PCB TAGS ECG #TA-A	EACH	17354	14 SWITCH MOUNTING BAR 12.5MM SPACING ECG	EACH
17253	2P 6 POS, M BEFORE B, SINGLE BANK. JEANRENAUD #RB12FP FOR ACTIVE LINE EQUALISER #13124	EACH	17319	MAINS SWITCH 4A 250VAC. SINGLE MOUNT SOLDER & PCB TAGS ECG #TA285	EACH	17359	2 SWITCH INTERLOCK BAR 12.5MM SPACING ECG	EACH
17286	SPST, PUSH TO MAKE 12.5MM SQ. 4.5MM STEM PCB MOUNT ECG #320-02	EACH						