

**TVNZ SUPPLY GROUP  
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
17360	3 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17409	DPDT 3A 250V,9 X 12MM DIA BUSH ,S.LUG TERM,34 X 17 X 25MM BEH IND PANEL CH #8373/B3	EACH	17452	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. GREEN.	EACH
17361	4 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17410	DPST 6A 250V,9 X 12MM DIA BUSH ,SCREW TERM,48 X 21 X 20MM BEH IND PANEL CH #7320/K2	EACH	17453	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. BLUE	EACH
17363	6 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17411	TPDT 10A 250V,12 X 12MM DIA BU SH,S.LUG TERM,46 X 35 X 32MM B EHIND PANEL CH #7615/K2 (USA)	EACH	17455	CAP, COLOURED, FOR TOGGLE LEVE R, PUSH ON. 11.5 X 4.8 MAJOR D IA. GREY	EACH
17365	8 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17412	DP C/O 2A 250V, 0.375" X 0.47" DIA BUSH, SOLDER LUG TERMINAL S 1" X 15/16" X 21/32" DEEP	EACH	17456	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. WHITE	EACH
17366	9 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17415	DPDT,2A 250VAC,"ON-ON"12 X 10 X 10MM BODY,6MM DIA BUSH,20MM L PLAST.TOGGLE C & K #7201 /L3/Y/P/C/B/E (UL #U21)	EACH	17457	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. PINK	EACH
17367	10 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17417	3PDT MINIATURE, NIKKAI #S-2032W (VTR LEADER GENERATOR SPAR E)	EACH	17461	SPDT,P/BUTTON,MOM,3A 250VAC,5A 24VDC,S LUGS (SEE ALSO 174-64 ) JBT #PB1-126 BUSH DIA 0. 225",BODY 0.8" X 0.5" X 0.26" BE	EACH
17369	12 SWITCH INTERLOCK BAR 12.5M M SPACING E CG	EACH	17419	3PDT MIN.TOGGLE 6.3MM BUSH PCB TERM. 4.8MMX4.3MM GRID ALCO# MTA306D-PC	EACH	17462	KNOB,PUSH-ON,BLACK,FOR #PB1-12 6 (S/L 174-61) JBT #W -KN-12	EACH
17377	INTERLOCK RELEASE SPRING E CG	EACH	17420	SPDT ON-----ON,NOMINAL 3A 250V AC,SOLDER LUG TERMINALS (B ODY 13 X 8 X 14MM BEHIND PANEL	EACH	17463	KNOB,PUSH-ON,RED,FOR # PB1-126 (174-61) JBT # W-KN-12	EACH
17379	BUTTON,BLACK BODY. ORANGE SHUTTER ECG #TA120	EACH	17421	SP3T ON-OFF-ON,NOMINAL 3A 250V AC,SOLDER LUG TERMINALS (B ODY 13 X 8 X 14MM BEHIND PANEL	EACH	17464	PUSH BUTTON GUARD BUSH (FOR S/ L 174-61 SWITCH) DWG A4-13670/ 20	EACH
17380	BUTTON,BLACK BODY. YELLOW SHUTTER ECG #TA120	EACH	17422	DPDT PCB MOUNTING 6.3MM BUSH ALCO MTA 206N-PC 13MM SQUARE 9MM BEHIND PANEL (FITS 4.8 X 4.3 P	EACH	17471	SPDT ON-----ON 13 X 7 X 13MM B EHIND PANEL C&K #7101 P3 PYZQ RANK CINTE L MK3 TELECINE #651975	EACH
17381	BUTTON,BLACK BODY. BLUE SHUTTER ECG #TA120	EACH	17423	DPDT ON-----ON,NOMINAL 3A 250V AC,SOLDER LUG TERMINALS (B ODY 13 X 13 X 14MM BEHIND PANE	EACH	17472	DPDT ON-ON-ON 13 X 12 X 13MM B EHIND PANEL C&K #7211 P3 PYZQ RANK CINTE L MK3 TELECINE #651974	EACH
17382	BUTTON,BLACK BODY. WHITE SHUTTER ECG #TA120	EACH	17424	DP3T ON-OFF-ON,NOMINAL 3A 250V AC,SOLDER LUG TERMINALS (B ODY 10 X 13 X 14MM BEHIND PANE	EACH	17500	<b>HEADPHONES &amp; ACCESSORIES REFER ALSO JACKS &amp; PLUGS, 076 TO 078 SERIES AND 544 SERIES</b>	
17383	BUTTON,BLACK BODY. GREEN SHUTTER ECG #TA120	EACH	17425	DP3T ON-OFF-ON (MOMENTARY) NOM INAL 3A 250VAC,SOLDER LUG TERM INALS (B ODY 13 X 13 X 14MM BEHIND PANE	EACH	17501	TRANSDUCER,HEADPHONE,1000 OHM FOR 175-02	EACH
17386	BUTTON,PLAIN BODY BLACK ECG #TAD	EACH	17427	DPDT PCB TERM.SNAP-IN MOUNT (T HEATRELIGHT DIMMER SPARE) C &K7211	EACH	17502	HEADPHONE,STETHOSCOPE,1000 OHM C/W TRANSDUCER & CORD	EACH
17387	BUTTON,PLAIN BODY WHITE ECG #TAD	EACH	17428	DPDT ON-OFF-ON.LOCKING HANDLE. 2A 250VAC.SOLDER TERM.6MM BUSH C&K #7203 (1 2 X 13 X 15 BEHIND PANEL.)	EACH	17514	EARPIECE & SURROUND FOR AGK K15 0 HEADPHONES #1926 MO205	EACH
17388	BUTTON,PLAIN BODY GREY ECG #TAD	EACH	17439	PANEL SWITCH,3 POS"ON-OFF-ON"D P C/O,6-10AMP @ 200-250VAC,SOL DER TERMINALS 36 X 19MM,32MM BEHIND PANEL,12MM DIA BUSH,	EACH	17515	EARPAD, DETACHABLE #Z64 FOR AK G #K150 HEADPHONES	EACH
17389	BUTTON,PLAIN BODY. RED ECG #TAD	EACH	17440	NUT, HEXAGONAL. 8AF X 1.5 THREAD 6.35 X 40T PI	EACH	17518	HEADBAND #1926M0901 FOR AKG K1 50	EACH
17400	<b>SWITCH; TOGGLE (MINIATURE S/174-20 TO 39, ACCESSORIES 174-40 TO 59) DIMENSIONS NOM. MM.</b>		17441	DRESS NUT, KNURLED RING. 8DIA X 2 THREAD 6.3K X 40T PI	EACH	17519	CORD,HEADPHONE,1.5M,FOR LIGHT WEIGHT STETHOSCOPE TRANSDUCER #FF1	EACH
17401	SPST 3A 250V,9 X 12MM DIA BUSH ,SCREW TERM,24 X 13 X 19MM BEH ING PANEL CH #8280-K1 5	EACH	17443	TOOTHED WASHER (LOCK WASHER) 10.2 O.D. 6.6 I.D.	EACH	17521	HEADBAND #BN59-17/A FOR BEYER DT48 HEADPHONES	EACH
17402	SPST 6A 250V,9 X 12MM DIA BUSH ,SCREW TERM,48 X 21 X 20MM BEH IND PANEL CH #7321/K2	EACH	17444	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. BLACK	EACH	17522	CABLE, COILED (OPEN ENDS) #B7- 161-00 FOR BEYER DT48 HEADPHON ES	EACH
17403	SPST 3A 250V,9 X 12MM DIA BUSH ,S.LUG TERM,28 X 17 X 23MM BEH IND PANEL CH #8381/K7	EACH	17447	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. RED	EACH	17523	EARTIP (PAIR) FOR STETHOSCOPE HEADPHONE TUBE	PAIR
17404	SPST 10A,250V,9 X 12MM DIA BUS H,SCREW TERM,57 X 25 X 23MM BE HIND PANEL CH #7361/K5	EACH	17449	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. RED	EACH	17526	CABLE FOR AKG #K150 HEADPHONES 2 CONDUCTOR INDIVIDUALLY SHIELDED & PVC S	EACH
17405	SPDT 2A 250V,9 X 12MM DIA BUSH ,S.LUG TERM,40 X 14 X 14MM BEH IND PANEL BULGIN #S26 5/PD	EACH	17451	CAP, COLOURED, FOR TOGGLE LEVE R. PUSH ON. 11.5 X 4.8 MAJOR D IA. YELLOW	EACH	17527	EAR CUSHION, LARGE #Z61 FOR AK G #K150 HEADPHONES (PR OF #Z60 CUSHION SUPPORTS ALSO REQUIRE	EACH
17406	DPST 3A 250V,4 X 12MM DIA BUSH ,S.LUG TERM,34 X 17 X 25MM BEH IND PANEL CH #8370/K7	EACH				17529	CAPSULE #1741-Z0031 FOR AKG #K 150 HEADPHONE & #K35/2 HEADSET	EACH
17408	DPST 10A 250V,9 X 12MM DIA BUS H,SCREW TERM,57 X 25 X 23MM BE HIND PANEL CH #7360/K7	EACH				17530	-PROP.ITEM-HEADSET,AKG #K35/2, MIC.200 OHM,EARPIECE 600/600 O HM C/W # Z63 EAR MUFFS	EACH

**TVNZ SUPPLY GROUP**  
**TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
17531	POP FILTER AKG #W5 FOR HEADSET AKG #K35/2	EACH	17921	TRANSFORMER, FOR LOW COST HYBRID CONSTRUCTION. HA TFIELD #T1-210 ( SEE S/L 177-0 0 SERIES REFERENCE SECTION )	EACH	18501	IN1200A S1 RECTIFIER,100PIV 12ADC,D04 CASE (STUD ANODE)	EACH
17532	CABLE FOR AKG #K35/2 HEADSET	EACH				18502	1N1200A S1 RECTIFIER,100PIV 12ADC D04 CASE (STUD CATHODE)	EACH
17533	MICROPHONE CAPSULE FOR AKG #K3 5/2 HEADSET	EACH	18000	TRANSFORMER; OUTPUT		18504	1S1662 SI RECTIFIER 1 50PIV 6ADC (CATHODE END THREAD ED)	EACH
17534	BRACKET COMPLETE #HA-080-600 & PL-036-600 FOR ATTACHING MICROPHONE TO ADJUSTABLE A	EACH	18001	1800/600 OHM 100MW,200HZ-6KHZ, +9DB INTO 600 OHM, DSL #T1 00 (EQUIV.) (NOM DIMENSIONS 19 X 16 X 14MM DIA)	EACH	18505	25LF11 RECT,800PIV,25ADC,S4 K CASE (S UD ANODE) SEE ALSO S /L 185-19	EACH
17536	HEADPHONE BEYER #DT48 WK.0, 25 /25 OHM	EACH	18200	TRANSFORMER; POWER, HT		18509	DD716 SI RECT.400PIV,35ADC ,STUD CATHODE,S-533 CASE (REPL ACES DD711)	EACH
17537	EAR CUSHION #B2-04-00 FOR BEYER DT48 HEADPHONES	PAIR	18203	230/230V 25VA MAINS ISOLATING, 8 X 7 X 6CM H, VERT MTG, BEACON #V81	EACH	18510	DD711A SI RECTIFIER,100PIV, 35ADC,STUD ANODE, S-125C CASE	EACH
17538	FOAM PADS #Z63 FOR AKG K36 HEADSET	PAIR	18219	PRI 230V/SEC 38-0-38V ON LAM SIZE 173A C/W FEET AND STRAPS FOR MTG W	EACH	18511	GEC6B SCR (AMPEX #014-832 )	EACH
17539	EARPIECE CAPSULE FOR AKG #K35/ 2 & #K36 HEADSETS #1741 Z0022	EACH	18220	PRI 230V SEC 24V CT FOR STANDBY DIESEL CONTROLLER (450-39) BEACON F71	EACH	18512	C6F SCR 50PIV 1,6ADC,GATE FIRING 1MA @ 0.8V, TO5 CASE	EACH
17540	EAR CAPSULE BEYER #B4-31.01-00 . 25 OHM FOR BEYER DT48 HEADPHONE	EACH	18229	ISOLATION 230V/230V 1KVA 4.3A. NON-SPLASHPROOF STEEL CASE WITH HANDLE	EACH	18513	1N3182 VARACTOR DIODE,33PF @ 4V,DO-7 CASE (TEKTRONIX #152 -0269-00)	EACH
17541	HEADPHONES, BEYER #DT100, 2000 OHM PER SYSTEM, C/W CURLY CORD OPEN ENDS & WASHABLE DETACHABLE EAR CUSHIONS	EACH	18400	TRANSFORMER; LT		18514	HP82-2900,SW.DIODE,10PIV,20MA, TR 0.12N/S,A-1 CASE (HP50 82-2900) (REPLACES # GJE22020 IN POLYSKOP)	EACH
17561	EAR PAD (FOR SET-COM HEADSET #5-PRI) #15-5023	EACH	18405	PRI 230V,SEC 2 X 15V 0.2A,(6V A MINIATURE)48A LUG MTG,45 X 3 7 X 40MM D	EACH	18515	SC265M2 THYRISTOR 800V,40AMP S,GATE 0.15A @ 2.5V,SC-129 CASE	EACH
17562	DRIVER (FOR SET-COM HEADSET #5-PRI) #23-5006	EACH	18406	PRI 230V SEC DUAL 0-9-15VRMS 3 0VA CONTINUOUS DSL SPECIAL #T1 412 76MM H X 64MM W X 27MM D.	EACH	18517	BY179 BR.RECT. 280VRMS 1AM P,M502 CASE	EACH
17563	COIL CORD ASSY (FOR SET-COM HEADSET #5-PRI) #24-3410	EACH	18408	PRI 230V/SEC 24V 30VA,TELECO #BM37 (REPLACES #SD30/24)	EACH	18520	#152-0462-00 (TEKTRONIX 650 MON SPARE) BR DIODE	EACH
17564	CUP HANGER (FOR SET-COM HEADSET #5-PRI) #14-0011	EACH	18409	"C" CORE, 230V PRI/SEC.2 X 20V. CT @ 400MA;2 X 10V @ 800MA (FOR #30722 P/S)	EACH	18523	2N5060 SCR 30PIV 0.255MA,GATE FIRING 350UA @ 1.2V. TO-92 CASE	EACH
17565	HEADBAND (FOR SET-COM HEADSET #5-PRI) #14-0013	EACH	18410	PRI 230V/SEC 10, 20, 30 OR 40V 15W BEACON #R123 FOR MOD #1 TO AW A #AM3 TUNER	EACH	18526	S5978D, SI RECTIFIER 200PIV 18ADC MAX. 90A PK.	EACH
17566	MIC/BOOM ASSY (FOR SET-COM HEADSET #5-PRI) #23-1010	EACH	18413	PRI 230V, TWO SECONDARIES OF 0 -10-20V, TOTAL POWER 45 WATTS. FOR VTR LEADER GENERATOR NZBC #1257	EACH	18529	2N1595, SCR 50PIV 1 .0ADC,SCR 10MA @ 3V	EACH
17700	TRANSFORMER; INPUT		18415	PRI 120/230V,6VA,SEC 0-15,0-15 V,PC MTG,43 X 36 X 36MM.H, RS #207-598	EACH	18530	*BTX94-600 TRIAC 600V 25A, TO-48 CASE (PHILIPS DIMMER EQUIPT SPARE)	EACH
17702	600/250/30 OHM TO 1.2K OHM, MAX O/P +7DBM. NOM DIMENSIONS 30 X 23 X 18MM HIGH. MOUNTING BY TAPPED HOLES	EACH	18419	PRI 230V, SEC 200MA 9-6-0-6-9V BEACON #R120	EACH	18531	1N914 SW DIODE,100PIV,75MA ,TR 4N/SEC,DO7 CASE	EACH
17706	5K TO 500 OHM, 27 X 21 X 19MM, BEACON #D28 (FOR TRANSISTOR PRE-AMPS, SONOPHONE TALK)	EACH	18420	C CORE,#PTC-1 FOR #11680 POWER SUPPLY	EACH	18532	FD189, DIODE	EACH
17900	TRANSFORMER; IMPEDANCE MATCHING & MIXING		18421	PRI.230V,SEC 14-0-14V,600MA,60 X 45 X 50MM H,2 HOLE MTG B BEACON #R140	EACH	18533	IN4001 SI RECTIFIER 50PIV 1.0 ADC	EACH
17901	200/600 OHM TO 600/150 OHM, MAX O/P +23DBM. NOM DIMENSIONS 52 X 33 X 50MM HIGH. MOUNTING BY TAPPED HOLES	EACH	18422	PRI.230V,SEC.10/20/30/40V,T.5W BEACON #R122/E & TE #XP-9	EACH	18534	IN4003 SI RECTIFIER 200PIV 1.0 ADC	EACH
17902	600 OHM TO 600/600/300 OHM, MAX O/P +13DBM. NOM DIMENSIONS 35 X 25 X 45MM HIGH. MOUNTING BY TAPPED HOLES	EACH	18423	PRI 230V; SEC 52V/35V,8 AMP,FOR #14267 POWER SUPPLY. TELECO #BZ68	EACH	18535	IN4007 SI RECTIFIER 1000PIV 1.0 ADC	EACH
17903	600/600 OHM,CLAMP MTG,45 X 32 X 23MM D.(EX S/L 510-20) TAMRADIO #TK-161	EACH	18424	C CORE 12VA,PRI.230V,SEC.2 X 1 5V.CT. 70MM W,100MM L,35MM D	EACH	18536	IN4719 SI RECTIFIER 50PIV 3.0DC	EACH
17904	600/600 OHM (EX S/L 510-21) TAMRADIO #TBS-11	EACH	18426	PRIM 230V SEC 18V @ 6A NZ TRANSFORMERS #BX11	EACH	18538	C128D-18C SEL.SURGE SUPPRESSOR ,NON-POLAR,NOM PK 2A,MAX PK 10 A,450VACW	EACH
17905	600/150 OHM TO 600/150 OHM, MAX O/P +13DBM. NOM DIMENSIONS 35 X 25 X 45MM HIGH. MOUNTING BY TAPPED HOLES	EACH	18500	SEMICONDUCTOR; DIODE & RECTIFIER, SEE ALSO 123, 212 &		18539	C128L-18C (C130D-18C)SEL.SURGE SUPPRESSOR,NON-POLAR,MAX PK 5 A,450VACW	EACH
17909	600/150 OHM TO VOICE COIL, MUL	EACH				18540	OSH02800 SI BRIDGE RECT ASSY 560V RMS	EACH
						18541	BAW62 SW DIODE,75PIV,100MAD C,TR 4N/S,DO-35 CASE (REPLACES BAX13)	EACH
						18544	* 3B28/S1 RECTIFIER STACK, 10K VPIV 0.25A,MED 4 PIN BASE,REPLACES GXU1	EACH

**TVNZ SUPPLY GROUP  
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
18547	1N4721 SI RECT. 200PIV 3ADC ,A-179 CASE (REPLACES 1N4720 A MPEX #013-759)	EACH	18581	HP5082-2800 SCHOTTKY BARRIER D IODE,70PIV,TRR 0.1N/SEC,A1 CAS E	EACH	18625	BYX25/1200R CONT.AVALANCHE 1.2 KV,20ADC,DO-4 CASE (STUD ANOD E)	EACH
18549	BYX39/1000 RECTIFIER (CONT.A VALANCHE)PIV 1KV 6ADC,DO4 CASE ,STUD CATHODE	EACH	18582	1N118 GE DIODE,60PIV @ 30M A,A1 CASE	EACH	18627	2N4992 SILICON BI-DIRECTION AL SWITCH,TO-98 CASE	EACH
18550	BYX39/1000R (REV.CONFIG OF BY X39/1000 S/L 185-49) STUD ANO DE	EACH	18584	PA40 BR.RECTIFIER,400PIV 8A,M542 CASE	EACH	18628	CD32 (AMPEX #013-354)	EACH
18551	EB960 SI 100VW,IF 110MA,TR RR 50NSEC @ IF & IR 30MA,CO 6P F,PD 250MW -FOR GT&E MICROW AVE-	EACH	18585	BT106 THYRISTOR TOCV,10AMP ,(2V @ 20MA GATE) TO-64 CASE,C INTEL #651714	EACH	18630	1N3716 TUNNEL DIODE ,A82 C ASE	EACH
18552	TVS315 (UNITRODE)15VOLT TRANSI ENT VOLTAGE SUPPRESSOR.	EACH	18586	SKN2.5/04 SI RECTIFIER,400PIV, 2.5ADC,S352 CASE (TRANSLATOR S PARE)	EACH	18631	MA4005 (MLV12000/1 U/LI NK)	EACH
18553	EA616 SI 50VW,IF 115MA,TR R 4NSEC @ IF 10MA & IR 60MA,CO 3PF PD 250MW DO7 CAS E -FOR GT&E MICROWAVE	EACH	18587	2N4321 THYRISTOR,GATE TURNO FF DEVICE,TO-52 CASE	EACH	18632	MA4409B (MLV12000/1 U/LI NK)	EACH
18554	1N21GMR(PAIR)SI MICROWAVE DIOD ES S-BAND,1.55-5.20GHZ. -BALANCED PAIR 1 N21G & 1N21GR FOR GT&E MICROWA	EACH	18588	VAB805N20 BI-MODE DIODE (VARIAN) F-27 CASE (GT & E #CTR-115B SPARE)	EACH	18633	1S1619 VARACTOR DIODE (NEC) . MLV12010 LINK SPARE	EACH
18555	*1N160,MICROWAVE MIXER DIODE,6 -7GHZ	EACH	18589	MA4B-300 (MLV12000/1 LINK SPA	EACH	18634	DC1501/1 (VLV12010 LINK SPARE )	EACH
18556	*1N160R,REV CONFIG S/L 185-55	EACH	18590	AN2003 SW DIODE,50PIV 200MA ,TR 5 U/SEC,C 5PF,DO-7 CASE	EACH	18635	RL080 SW DIODE,800PIV,1.0A TRR 250N/SEC,A3 CASE	EACH
18557	*1N150,MICROWAVE MIXER DIODE,6 -7GHZ	EACH	18591	MA4965C (MLV12000/1 U/LINK)	EACH	18636	ML70401 (SUB FOR SK12107 0-8-1 IN MLV12000/1 U/LINK)	EACH
18558	*1N150R,REV CONFIG S/L 185-57	EACH	18592	MA492ENR (MLV12000/1 U/LINK)	EACH	18637	5082-3080 (MLV12000/1 U/LI NK)	EACH
18559	MA4042A SI VARACTOR DIODE (F OR GT&E MICROWAVE EQUIPT)	EACH	18593	ML4002A (MLV12000/1 U/LINK)	EACH	18638	BAV21 SW,DIODE,250PIV,250M A,TR 50N/S,DO-35 CASE (REPLACE S BAX16)	EACH
18562	VAB-803EC (VARIAN) GT & E EQU IPT SPARE	EACH	18594	PG2315A VARICAP DIODE,15PF @ 4V,DO-7 CASE (GT & E #402-006 /58)	EACH	18639	1N4307 AMPEX #013-845,QUAD SWITCH,M118 CASE.	EACH
18563	FD700 SI SW DIODE,30PIV,0. 05ADC TRR 0.7 N/SEC,DO7 CASE ( GT & E SPARE)	EACH	18595	TEKTRONIX #152-0270-00	EACH	18640	MR831 100PIV,3A,TRR 0.1U/S EC,A179 CASE (AMPEX 013-969)	EACH
18564	MCR2522 (GT & E MICROWAVE SP ARE)	EACH	18596	TEKTRONIX #152-0322-00	EACH	18641	CD8393 TEKTRONIX #152-0061- 00	EACH
18566	KBP02-8 BR.RECTIFIER (TEKTRO NIX 465 SCOPE #152-0488-00)	EACH	18597	TEKTRONIX #152-0333-00	EACH	18642	CD12676 TEKTRONIX #152-0246- 00	EACH
18567	1N4387 VARACTOR DIODE 35PF @ 6V,150PIV,DO4 CASE (GT & E L INK SPARE)	EACH	18599	TEKTRONIX #153-0037-00	EACH	18643	2N3528 SCR 200V 1.3A,GATE 1 5MA @ 2V,TO-8 CASE (TEKTRONIX #151-0514-00)	EACH
18568	1N4388 VARACTOR DIODE,20PF @ 6V,100PIV,DO4 CASE (GT & E L INK SPARE)	EACH	18601	27T4 SCR 360PIV 25A	EACH	18644	SCAJ2F (MARCONI #PS202055)	EACH
18569	1N3890 SW DIODE,100PIV,12A, TRR 0.2P,DO4 CASE (GT & E LIN K SPARE)	EACH	18602	FD600	EACH	18645	SC141D TRIAC,400PRV,6ADC,TO -220 CASE	EACH
18570	1N21FMR (MATCHED PAIR) MICROWA VE MIXER DIODE (GT & E) EA = 1 PAIR	EACH	18604	MS35 RECTIFIER 300PIV 400MADC	EACH	18646	1N252 SW DIODE 20PIV 100MA TRR 150 N/SEC	EACH
18571	1N416C MICROWAVE MIXER DIOD E (GT & E EQUIPT.SPARE)	EACH	18605	ZR20 RECTIFIER 50PIV 12.5ADC	EACH	18647	1N3070 SW,DIODE,200PIV,0.03 ADC,TR 50N/S,A-398 CASE	EACH
18572	BR830A RECT,3KV,1.5A,M540 CA SE (GT & E SPARE)	EACH	18607	MDA2502 BR.RECTIFIER (REPLAC ES 25B20T IN MARCONI B3404 T/C CHAIN)	EACH	18648	40208 RECTIFIER 50PIV 18ADC	EACH
18573	BR850A RECT,5KV,1.25A,M541 C ASE (GT & E SPARE)	EACH	18608	1N54A DIODE 50PIV 50MA DC	EACH	18649	5082-2900 (AMPEX #013-883 )	EACH
18574	21W13335 (GT & E SPARE)	EACH	18610	1N3064 SW DIODE,75PIV,TRR 4 N/SEC,RL 100 OHM,2PF,DO-7 CAS E	EACH	18650	1N270 100PIV, 0.2A(MIN)00- 7 CASE (GERMANIUM) AMPEX #013-650	EACH
18575	1N23GMR (MICROWAVE MIXER DIO DE) DO-22 CASE	EACH	18611	BT100A300R SCR,PRV 300,IDC 2A,GATE 10MA @ 2V, CASE M625	EACH	18651	2N2324A SCR,100V,1.6A,GATE 0 .9V @ 75UA,TO-5 CASE	EACH
18576	BY584 DIODE 1.8KPIV,85MADC, A-393 CASE (REPLACES BY184)	EACH	18613	1N1581 SI RECTIFIER,50PIV 3 .0ADC,DO-4 CASE (TM7 EX S/L 57 4-42)	EACH	18652	AMPEX #013-829	EACH
18577	BAY96 (VARACTOR DIODE,28PF 25GHZ)	EACH	18615	FD777 SW DIODE 15PIV ( AMPEX #013-723)	EACH	18653	BAX12 (PHILIPS #5322-130-3 0424 FOR PRO-36 RECORDER)	EACH
18578	CD517 AMPEX #013-677	EACH	18616	CS31M THYRISTOR 350V 26A,G F 5V NOM, STUD ANODE 3/8" UNF	EACH	18654	MDA942-6 BR,RECTIFIER ASSY,60 0PRV,1.5ADC (MOTOROLA)	EACH
18579	2N4443 SCR,PRV 400,IDC 5A,G ATF 2.5V @ 0.06A.M386 CASE	EACH	18617	1N483B DIODE 80PIV,200MA,A- 1 CASE	EACH	18655	BA148 DIODE,PIV 300,100MA, C 4PF,DO-14 CASE	EACH
			18618	Q94	EACH	18658	AN2001 DIODE 40PIV, 3PF,IF 10MA,TRR 5N/SEC,A257 CASE	EACH
			18620	PBC60 BR,RECT, 600PIV,30 A DC,M-447 CASE	EACH	18659	2N5062 SCR 100VDC 0.8A,TO-9 2 CASE	EACH
			18621	AA119 GE DIODE,45PIV,35MAD C,DO-7 CASE	EACH	18661	1B10J20 DIODE (MARCONI EQUI PT SPARE)	EACH
			18624	BYX25/1200 CONT.AVALANCHE 1.2K V,20ADC,DO-4 CASE, (STUD CATH ODE)	EACH			

**TVNZ SUPPLY GROUP**  
**TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
18664	RB20/5 BR RECT.(MARCONI #PS1 00823,REPLACES 1B40K40 #PS1014 20)	EACH	18705	BA102 SI VOLT VARI CAP . 20-45PF @ 4V. RATIO 0.7. 30P IV DO7 CASE	EACH	18743	DO500 UHER CR210 RECORDER #017392	EACH
18666	1B20K40 RECTIFIER,400PIV,4A, M534B CASE (MARCONI SPARE)	EACH	18706	BB105 VARACTOR,11PF @ 3V.	EACH	18744	LD261 UHER CR210 RECORDER #017393	EACH
18667	AMPEX #1217801-01(MATCHED PAIR )EA = PAIR	EACH	18707	5082-2996 SCHOTTKY DIODE MAT CHED RING QUAD	EACH	18745	RD10 UHER CR210 RECORDER #017370	EACH
18668	MDA920A4 (MOTOROLA)BR,RECT. 2 00V,1.5A,(SUB FOR MDA942-3) AM PEX #013-600	EACH	18708	1N5712 SCHOTTKY DIODE,16PIV 1 0UA,A-1 CASE, HP #5082-2810	EACH	18746	ZF1.4 UHER CR210 RECORDER #017340	EACH
18669	CD532 (QUAD)AMPEX #013-683	EACH	18709	5087-2301 SCHOTTKY DIODE,A1 CASE	EACH	18747	B40C600 UHER CR210 RECORDER SPARE	EACH
18670	CD6016 AMPEX #013-689	EACH	18710	ML40503 MICROWAVE ASSOC.SNAP VARACTOR	EACH	18749	1N3254 RECTIFIER 400PIV 750MADC	EACH
18671	SZ51031 AMPEX #013-933	EACH	18711	1N5758A (DIAC) BI-DIRECTIONA L TRIGGER DIODE,VS 18-22V,2AMP ,MU-46 CASE	EACH	18750	OA645/100 SW DIODE,120PIV,TR 4 75N/S,1.2ADC,A-3 CASE	EACH
18672	HPA2190(QUAD)AMPEX #013-651	EACH	18712	FD100 (RD2292, AMPEX # 013-988, REPLACES AMPEX #013- 990)	EACH	18751	OA645/200 SW DIODE,240PIV,TR 4 75N/S,1.2ADC,A-3 CASE	EACH
18673	HPA1025 AMPEX #013-652	EACH	18714	1N3773 SW DIODE,25PIV,20MA, TR 40N/S,DO-7 CASE	EACH	18752	OA95/OA91 GE DIODE 115PIV 50MADC DO7 CASE	EACH
18674	5082-2811 (HOT CARRIER-SCHOTTK Y TYPE)	EACH	18715	MDA1201 BR.RECT. 100PIV,12AD C,4-TERM.CASE	EACH	18753	10P8SG THYRISTOR 800V 11A,G ATE 3V @ 40MA,SC-41 CASE (REPL ACES #2SF202)	EACH
18676	T2300D TRIAC,400V,2.5A,GATE 2.2V @ 3MA,TO-5 CASE (REPLACE S 40527)	EACH	18716	1N3900 SW DIODE,100PIV,20A, 200N/S,DO-5 CASE	EACH	18754	2SF14 THYRISTOR,200V 6.5A, GATE 2.1V 20MA,SC14 CASE	EACH
18677	40486 TRIAC (CUEMASTER SPARE)	EACH	18717	MV2107 VARACTOR DIODE,C-132 CASE	EACH	18755	50P1SF THYRISTOR,100V 80A,G ATE 3V 100MA,SC67 CASE	EACH
18678	SC245D TRIAC 400V,10A,(GATE 50MA @ 2.5V)SC-18 CASE (FOR RA NK CINTEL T/C)	EACH	18718	MV2112 VARACTOR DIODE,C-132 CASE	EACH	18756	BTW38-600R SCR 600V 14A,GATE 1.5V,50MA,TO-64 CASE (REPLACE S BT101-500R)	EACH
18679	IN660 SI SW DIODE 100PIV 100MADC	EACH	18719	VS248 BR.RECT. 200VPIV 2AM P,M532 CASE	EACH	18757	BYV95C SW.DIODE,600VPIV,1.5 ADC,TR 250N/S,SOD-57 PACKAGE(R EPLACES BYX55)	EACH
18680	SBR4F BR.RECT.(FOR MLV.120 10 EQUIPT)	EACH	18720	25G-R10 RECT. 100PIV,60ADC,6 0W,DO-5 CASE,STUD ANODE (#PS79 9103A-04)	EACH	18758	HC7007 (MARCONI #PS100311 T V TX)	EACH
18681	IN4148 SI SW DIODE 75PIV 75MADC	EACH	18722	BTY79-400R P-GATE THYRISTOR, TO-64 CASE,PIV 400.	EACH	18759	BA219 SW DIODE,100PIV,100M A,TRR 120N/S,A134 CASE	EACH
18682	SIM2 MICROWAVE MIXER DIODE UP TO 12,000MHZ	EACH	18723	S2M3 SI,RECT. 200PIV,3ADC ,A-52 CASE	EACH	18762	M4M5 GEN.PURPOSE SI RECT. 1KPI V 3ADC,A1 CASE,(REPLACEMENT U SE ONLY)	EACH
18683	SIM1 SW DIODE,100 PIV,1.5 A,TRR 3U/SEC,DO-27 CASE	EACH	18724	NLC45A SCR,TO-83 CASE (AMPE X #580-243)	EACH	18764	IN415C U/WAVE MIX.DIODE 937 5MHZ (GT & E SPARE)	EACH
18684	1N3889 SW.DIODE 50PIV 12AMP S,TR 300N/S,DO-4 CASE (STUD CA THODE)	EACH	18725	TIC46 SCR 100PIV 300M A, GATE TRIGGER 200UA @ 0.8V	EACH	18765	ZS130 SW DIODE 50PIV 2 50MADC, TR 150 N/SEC.	EACH
18685	2N6395 THYRISTOR,100V,7.6AM P,GATE 0.6A @ 2.5V,TO-220 PACK AGE	EACH	18726	TCR23 SCR 200PIV 3.0A DC, GATE TRIGGER 50MA @ 3V	EACH	18766	HG1005 GE SW DIODE 100 PIV 45MADC DO7 CASE	EACH
18686	2N3897 (SCR) AMPEX #580-247	EACH	18731	1N4998 RECT. 100PIV,3ADC,M1 76 CASE	EACH	18767	HG5001 GE DIODE 90PIV 80MADC DO7 CASE	EACH
18687	2N688 SCR 400V 16A,GATE 80 MA @ 3V TO-48 CASE,AMPEX #580- 530 (REPLA CES NL570D)	EACH	18732	BTY87-400R SCR 400PIV 12AMP. GATE TRIGGER 65MA @ 3.5V,TO-48 CASE	EACH	18768	S555G DIODE (MLV12000/1 L INK SPARE)	EACH
18688	2N2577 SCR (AMPEX #580-076)	EACH	18733	2N683 SCR 100PIV 25A, GATE TRIGGER 25MA @ 3V -FOR G T&E MICROWAVE-	EACH	18769	FA4006 DIODE BRIDGE QUAD (M LV12000/1 LINK SPARE)	EACH
18689	CR30-403A THYRISTOR 300V 63AMA X,GATE 50MA 3V,TO-94 CASE (STR AND SPARE)	EACH	18734	BA127 RECT. 60PIV,0.1ADC,D O-7 CASE	EACH	18770	MV1644 VARACTOR DIODE,55PF @ 2V,DO-7 CASE (SUB FOR BA111)	EACH
18693	IN3122 SW DIODE,GE,20PIV,18 0MA,3.5U/S,DO-7 CASE	EACH	18735	AAZ17 SW DIODE,50PIV,140MA ,TR 350N/S,DO-7 CASE	EACH	18771	MV1404 VARACTOR DIODE 120PF @ 2V.	EACH
18695	40110 RECTIFIER 200PIV 10ADC	EACH	18736	BA145 DIODE,300PIV,0.1ADC, DO-14 CASE	EACH	18772	IN4005 SI RECTIFIER 60 0PIV 1.0ADC	EACH
18696	40110R REV CONFIG OF 40 110 S/L 186-95	EACH	18737	BA182 DIODE,35PIV,0.1ADC,M -501 CASE	EACH	18773	IN3495R RECT.400V,25A,DO 21 CASE, (STUD ANODE)	EACH
18697	1N3209 RECTIFIER 100PIV 15ADC	EACH	18740	BYX38/300 300PIV,6ADC,DO-4 CAS E	EACH	18774	2N5166 SCR 400PIV,7ADC,GATE 75MA @ 2.5V,RD-17 CASE	EACH
18698	1N3209R REV CONFIG OF 1N 3209 S/L 186-97	EACH	18741	BB103 VARACTOR DIODE,DO-7 CASE	EACH	18775	MR326/IN3495 RECTIFIER 400PIV 25ADC (STUD CATHODE)	EACH
18699	C20C SCR 300V 7A,GATE TRI GGER 25MA @ 1.5V AMPEX #5 80-048	EACH	18742	RAS310AF RECTIFIER 1200PI V 1.25ADC	EACH	18776	1N4376 (U354001/1,U15222) 4 RE QD TO MAKE UP MATCHED QUAD FOR LCA #B4011 SW DIODE, 20PIV,750U/SEC 10MA DO7 CASE	EACH
18703	G129 10PIV I 250MA	EACH						

**TVNZ SUPPLY GROUP  
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
18779	IN4785 GE DAMPER DIODE 320PIV 7A IF. TO3 CASE	EACH	18815	2N3439 SI NPN,PC 1.0W,IC 1. 0A,VCBO 450,HFE 40-160,FAE 15M HZ,TO-5 CASE	EACH	18852	2N5457 N-CHANNEL FET (U91 0 R TO92 CASE)	EACH
18780	BYX10 RECT. 1.6KVP,360MADC ,A-283 CASE	EACH	18816	MPS-A44 SI NPN, VCBO 500, IC 30MA, HFE 40. TO-92 CASE	EACH	18853	2SC41	EACH
18782	BT100A-500R, SCR 500V,2ADC,G ATE 2V 10MA,MU-60 CASE	EACH	18819	40409 SI NPN,PC 3W,IC 0.7A ,VCEO 90,HFE 50-250,FAE 100MHZ ,MM9 CASE	EACH	18855	2N3553 (MOTOROLA)SI NPN,VCBO 6 5,IC 0.35A,PC 7W,FAE 350MHZ,TO -39 CASE (SEE ALSO S/L 188-91)	EACH
18783	BY713 EHT RECT.DIODE,20KV, 3MADC,SOD-61 CASE (SUB.FOR BY4 76A)	EACH	18820	<b>BLV25 SI,NPN,PC 220W,IC 17 AMP,VCBO 65,VEBO 4,FAE 600MHZ, SOT-119 CASE</b>	EACH	18856	BC517 NPN DARLINGTON, R-20 3 CASE CVS BARCO MONITOR SPARE #V132575	EACH
18784	2N4990 UNI-DIRECTIONAL SWIT CH,TO-98 CASE	EACH	18821	2N3635 SI PNP/SW,PC 1.0W,IC 1.0A,VCBO 140,FAB 200MHZ,TR 4 00N/S,TO-5 CAS	EACH	18858	BD649 PND DARLINGTON, Y-22 0 CASE CVS BARCO MONITOR SPAR E #V132577	EACH
18785	BYX71/350,SW.DIODE,350PIV,7.0 ADC,TR 450N/S, SOD-38 TAB MTG PACKAGE	EACH	18822	CD500 AMPEX #014-617	EACH	18859	CD6150 AMPEX #014-581	EACH
18786	SH1A RECTIFIER,600PIV,0.1 5A,A-171 CASE	EACH	18823	SE7001 SI NPN,VCBO 150,FAB 60MHZ,HFE 50,TO-5 CASE	EACH	18860	BU508 SI NPN,PC 125,IC 15, VCBO 700,FAE 7MHZ,TR 700N,B-46 CASE	EACH
18787	1S1517A SW DIODE,1.5KPIV,0.5 ADC,TR 10U/S,A-56 CASE	EACH	18825	2N4111 SI NPN,PC 30W,IC 5A, VCBO 100,HFE 40-120,FAE 50MHZ, TO-3 CASE	EACH	18861	2N511A GE PNP,PC 150W,IC 25 A,VCBO 60,HFE 20-60,FAE 260KHZ ,F-3 CASE	EACH
18788	MR817 SW.DIODE,800PIV,1.0A DC,TR 350N/S,A-383 CASE	EACH	18826	2N6078 SI NPN SW,PC 25W,IC 7A,VCBO 275,HFE 12-70,FAE 1MHZ ,TO-66 CASE	EACH	18863	D44C9 SI NPN,SW,PC 30W,IC 4A,VCEO 60,FAB 50MHZ,TR 100N/S ,B-22 CASE	EACH
18789	BTW23/800RM THYRISTOR (SUB F OR BTY95/800 IN DATALITE DIMME RS)	EACH	18827	D40C8 (DARLINGTON) TEKTRON IX #151-0331-00	EACH	18865	D45H11 SI PNP SW,PC 50W,IC 10A,VCEO 80,FAB 40MHZ,TR 135N/ S,B-22 CASE	EACH
18790	1N5401 RECTIFIER,100PIV,3AD C,A-3 CASE.	EACH	18828	2N3640 AMPEX #014655	EACH	18866	2N2048 GE PNP,VCBO 20,IC 10 0MA,HFE 50,FAB 150MHZ,TO-9 CAS E	EACH
18792	RS640BF	EACH	18830	2SB642 SI PNP,VCBO 60,IC 0. 2A,HFE 90,B-37 TAB MTG PACKAGE	EACH	18868	PN4360-18 P-CHANNEL FET,TO-92 CASE (2N4360)	EACH
18794	40HF5 RECTIFIER 50PIV,40AD C,S21 CASE	EACH	18831	J411CN DUAL N-CHANNEL FET,S -16 (8PIN DIL) PACKAGE	EACH	18869	2N5459 N-CHANNEL FET (U91 0 R TO92 CASE)	EACH
18795	MS3H SI RECTIFIER 150 PIV 225MADC DO7 CASE	EACH	18832	BU326A SI NPN SW,PC 60W,IC 8A,FAB 6MHZ,TR 300N/S,VCEO 400 ,TO-3 CASE	EACH	18870	2N1308 GE NPN,VCBO 25,IC 30 0MA,HFE 80,FAB 15MHZ,TO-5 CASE	EACH
18796	1N1188 RECTIFIER,400PIV,35A DC,DO-5 CASE	EACH	18833	2N6027 (UNIUNCTION) TEKTRON NIX #151-0508-00	EACH	18871	2N4391M MARCONI #PS201727	EACH
18797	1N4448 SW DIODE,PIV 75,TRR 4N/S,DO-35 CASE	EACH	18835	2N1309 GE PNP,VCBO 30,IC 30 0MA,HFE 80,TO-5 CASE	EACH	18872	AU112 GE PNP,PC 5W,IC 10A, VCBO 320,HFE 15-40,FAE 2MHZ,TO -3 CASE (SEE ALSO S/L 539-97)	EACH
18799	S2600D SCR 400PIV,4.5A,GATE 15MA @ 1.5V (REPLACES 40655 R CA)	EACH	18837	AC132 GE PNP,VCBO 32,IC 0. 2A,HFE 115,FAB 2MHZ,TO-1 CASE	EACH	18873	BD650 PNP DARLINGTON, Y-22 0 CASE CVS BARCO MONITOR SPAR E #V132578	EACH
18800	<b>TRANSISTOR SEE ALSO 288 SERIES</b>		18838	MJ2901 SI PNP,PC 115W,IC 15 A,VCBO 50,HFE 15-60,FAE 1MHZ,T O-3 CASE	EACH	18874	NSD133 SI NPN,PC 10W,IC 100 MA,VCBO 300,HFE 30-90,FAE 50MH Z,Y-202 CASE	EACH
18802	2N2207 GE PNP,VCBO 70V,IC 5 0MA,FAB 140MHZ,TO-7 CASE	EACH	18839	2N3584 SI NPN SWITCH,PC 35W ,IC 5A,VCBO 375,FAE 10MHZ,TO-6 6 CASE	EACH	18875	MD7002 (MARCONI #PS202057)	EACH
18803	2N3501 SI NPN,PC 1W,IC 0.3A ,VCBO 150,HFE 100-130,FAE 150M HZ,TO-5 CASE	EACH	18840	D44R4 SI NPN,PC 1.6A,IC 1. 0A,X102 CASE,TEKTRONIX #151-03 58-00	EACH	18876	MD7021 (MARCONI #PS202004)	EACH
18804	2N5037 SI,NPN IC 8A,VCBO 70 V,PT 83W,MS9A CASE	EACH	18841	MJ10023 DARLINGTON SWITCH,TO -3 CASE	EACH	18878	4N22 PHOTO COUPLER,PH-13 CASE	EACH
18805	K5002 SI NPN,VCBO 25,IC 20 MA,HFE 100,FAB 1.6GHZ,TO-72 CA SE (#CTR- 115B SPARE)	EACH	18842	OC44 GE PNP,VCBO 15,IC 10 MA,FAB 15MHZ,HFE 100,R9 CASE	EACH	18879	V405A SI,PNP,SW,VCBO 12V,F AB 550MHZ,TR 80N,TO18 CASE (ST AB.AMP SPARE)	EACH
18806	BFX48 (414511/1,MLV12000/1 LIN K) SI PNP,FAB 550MHZ VCBO 30 T R 50N/SEC HFE 130,IC 0.	EACH	18843	2N2925 SI NPN,VCBO 25V,HFE 235,CASE R67	EACH	18880	2N2553 GE PNP,PC 20W,IC 3A, VCBO 60,HFE 20-60,FAE 225KHZ,M T27 CASE	EACH
18807	BDX77 ST NPN, IC 8A, VCBO 80, Y220 CASE	EACH	18844	2N2484-002 (AMPEX #014-716 )	EACH	18881	MPS-U52 SI PNP,PC 1W,IC 0.8A ,VCBO 60,HFE 50-300,FAE 150MHZ ,X-81 CASE (COMP. TO MPS-U02,S/L 188-98)	EACH
18808	2N4427 SI NPN,PC 2W,IC 0.4A ,VCBO 40,HFE 10-200,FAE 500MHZ ,TO-39 CASE	EACH	18845	2N4870 PNP UNIUNCTION	EACH	18883	BU105 SI,NPN,VCBO 1.5KV,IC 2.5A,PC 3W,TO-3 CASE	EACH
18809	TIP30C SI PNP SW,PC 2W,IC 1 .0A,VCBO 100,HFE 15-75,FAE 3MH Z,U84 CASE	EACH	18848	BFY90 SI NPN,VCBO 30,IC 20 MA,HFE 25,FAB 1GHZ,TO-72 CASE	EACH	18884	2N3448 SI,NPN SWITCH,115W,I C 7.5A,TO3 CASE	EACH
18811	BF869 SI NPN, IC 0.1A VCBO 250, Y-202 CASE	EACH	18849	2SB50 GE PNP,VCBO 16,IC 10 0MA,FAB 3.5MHZ,HFE 130,TO-5 CA SE	EACH	18885	MJ1000 DARLINGTON,SI NPN,PC 90 W,IC 8A,VCBO 60,HFE 1K,TAB MTG CASE (SEE ALSO S/L 289-62)	EACH
18812	BC177B SI PNP VCBO 50,IC 10 0MA,FAB 200MHZ,HFE 290,TO-18 C ASE	EACH	18850	2SB381 GE PNP,VCBO 32,IC 30 0MA,FAB 1.3MHZ,HFE 42,TO-5 CAS E	EACH	18886	MJ900 DARLINGTON PNP,PD 90 W,VCBO 60,TO-3 CASE	EACH
18814	BFR21 SI,NPN,VCBO 70V,PT 8 00MW,IC 500MA,TO39 CASE	EACH	18851	2N2495 GE PNP,VCBO 40V,IC 1 0MA,HFE 25,TO-12 CASE	EACH			

TVNZ SUPPLY GROUP  
TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
18887	DTS801 SI NPN,PC 100W,IC 2A ,VCBO 1K,HFE 20(MIN)TO-3 CASE	EACH	18921	MJE521 SI NPN,PC 40W,IC 4A, VCBO 40,HFE 40,X58D CASE	EACH	18952	AD161 GE NPN,PC 4W,IC 1.0A ,VCBO 32,HFE 80-320,FAE 3MHZ,M D17C CASE	EACH
18888	AD149 (MATCHED PAIR EA = 1 PAIR),GE PNP,PC 22W,IC 3.5A,FAE 5 00KHZ,TO3 CASE	EACH	18922	BCY70 SI PNPVCBO 50,IC 0. 2A,TO-18 CASE	EACH	18953	40841 N-CHANNEL FET,TO-72 CASE.	EACH
18890	AF118 GE PNPVCBO 70,IC 30 MA,HFE 180,FAB 125KHZ,TO-7 CAS E	EACH	18923	2N930 SI NPN,VCBO 45,IC 30 MA,HFE 150,FAB 30MHZ,TO-18 CAS E	EACH	18954	2N6686 SI NPN SW,PC 200W,IC 25A,VCBO 260,HFE 15,TRR 350N/ S,Y-204 CASE	EACH
18891	2N3553 (RCA) SI NPN,PC 7W,IC 0 .35A,VCBO 65,HFE 15-150,FAE 35 0MHZ,TO-39CASE	EACH	18924	MJE3055 SI,NPN,PC 90W,IC 10A ,VCBO 70V,CASE X58D (COMP LEMENTARY TO MJE2955 S/L 189-3	EACH	18955	2SB410 GE PNP,PC 40W,IC 15A ,VCBO 135,HFE 60(MIN)FAE 3MHC, TO-3 CASE	EACH
18892	2N3494 SI,PNP SW,FAB 200MHZ ,TR 300N/S,VCBO 80,IC 1.0AMP,H FE 40,T05 CASE (REPLACES S S1095 IN CTR 124 #403-006/16)	EACH	18925	2N1485 SI NPN,PC 25W,IC 3A, VCBO 60,HFE 35-100,FAE 1.2MHZ, TO-8 CASE	EACH	18956	2N1308/2N1309(COMP,PAIR = EA) REFER 188-70 & 188-35 FOR DATA	EACH
18893	BF870 PNP SI POWER, Y-220 CASE CVS BARRCO MONITOR SPARE #V1325156	EACH	18926	2N1486 SI NPN,PC 25W,IC 3A, VCBO 100,HFE 35-100,FAE 1.2MHZ ,TO-8 CASE	EACH	18957	2SB449(N) GE PNP,PC 22W,IC 3.5 A,VCBO 50,HFE 20-85,FAE 10KHZ, TO-3 CASE	EACH
18894	AUY10 GE PNP,PC 4.5W,IC 70 0MA,VCBO 70,FAE 120MHZ,HFE 40( MIN),TO3 CASE	EACH	18927	2N2102 SI NPN,PC 1W,IC 1.0A ,VCBO 120,HFE 35MIN,FAE 60MHZ, TO-5 CASE	EACH	18958	2SB69 (MATCHED PAIR = EA),G E PNP,PC 25W,IC 6A,VCBO 60,FAE 1MHZ,TO3 CASE	EACH
18896	BCY71 SI,PNPVCBO 45V,IC 0 .2A,TO-18 CASE	EACH	18929	2N4240 SI NPN SW,PC 35W,IC 5A,VCBO 500V,TR 500N/SEC,CASE TO-66	EACH	18961	AF124 GE PNPVCBO 20,IC 10 MA,HFE 150,FAB 75MHZ,TO-18 CAS E	EACH
18897	2N3632 (RCA) SI NPN,PC 23W,IC 3A,VCBO 65,HFE 10-150,FAE 260M HZ,TO-60 CASE	EACH	18930	2S305 SI PNPVCBO 125,IC 0 .1A,HFE 15,FAB 700KHZ,TO-5 CAS E	EACH	18965	TIS73 N-FET CHOPPER (TEXAS)	EACH
18898	MPS-U02 SI NPN,PC 1W,IC 0.8A ,VCBO 60,HFE 50-300,FAE 150MHZ ,X-81 CASE (COMP TO MPS-U52,S/L 188-81)	EACH	18931	2N3053 SI NPN,PC 5W,IC 0.7A ,VCBO 60,HFE 25-250,FAE 100MHZ ,TO-5 CASE	EACH	18967	2N410 GE PNPVCBO 13,IC 15 MA,HFE 48,FAB 6.8MHZ,TO-1 CASE	EACH
18899	2N4208 SI PNPVCBO 12,IC 50 MA,HFE 30,FAB 700MHZ TR 15 N/S EC,TO-18 CASE	EACH	18933	AD162 GE PNP,PC 6W,IC 3A,V CBO 32,HFE 74-300,FAE 1.5MHZ,S OT-9 CASE	EACH	18968	2N3823 N-CHANNEL FET,TO-72 CASE	EACH
18901	SE7056 SI NPN,PC 1.0W,IC 30 MA,VCBO 300,FAE 50MHZ,TO-39 CA SE	EACH	18934	2N5184 SI NPN,VCEO 120V,IC 50MA,FAB 3GHZ,HFE 10,TO-104 CA SE	EACH	18969	IW9422 (GT & E LINK EQUIPMEN T)	EACH
18902	BUX84 NPN SI SWITCH, Y-220 CASE CVS BARCO MONITOR SPARE #V132517	EACH	18935	2N915 SI NPN,VCBO 70,FAB 2 50MHZ,HFE 50,TO-18 CASE	EACH	18970	IW9415 (GT & E LINK EQUIPMEN T)	EACH
18904	2N3495 SI PNP SW,VCBO 120,I C 0.1A,HFE 40,FAB 150MHZ,TR300 N/S,TO-5 CASE	EACH	18936	MJE2955 SI PNPPC 90W,IC 10A ,VCBO 70,HFE 20-70,FAE 2MHZ,X5 8A CASE (COMPL EMENTARY TO MJE 3055 S/L 198-2	EACH	18972	2N5264 SI NPN,PC 87W,IC 10A ,VCBO 400,HFE 30-300,FAE 50MHZ ,TO-3 CASE	EACH
18905	2N4917 SI PNP SW,VCBO 6,IC 80MA,HFE 20,FAB 500MHZ,TR 40N/ S,R110 CASE	EACH	18937	MJE250 SI PNP,PC 1.5W,IC 4A ,VCBO 80,HFE 40-200,FAE 40MHZ, B-6 CASE (SUB,F OR JA7151 & MJE9652)	EACH	18973	2SD65	EACH
18906	BFY64 SI PNPVCBO 40,HFE 2 00,TO-5 CASE	EACH	18938	ASZ18 (MATCHED PAIR = EA) REFER S/L 189-51 FOR DATA	EACH	18974	AC151/V1 GE PNPVCBO 32,IC 20 0MA,HFE 110,FAB 1.5MHZ,TO-1 CA SE	EACH
18908	2N5039 SI NPN SW,TR 500N/SE C,FAB 60MHZ,PC 140W,IC 20A,TO- 3 CASE	EACH	18940	2N1671A P-UNIUNJUNCTION	EACH	18977	MRF453A SI NPN,IC 15A,VCEO 1 8,HFE 10-150,PC 175W FAE 30MHZ , (MOTOROLA 14 5A-10 STUD MTG CASE)SEE ALSO S	EACH
18909	2N3565 SI NPN,VCBO 30,IC 50 MA,HFE 120,FAB 40MHZ,R110 CASE	EACH	18941	MJE371 SI PNPVCBO 40,PC 40 W,IC 4A,HFE 40 MIN,X58 CASE	EACH	18979	2N6089 SI NPN,VCBO 45,IC 30 MA,HFE 60,FAB 60MHZ,TO-78 CASE	EACH
18910	2N5591 SI,NPN,70W,4A,200MHZ ,MT72 CASE	EACH	18943	2N5458 N-CHANNEL FET,TO-92 CASE	EACH	18981	2N6578 DARLINGTON SW,PC 120 W,IC 15A,VCBO 120,HFE 2000,TO- 3 CASE TR 1.0 U/SE C,FAE 200MHZ,FAB 10MHZ	EACH
18914	2N5590 SI NPN,30W,IC 2.0A,V CBO 36,FAE 200MHZ,T-72 CASE (C OBBE TX SPARE) MOTORO LA BRAND FOR CRITICAL USE ONLY	EACH	18944	BU104 SI NPN,PC 85W,IC 7A, VCEO 400,HFE 10-50,FAE 10MHZ,T O-3 CASE	EACH	18982	2SB202 GE PNPVCBO 32,IC 40 0MA,HFE 70,FAB 500KHZ,R10 CASE	EACH
18915	2N5914 SI,NPN,5.7W,IC 0.5A, VCBO 36V,MT78 CASE (COBBE TX S PARE)	EACH	18946	2N5486 N-CHANNEL FET,TO-92 CASE	EACH	18984	527BFY (PHILIPS LDK5 #5322- 130-40668)	EACH
18916	MJ2250 SI NPN,PC 20W,IC 2A, VCBO 80,HFE 25-200,FAE 10MHZ,T O-66 CASE	EACH	18947	2N5877 SI NPN SW,PC 150W,IC 10A,VCBO 60,HFE 20-100,TR 700N /S,TO-3 CASE	EACH	18985	AC127 GE,PNP VCBO 32 V IC 500MA. PT 340MW ON INF.HE AT SINK T O1 CASE	EACH
18917	2S301 SI PNPVCBO 80,IC 10 0MA,HFE 18,FAB 700KHZ,TO-5 CAS E	EACH	18948	MPF112 N-CHANNEL F-E-T	EACH	18986	AC126 GE,PNP VCBO 32 V IC 100MA. PT 500MW ON INF.HE AT SINK T O1 CASE	EACH
18918	2N5308 DARLINGTON NPN (TEKT RONIX #151-0254-00) L3 CASE	EACH	18949	2SH12 N-UNIUNJUNCTION	EACH	18989	2N4258 SI PNP SWITCH,VCBO 12V, IC 50MA,TR 15N/SEC,R110 CASE	EACH
18919	2N5589 SI,NPN,15W,IC 0.6A,2 00MHZ,MT71C CASE (FOR COBBE TR ANSLATOR)	EACH	18950	2N3733 SI,NPN,IC 1.0A,PC 23 W,VCBO 65V,TO-60 CASE (GT & E EQUIPT SPARE)	EACH	18990	2S302 SI,PNP VCBO 40 V,IC 100MA. PT 300MW TO5 CASE	EACH
			18951	ASZ18 GE PNP SW,TR 20U/SEC ,FAB 250KHZ,PC 30W,IC 6A,VCBO 80,TO-3 CASE	EACH	18991	BFY63 SI NPN,VCBO 30,HFE 7 0,FAB 750MHZ,TO-5 CASE	EACH
						18993	BUX21 SI NPN SW,PC 250W,IC 40A,VCBO 250.HFE 20-60,FAE 8M HZ,TO-3 CASE	EACH

**TVNZ SUPPLY GROUP  
TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
18998	AC187K/AC188K GE,NPN/PNP COMP LEMENTARY PAIR WITH HEAT SINKS (EA = 1 PAIR)	EACH	19030	ACY24 GE,PNP. AF AMP. VCEO 50V. IC 300MA PT 530MW @ 45 DEG C TC. X 9 CASE.	EACH	19060	BCZ11(MATCHED PAIR)SI,PNP. AF. VCEO 25V. PT 250MW,(EA = 1 PAIR)	EACH
19001	AC151/V11 GE PNPVCBO 32,IC 20 0MA,HFE 110,FAB 1.5MHZ,TO-1 CASE	EACH	19031	2N3055 SI,NPN.POWER. V CEO 60V. IC 15A. PT 117W @ 25 DEG C. TC. T O3 CASE.	EACH	19061	OC206(MATCHED PAIR)SI,PNP. GP. VCEO 24V. IC 250MA. FTMIN 850 KHZ. PT 310MW,(EA = 1 PAIR)	EACH
19002	2N2784 SI,NPN,VCBO 15V,(SWI TCH TR 9N) TO18 CASE	EACH	19032	AC153K/V11 (AC153K/1V)	EACH	19062	PN4121 SI PNP,VCBO 40,IC 0. 1A,HFE 50,FAB 400MHZ,TO-92 CAS E	EACH
19004	164-09 SI,NPN,VCBO 105V,1C 20A,PC 200W,MT33 CASE (GT & E LINK SPARE)	EACH	19033	AC152/1V GE PNPVCBO 32,IC 50 0MA,HFE 75,FAB 1.5MHZ,TO-1 CAS E	EACH	19063	BSX29 SI PNP SWITCH,VCBO 12 ,FAB 700MHZ,HFE 40,TR 60N/S,TO -18 CASE	EACH
19005	2N4220 N-CHANNEL FET,TO-72 CASE	EACH	19034	3N154 N-CHANNEL FET,TO-72 CASE	EACH	19064	2SK135 N-CHANNEL MOSFET,TO- 3 CASE	EACH
19006	MJ1800 SI NPN,PC 100W,IC 5A ,VCEO 250,HFE 40-120 MAX. TO-3 CASE	EACH	19036	SM1036A AMPEX #014-350	EACH	19066	2N3054 SI,NPN. GP POWER. VCEO 55V. IC 4A. PT 29W T066 CASE.	EACH
19007	AC128 GE,PNP. VCBO 32 V,IC 1A. PT 1W ON INF. HEAT SI NK. TO1 CASE	EACH	19037	2N2905A (CD438) AMP EX #014-364	EACH	19067	SP8309 MATCHED DUAL SI,NPN. VC BO 75V. PT 500MW. EACH TRIODE	EACH
19011	4N32A OPTO-ISOLATOR,DARLIN GTON O/P,6PIN DIL (PIN 1-ANODE ,2-CATHODE,3NC 4-EMIT TER,5-COLLECTOR,6-BASE (REPLAC	EACH	19038	2SJ50 P-CHANNEL MOSFET,TO- 3 CASE	EACH	19068	2N1100 GE,PNP. POWER. VCEO 65V . IE 15A. PT 150W T036 CASE.	EACH
19012	BC548C SI NPN,VCBO 30,IC 0. 1A,HFE 800,FAB 300MHZ,R-189 CA SE	EACH	19039	153-16 AMPEX #014-572,SI NP N,PC 200W,IC 7.5A,VCBO 185,MT5 8 CASE	EACH	19069	SDT1810 GE,PNP. POWER. VCEO 30 V, IC 60A, PT 170W @ 25 DEG C TC, T036 CASE	EACH
19013	MU9610S UNIJUNCTION (SUB FOR MU9600)	EACH	19040	2N976 GE,PNP. HIGH SPEED SWITC H VCEO 10V. IC 100MA. FT MIN 6 00MHZ PT 100MWC0B MAX 3PF. T01 8 CASE.	EACH	19070	2N3375 SI,NPN. VHF/UHF VCEO 40V. IC 500MA. PT 11.6W. TO60 CASE FT 500MHZ @ IC 1 25MA VCE 28V	EACH
19014	BC558 SI PNP,VCBO 30,IC 0. 1A,HFE 75,FAB 150MHZ,R-189 CAS E	EACH	19041	2N3866(RCA)SI NPN,VHF/UHF AMP, VCEO 30,IC 0.4A,PT 5W,TO-39 CA	EACH	19071	DTS402 SI NPN,PC 100W,IC 3. 5A,VCEO 400V,TO-3 CASE	EACH
19015	2N1304 GE,NPN SWITCH TR 450 N,VCBO 25V 1C 300MA TO5 CASE	EACH	19042	2SB649AC SI,PNP,PC 20W,IC 1.5 A,VCBO 180,HFE 100-200,FAE 140 MHZ,B7 CASE	EACH	19072	2N2369A SI NPN SW,FAB 500MHZ ,TR 12N/S,VCBO 40,IC 0.2A,TO-1 8 CASE (AMPEX #014-731)	EACH
19016	2N1305 GE PNP,VCBO 30V,IC 3 00MA TO5 CASE	EACH	19043	2N6124 SI,PNP SWITCH,PC 2W, IC 3A,VCBO 40V,TRR 300 N/SEC,U 84 CASE	EACH	19075	BLY94 SI NPN,PC 130W,IC 6A ,VCBO 65,HFE 10-120,FAE 500MHZ ,T-94 CASE (GT & E #304-457 TV TRANSLATOR SPARE	EACH
19017	ZTX550 SI PNP,PC 2W,IC 1.0W ,VCBO 60,HFE 100-300,FAE 150MH Z,B-58 CASE	EACH	19044	2N2148 GE,PNP. POWER AF. VCEO 40V. IC5A. FT MIN 2MHZ. PT 12. 5W. T03 CASE.	EACH	19076	BD115 SI,NPN VCEO 180V. IC 150 MA. PT 6W ON HEAT SINK T039 CA SE. FT TYP 145MHZ @ IC 30MA. VCE 100V. HFE TYP 60.	EACH
19018	BDY93 SI NPN SW,TR 500N/S. PC 30W,IC 3A,VCEO 350,HFE 15,T O-3 CASE	EACH	19045	2N398A GE,PNP. VCBO 105V,IC 20 0MA,PT 150MW, T05 CASE.	EACH	19077	BD123 SI NPN VCEO 60V. IC 5A. PT 45W,FT TYP 85MHZ @ IC 1A,VC E 10V,T03 CASE	EACH
19019	2N4091 N-CHANNEL FET,TO-18 CASE (MARCONI #CS502003-1,2N40 92 SUB.)	EACH	19046	2N4259 SI NPN,VCBO 40,HFE 7 0,R-176 CASE	EACH	19078	ADZ12 GE PNP,PC 45A,IC 20A ,VCBO 80,HFE 40-120,FAE 100KHZ ,ZA4 CASE	EACH
19020	2SC1177 SI NPN,PC 25W,TC 2.5 A,VCBO 40,HFE 10-180,FAE 450MH Z,TO-117 CASE	EACH	19047	2N4036 SI,PNP. VCBO 90V,IC 1A, PT 1W. T05 CASE, COMPLEMENTARY TO 2N2102	EACH	19079	2N3772 SI,NPN POWER. PT 150W,I C 20A,VCEO 60V. FT MIN 800KHZ. TO3 CASE	EACH
19021	ASZ15 GE,PNP. POWER. VCEO 60V. IC 8A. PT 30W @ 45 D EG C TA. T O3 CASE.	EACH	19048	BC415B SI PNP,VCBO 45V,IC 1 00MA,HFE 330 (LOW NOISE),X64 C ASE	EACH	19080	AF178 GE PNPVCBO 25,IC 10 MA,HFE 20,FAB 180MHZ,TO-12 CAS E	EACH
19022	2N4249 SI,PNP. LOW NOI SE AMP. VCEO 60V. IC 50MA. PT 200MW. N F @ 1KHZ 3DB @ IC 20UA, VCE 5V	EACH	19049	2N4355 SI PNP,SW,TR 100N/S, HFE 100,FAB 100MHZ,VCBO 60,IC 0.5A,R-124CASE	EACH	19081	BF167 SI NPN,VCBO 40,IC 25 MA,HFE 57,FAB 350MHZ,TO-72 CAS E	EACH
19023	2N4250 SI,PNP. LOW NOI SE AMP. VCEO 40V. IC 50MA. PT 200MW. N F @ 1KHZ 2DB @ IC 20UA, VCE 5V	EACH	19050	C1-12Z SI NPN,PC 5W,IC 250M A,VCEO 15,FAE 470MHZ,W-54 CASE	EACH	19082	BF173 SI NPN,VCBO 40,IC 25 MA,HFE 88,FAB 550MHZ,TO-72 CAS E	EACH
19025	2N4492 SI NPN,PC 5W,IC 425M A,VCBO 55,HFE 20-200,FAE 700MH Z,TO-117 CASE (CTR-1 15B SPARE)	EACH	19051	BC213L SI PNP SW,FAB 200MHZ ,VCBO 45V,IC 0.2A,TR 60N/SEC,X 20 CASE	EACH	19083	2N918 SI,NPN VHF,UHF VCEO 15V FT TYP 900MHZ @ IC 4MA & V CE 10V	EACH
19026	2N1309-1 GE NPN,VCBO 30,IC 30 0MA,HFE 80,TO-5 CASE (VTR SPA RE)	EACH	19053	2N2157 GE,PNP. POWER. VCEO 45V . IC 30A. PT 170W. T036 CASE.	EACH	19086	2N5946 SI NPN,PC 37W,IC 2AM P,VCBO 36,FAE 470MHZ,X-28 CASE	EACH
19027	2N2646 SI. UNIJUNCTION . VB2E 30V. VBB 35V. IE 50MA. PT 300MW. T O18 CASE.	EACH	19054	C3-12 SI NPN,PC 10W,IC 1.0 A,VCEO 17,FAE 470MHZ,T-91 CASE	EACH	19088	40242 SI,NPN.RF AMP. VCEO 45V, IC 50MA,PT 180MW,COB 0.65PF TO 104 CASE	EACH
19029	TIS92M/TIS93M (COMPL.MATCHED P AIR) EA = PAIR. VCBO 40 IC 0.4A HFE 160 B203 CASE	EACH	19055	2N3227 SI NPN SW,VCBO 40,IC 0.2A,HFE 100,FAB 500MHZ,TR 18 N/S,TO-18 CASE	EACH	19089	40235 SI,NPN. VHF. VCEO 45V,IC 50MA,PT 180MW FT 1000MHZ @ VC E 6V & IE 2MA TO104 CASE	EACH
			19056	2N3119 SI,NPN. SWITCH & PULSE AMP. VCEO 80V IC 500MA. PT 1W. FT MIN 250MHZT05 CASE.	EACH	19090	BC183L SI NPN,VCBO 45,IC 0. 2A,HFE 125,FAB 150MHZ,X-20 CAS E	EACH
			19058	2S702 SI,NPN. VCEO 25V,IC 20MA . T05 CASE.	EACH			

**TVNZ SUPPLY GROUP**  
**TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
19091	2N4428 SI,NPN,PC 3.5W,IC 42 5MA,VCBO 55,HFE 20-200,TO-39 C ASE	EACH	19124	CD515 AMPEX #014-631	EACH	19155	2N1039 GE PNP,PC 20W,IC 3A, VCBO 60V,CASE R122, (AM PEX #014-195)	EACH
19092	* 2N1671B,SI PN UNIJUNCTION - FOR GT&E MICROWAVE LINK -	EACH	19125	CD445 AMPEX #014-505	EACH	19156	2N1319 GE PNP,VCBO 20V,IC 4 00MA,FAB 6MHZ,CASE TO-5 (AM PEX #014-563)	EACH
19093	2N3904 SI,NPN SWITCH & AM P VCEO 40V IC 200MA PT 310MW C OB 4PF FT MIN 300MHZ @ IC 100MA,VCE 20V CASE TO92	EACH	19126	AMPEX #014-675 (2N3792)	EACH	19157	2N1499 GE PNP SW,VCBO 20V,IC 50MA,TR 60N/SEC,TO-9 CASE (#014-109)	EACH
19094	2N3137 SI,NPN VHF & UHF V CEO 20V IC 150MA PT 800MW COB 3.5PF PG 6DB MIN @ PIN 100MW,F 250MHZ. P OUT 400MW C	EACH	19127	AMPEX #014-860 (HEAT SINK,SPECIAL FOR TO-3 CASE).	EACH	19158	2N1893 SI NPN,VCBO 120V,IC 500MA,FAB 50MHZ,CASE TO-5 (AM PEX #014-823)	EACH
19095	2N5038 SI NPN SW,PC 140,IC 20A,VCBO 150,HFE 20,FAB 60MHZ, TR 500N/S,TO-3	EACH	19128	S18344 AMPEX #014-686	EACH	19159	2N2374 GE PNP,VCBO 35V,IC 5 00MA,FAB 15MHZ,CASE TO-5 (AM PEX #014-214)	EACH
19097	2SC2458 SI NPN,VCBO 50,IC 15 0MA,HFE 70,FAB 80MHZ,B-40 CASE (SONY MONITOR #8-729-245-83)	EACH	19129	CD461 AMPEX #014-614	EACH	19160	MM439 (MM5000) GE PNP,VCBO 30,IC 10MA,HFE 30,FAB 800MHZ, TO-72 CASE	EACH
19099	CD652-1A1 SI,NPN. LOW NOISE. AMPEX #014-698	EACH	19130	MA8003 SI NPN,FAB 130MHZ,VC BO 80V,IC 0.8A,HFE 100,TO-5 CA SE	EACH	19161	2N5460 P CHANNEL FET,TO-92 CASE	EACH
19101	CD562-2B1 SI,NPN. LOW NOISE. AMPEX #014-784	EACH	19131	2N3019 SI NPN,VCBO 140,IC 1 A,HFE 80,FAB 100MHZ,TO-5 CASE (AMPEX CD647 #580-202) #014-577	EACH	19162	2N5643 SI NPN,PC 60W,IC 5A, VCBO 65,FAE 200MHZ,MT72 CASE	EACH
19102	BC182B SI NPN SW,FAB 150MHZ ,TR 30N/S,HFE 500,VCBO 60,IC 0 .2A,R-203 CASE	EACH	19132	CD437 AMPEX #014-387	EACH	19163	2N4393 N-CHANNEL FET,TO-18 CASE	EACH
19103	2N3442 SI NPN,PC 117W,IC 10 A,VCBO 160,HFE 20-70,TO-3 CASE	EACH	19133	2N3703 SI,PNP,VCBO 50V,IC 0 .2A,TO92 CASE (DECCA MONITO R SPARE)	EACH	19164	CD507 AMPEX VR2000 INTERSY NC #014-600	EACH
19104	2N1994 GE NPN,VCBO 30,IC 0. 3A,FAB 3MHZ,TR 1.5U/SEC,TO-5 C ASE (BI-DI RECTIONAL SWITCH)	EACH	19134	BC113 SI,NPN,VCBO 30V,HFE 330,R97 CASE (DECCA MONITO R SPARE)	EACH	19165	2N6290 SI NPN,PC 16W,IC 7A, VCBO 60,HFE 30-150,FAE 50KHZ,Y 220 CASE	EACH
19106	2N3209 SI PNP SW,TR 60N/SEC ,FAB 400MHZ,VCBO 20,IC 200MA,H FE 75,TO18CASE	EACH	19135	BC171A SI,NPN,VCBO 50V,IC 0 .1A,X64 CASE (DECCA MONITO R SPARE)	EACH	19166	BFY51 SI NPN,VCBO 60,IC 1A ,HFE 60,FAB 50MHZ,TO-5 CASE	EACH
19107	40897 SI NPN,VCBO 20,IC 50 MA,HFE 14,TO-72 CASE	EACH	19137	BF450 SI PNP,VCBO 40,IC 25 MA,HFE 60,FAB 325MHZ,TO-92 CAS E	EACH	19167	BC239C SI NPN,VCBO 30,IC 0. 1A,HFE 800,FAB 300MHZ,X64 CASE	EACH
19108	#014-841 AMPEX VTR	EACH	19138	2N5179 SI NPN,VCBO 20,IC 50 MA,HFE 70,FAB 900MHZ,TO-72 CAS E	EACH	19168	BC238B SI NPN,VCBO 30,IC 0. 1A,HFE 450,FAB 300MHZ,X64 CASE	EACH
19109	#014-597 (AMPEX VTR) CD474	EACH	19139	BC136 SI NPN,VCBO 60,IC 0. 6A,HFE 30,TO-105 CASE	EACH	19170	BPY61-111 PHOTO TRANSISTOR (SO NDOR 9500 PULSE GEN.SPARE)	EACH
19110	#014-697 AMPEX VTR	EACH	19140	2N6287 DARLINGTON PNP,PC 16 0W,IC 20A,VCBO 100,FAE 4MHZ,F- 11 CASE (AMPEX #580-718)	EACH	19171	2N2907A SI PNP SW,FAB 200MHZ ,TR 40N/S,HFE 75,VCBO 60,IC 0. 6A,TO-18 CASE	EACH
19111	2N3912 SI PNP CHOPPER,TO-46 CASE	EACH	19141	2N4888 SI,PNP,VCBO 150V,IC 0.1A,R124 CASE	EACH	19172	BFY82 SI NPN(MATCH PR PACK )PC 50W,VCBO 60,FAE 250MHZ,TO- 77 CASE(8-PIN)	EACH
19115	MD918A (MATCH,PR,PACK)SI NPN ,VCBO 30,IC 50MA,HFE 50,FAB 60 0MHZ,L66A CASE (AMPEX #014-850) (AMPEX #580-169)	EACH	19142	2N5830 SI,NPN,VCBO 120V,IC 0.6A,TO92 CASE	EACH	19173	BC238A SI NPN,VCBO 30,IC 0. 1A,HFE 220,FAB 300MHZ,R-204 CA SE	EACH
19116	MD2369A (MATCH PR.PACK)SI NPN ,VCBO 40,IC 0.5A,HFE 40,FAB 50 0MHZ,L66A CASE (AMPEX #014-852)	EACH	19143	BFR91A SI NPN,VCBO 15,IC 35 MA,FAB 6GHZ,SOT-37 CASE (PHILI PS)	EACH	19174	BF494 SI NPN,VCBO 30,IC 30 MA,HFE 115,FAB 300MHZ,R-189 CA SE	EACH
19117	MD2905 (P-COMPOSITE SW)SI PN PTR 35N/SEC,VCBO 60,IC 0.6A,H FE 100, FAB 20 0MHZ,L17K CASE (AMPEX #014-853)	EACH	19144	TIP29A SI NPN SWITCH,PC 2W, IC 1A,VCBO 60V,CASE STYLE U84	EACH	19175	BSW44A SI PNP,VCBO 50,IC 0. 2A,HFE 130,FAB 300MHZ,R-110 CA SE	EACH
19118	MD2219 (N-COMPOSITE SW)SI NP N,TR 40N/SEC,VCBO 60,IC 0.6A,H FE 100, FAB 25 0MHZ,L17K CASE (AMPEX #014-854)	EACH	19145	MPS918 SI NPN,VCEO 15V,TO-9 2 CASE (TEKTRONIX SPARE)	EACH	19176	PN3566 SI NPN VCBO 40,IC 0. 2A,HFE 80,FAB 40MHZ,TO-92 CASE	EACH
19119	2N5268 P-CHANNEL FET,TO-72 CASE	EACH	19146	MPS6515 SI NPN,VCEO 25V,TO-9 2 CASE (TEKTRONIX SPARE)	EACH	19177	2N5321 SI NPN SW,FAB 50MHZ, TR 80 N/SEC,PC 10W,IC 2A,VCBO 75,TO-5 CASE (SUB F OR AY8142)	EACH
19120	2N2918, SI,NPN MATCHED PAIR PACK,VCBO 45V,IC 30MA, AM PEX #014-855	EACH	19147	MJE271 (PNP DARLINGTON) TO-1 26 CASE	EACH	19178	2N5323 SI PNP SW,FAB 50MHZ, TR 100 N/SEC,PC 10W,IC 2A,VCBO 75,TO-5 CASE (SUB F OR AY9142)	EACH
19121	MRF453 SI NPN,PC 175W,IC 15 A,VCEO 18,HFE 10-15/OFAE 30MHZ ,W52 FLG MTG. (SEE ALSO S/ L 189-77)	EACH	19148	MPS6523 SI PNP,VCEO 25V,HFE 300-600,TO-92 CASE, (TEKTRONIX SPARE)	EACH	19179	60156 TEKTRONIX #151-0291-0 0 (650 MON,SPARE)	EACH
19122	CD37 AMPEX #014-248	EACH	19149	MJE340 SI NPN,PC 20W,IC 0.5 A,VCEO 300V,HFE 30-240,X58 CAS E	EACH	19180	BD230 SI NPN,PC 12W,IC 1.5 A,VCBO 100,HFE 40-160,FAE 125M HZ,TO-126 CASE (SUB F OR BD135 & BD228)	EACH
19123	2N3791 SI PNP,PC 150W IC 10 A,VCBO 80,HFE 25-180,FAE 30KHZ	EACH	19150	3N142 N-CHANNEL FET,TO-72 CASE	EACH	19181	BD229 (BD136) PNP,PC 12W,IC 1. 5A,VCBO 60,HFE 40-160,FAE 50MH Z,TO-126 CASE	EACH
			19151	2SD405 (DARLINGTON),TO-39 C ASE	EACH			
			19152	TIS50 SI PNP SW,FAB 400MHZ ,VCBO 12V,IC 0.2A,TRR 60N/SEC, TO-92 CASE	EACH			
			19153	ZT83 SI NPN SWITCH,VCBO 60 ,FAB 200MHZ,HFE 55,TR 80N/S,TO -18 CASE	EACH			

# TVNZ SUPPLY GROUP TECHNICAL CATALOGUE

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
19182	MJ4502 SI PNP,PC 200W,IC 30 A,VCBO 100,HFE 25-100,FAE 2MHZ ,TO-3 CASE	EACH	19568	12BH7A	EACH	19963	#A47-556XTC04 (18") FOR PHILIPS KT3 RECEIVER #9300 856 80682	EACH
19183	ZT1490 SI NPN SW,FAB,1MHZ,T R 1.2U/SEC,PC 75W,IC 6A,VCBO 1 00,TO-3 CASE	EACH	19634	E91AA 5726 CV4007 M8212 6AL5W EAA901S	EACH	19964	#560CGB22TC04 (22") FOR PHILIPS KT3 RECEIVER #9300 853 30682	EACH
19184	2N6420 SI PNP,PC 35W,IC 1.0 A,VCBO 250,HFE 40-200,FAE 10MH Z,TO-66 CASE	EACH	19641	E810F 7788 CV5809	EACH	19965	A66-540X (26") FOR PHILIPS KT3 TECEIVER #9300 849 30142	EACH
19185	AF239 GE PNP,VCBO 20,IC 10 MA,HFE 40,FAB 770MHZ,TO-72 CAS E	EACH	19644	E288CC, 8223	EACH	19981	TRINITRON #330AB22 (30CM) TEKTRONIX #154-0641-01 FOR CONRAC #5023/C12 & TEKTRONIX 650 SERIES COLOUR MONITORS	EACH
19186	2N4890 SI PNP SW,FAB 100MHZ ,TR 50N/S,PC 5W,HFE 25,VCBO 60 ,IC 015A,TO-5	EACH	19663	AC701 TELEFUNKEN	EACH	19983	510VRB22(EBU) BARCO 20"CTVM2/M3/51 MONITORS REPLACES #510CKB22	EACH
19187	SD1440-1L PHOTO TRANSISTOR (CP 16R CINECAMERA SPARE)	EACH	19680	CV4004 ECC803S M8137 E83CC 7025 12AX7WA	EACH	19984	#420LB22 FOR BARCO CTVM/38 MONITOR	EACH
19188	2N5859 SI NPN SW,PC 1.0W,IC 2A,VCBO 80,FAB 250MHZ,HFE 30, TR 30N/S,TO-39	EACH	19684	CV4024 6201 M8162 E81CC 12 AT7WA ECC801S	EACH	19987	#T5281-21-9-20 C/W CCIR GRATICULE FOR TEKTRONIX 528 MONITOR #154-0818-00 SEE ALSO S/L199-91	EACH
19189	BF495 SI NPN,VCBO 30,IC 30 MA,HFE 67,FAB 200MHZ,R-189 CAS E (ELECT ROHOME V10 MONITOR #XQ-661-21)	EACH	19728	EF86 CV2901 6267 M8195 Z729	EACH	19989	#CME 1602/A40 12W (M38-121W) AUTOCUE EQUIPMENT	EACH
19190	EP632/62244RCA, ELECTROHOME V1 0 MON,#14-908-23 (Q607)	EACH	19845	ECC83 CV492 12AX7 B339	EACH	19990	#154-0513-03 FOR TEKTRONIX 521A VECTORSCOPE	EACH
19191	TEKTRONIX #151-0232-00	EACH	19878	QQE03/12 PHILIPS	EACH	19991	#T5280-31 LESS CCIR GRATICLE TEKTRONIX 154-0525-10 TEKTRONIX 528 W/F MONITOOOR SEE ALSO S/L199-87	EACH
19192	2N4303 N-CHANNEL FET,(TEKTR ONIX #151-1005-00)	EACH	19900	<b>VALVE; CRT &amp; PICTURE TUBE</b>		19993	#14BDP650 (6500K ILL.D) FOR CONRAC SNA14C 14" MONITOR	EACH
19193	TEKTRONIX #151-1011-00	EACH	19901	TRINITRON #330VB022(EBU) TEKTRONIX #154-0858-00 FOR AMPEX VPR-3 RECORDER	EACH	19994	#154-0731-00 FOR TEKTRONIX 465 SCOPE REPLACES #154-0676-10	EACH
19194	TEKTRONIX #151-1041-00	EACH	19902	A31-410W (12") FOR MELFORD DU3 MONITOR	EACH	19996	#154-0727-00 FOR TEKTRONIX 602 DISPLAY UNIT (CCIR/PAL VECTORS)	EACH
19195	TIP30A SI PNP SW,PC 2W,IC 1 .0A,VCBO 60V,HFE 15-75,FAE 3MH Z,U84 CASE	EACH	19903	TEKTRONIX #154-0876-00 C/W MOD KIT. REPLACES #154-0718-00 & 154-0851-00. FOR TEKTRONIX 1481R/1485 MONITOR	EACH	20006	#17C9M60P4 (9") FOR ELECTROHOME V10 MONITOR REPLACES #230 BLB4	EACH
19196	CD441 AMPEX #014-383	EACH	19906	TEKTRONIX #154-0788-01, P31 TEKTRONIX 1421 VECTORSCOPE	EACH	20007	#1726YP650 (17" D5 VERSION) FOR CONRAC SNA MONITOR #520324-650	EACH
19197	2N3251 SI PNP SW,VCBO 50V,I C 200MA,TR 35N/SEC,CASE TO18(A MPEX #014-505)	EACH	19908	#1327 (REPLACES M38/100WA IN MELFORD DU1 MONITOR	EACH	20008	#520285-650 (14' D65 VERSION) FOR CONRAC SNA MONITOR	EACH
19198	2N2894 SI PNP SW,VCBO 12V,I C 200MA,TR 60N/SEC,TO-18.CASE (#014-532)	EACH	19909	#340CEB4 FOR IKEGAMI PM14-34 B/W MONITOR	EACH	20011	MOD. KIT FOR RACK MOUNTING SNA MONITOR. REPLACES 13V" WITH 14" CRT. #357110-001 SEE ALSO S/200-12 & 13	EACH
19200	<b>VALVE; RECEIVING &amp; RECTIFYING</b>		19910	#A22JCM00X FOR JVC TM-10E COLOUR MONITOR	EACH	20012	MOD. KIT FOR CABINET SNA MONITOR. REPLACES 13V" WITH 14" CRT #357110-003 SEE ALSO S/L200-11 & 13	EACH
19252	6146 CV3523 QE05/40 QV06/20 2B46	EACH	19912	#PMT 69 (M17-33W/S) MARCONI MK8 CAMERA VIEWFINDER	EACH	20013	CONVERSION KIT FOR SNA MONITOR 13V MONO BASE TO COLOUR BASE S/L200-08. #357107 SEE ALSO S/L 200-11 & 13	EACH
19283	1S2A DY87	EACH	19913	#93P650 (D6500 PHOSPHOR) FOR CONRAC 23CM MONITOR (SEE ALSO 199-18)	EACH	20018	#250ATB22(E) FOR JVC TM90PSN MONITOR	EACH
19297	2D21 PL5727 CV797 PL2D21 M 8204 EN91 ASG5121	EACH	19916	#E2903B4 (L5) A FOR IKEGAMI PM20-3H B/W MONITOR	EACH	20800	<b>VALVE; TRANSMITTING</b>	
19346	6C4 CV133 L77 EC90	EACH	19918	#9SP4 FOR CONRAC RNCA9 MONITOR (SEE ALSO S/L199-13)	EACH	20805	YL1430	EACH
19382	6V4 CV1535 EZ80	EACH	19923	#M34JFS01X/E-05 FOR IKEGAMI TM20-9RPC COLOUR MONITOR	EACH	20806	YL1440	EACH
19386	6X4 EZ90 U78 CV493	EACH	19924	#M48JBY02X/E23 FOR IKEGAMI TM20-9RPA COLOUR MONITOR REPLACES /E-TC05	EACH	20807	YL1260	EACH
19414	6AL3 EY88 EY189	EACH	19928	#M34JFA09X FOR NATIONAL BT-M1400 PSN RECEIVER	EACH	20811	807 CV124 QE06/50 QV05/25 UY807	EACH
19417	6AN8	EACH	19929	#A51JKY04X FOR NATIONAL CN212 RECEIVER #366-040050	EACH	20813	813 QB2/250 CV26 QY2-100 4 B13	EACH
19418	6AQ5A CV1862 EL90 6005 M82 45 CV4019	EACH	19933	#510BTB22 (20") FOR BARCO MONITOR	EACH	20815	R33A CV635	EACH
19441	6BH6 CV3908	EACH	19936	#A66-410X C/W 5.3UH CHOKE REPLACES #A66-140X	EACH			
19471	6CG7	EACH	19938	#M17-141W FOR PHILIPS LDK5 TV CAMERA #5322 131 24004	EACH			
19478	6CW5 CV5094 EL86	EACH	19944	#17-280VB4KT (11") ELECTROHOME V10M MONITOR	EACH			
19486	6CQ8	EACH	19949	#470FWB22A FOR SONY CVM-1810E TV RX #8-736-901-05	EACH			
19487	6DJ8 CV5358 ECC88	EACH	19962	#A37-554XTC04 (14") FOR PHILIPS KT3 RECEIVER #9300 856 70682	EACH			
19505	6GB5 EL500 EL504	EACH						
19517	6HS6	EACH						

**TVNZ SUPPLY GROUP**  
**TECHNICAL CATALOGUE**

ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT	ITEM	DESCRIPTION	UNIT
20825	BR175, 892R, CV904	EACH	21222	HEATSINK,BLACK,FOR TO-220 TAB MTG PACKAGE.IERC #PA2-1CB (35 DEG. C/W IN FREE AIR)	EACH	21276	STORAGE BIN (ANTI-STATIC),230MM M D,150MM W,125MM H, ACROW #4 (SUITED FOR STORAGE OF STATIC SENSITIV	EACH
20827	6166A (CR192A)	EACH						
20830	4CX5000A, 8170	EACH	21223	HEATSINK EXTRUSION,BLACK,FINNE D.MCKECHNIE #NZ3133A (REPLACES S/L 212-12). AS USED IN 100W AMPS.& 14267 P/S (SUPPLIED IN	EACH	21277	ESD REPLACEMENT WRIST STRAP (F OR WRISTS LESS THAN 6.5" CIRCU MFERENCE,	EACH
20831	2E26,QV05-10 CV3990	EACH						
20833	5762, BR1160, BR191B, TY6-5000B, YD1120	EACH	21224	MICA INSULATOR #DF63A FOR CASE STYLE MD34 (EG 2N4063) TRANSI STOR S EE ALSO S/L212-25	EACH	21278	ESD REPLACEMENT WRIST STRAP (F OR WRISTS 6.5" TO 8" CIRCUMFER ENCE	EACH
20834	4CX3000A, 8169	EACH						
20835	3X2500A3, 8161, 3CX2500A3	EACH	21225	NYLON INS BUSHING #495334-8 FO R CASE STYLE MD34 TRANSISTOR ( 2 REQUIRED) S EE ALSO S/L212-24	EACH	21279	ESD PORTABLE FIELD SERVICE KIT (3M #8012),CONTAINS 24" X 24" MAT,15" GROUND CORD,WRIST STR AP,2 WRIST BANDS (LARGE & SMAL	EACH
20839	4CX15000A, 8281	EACH						
20847	QY5/3000A, 6076, CR1100, ACS4, CV5219, QBL5/3500	EACH	21226	HEATSINK EXTRUSION, LENGTH OF 8FT NATURAL FINISH. ULLRICH #U A2801	EACH	21280	STATIC SHIELD BAG,TRANSPARENT, 4" X 6" VELOSTAT #2100 (SUITED FOR STOR AGE OF PCB S & STATIC SENSITIV	EACH
20850	13E1, C1158, CV6045	EACH						
20851	QB3.5/750GA, 4-250A, 5D22 (METAL BASE)	EACH	21229	MTG HARDWARE SET FOR X86 OR U9 7 CASE STYLE TRANSISTOR (TIP33 ,34)	EACH	21281	STATIC SHIELD BAG,TRANSPARENT, 8" X 10" VELOSTAT #2100 (SUITED FOR STOR AGE OF PCB S & STATIC SENSITIVE	EACH
20856	4CX250B, 7203, CV9089, (SEE ALSO S/L208-59)	EACH						
20857	QQE06/40 PHILIPS	EACH	21235	TERMINAL HEADER PIN,WIRE-WRAP, TIN PLATED BERG"TRIPIN " #75494-002 (SEE ALSO S/L 212-36)	EACH	21282	STATIC SHIELD BAG,TRANSPARENT, 10" X 12" VELOSTAT #2100 (SUITED FOR STOR AGE OF PCB S & STATIC SENSITIVE	EACH
20859	4CX250BC, 8957 (FOR USE IN MARCONI 500 TRANSLATORS ONLY)	EACH	21236	TERMINAL HEADER PIN,WIRE-WRAP, GOLD PLATED RN #CP113G	EACH	21286	CONDUCTIVE EDGE-LINER SHUNT,4F T LONG,SUITED FOR PCB 0.6" THIC K #EGL-23-2	EACH
21100	<b>VALVE; SOCKET &amp; ACCESSORIES</b>		21238	TO-3 CASE PLASTIC INSULATING C OVER	EACH	21287	CONDUCTIVE DIL SOCKET SHUNT #CSS-318 (SUITED FOR D IL PACKAGED DEVICES UP TO 18PI	EACH
21121	DUODECAL SOCKET FOR DG7-32 CRT	EACH	21240	14 PIN DIP ADAPTOR PLUG (RN #MPB-143)	EACH	21288	CONDUCTIVE DIL SOCKET SHUNT #CSS-628 (SUITED FOR D IL PACKAGED DEVICES UP TO 28PI	EACH
21142	5 PIN EIMAC #SK-500 FOR #4-1000A	EACH	21241	16 PIN DIP ADAPTOR PLUG C/W CO VER SAMTEC #LCP-316	EACH	21289	CONDUCTIVE DIL SOCKET SHUNT #CSS-640 (SUITED FOR D IL PACKAGED DEVICES UP TO 40PI	EACH
21166	COAXIAL SOCKET EIMAC #SK300A FOR #4CX5000A TUBE	EACH	21242	24 PIN DIP ADAPTOR PLUG (RN #MPB-246)	EACH	21290	CONDUCTIVE HIGH DENSITY FOAM 2 4" WIDE X 1/4" THICK VELOST AT #2915 (SUITED FOR INSE RTING LEADS OF STATIC SENSITIV	INCH
21167	CHIMNEY, EIMAC # SK306 FOR 4CX5000A TUBE	EACH	21243	IC SOCKET,8 PIN,PCB MTG,FOR TO -5 CASE IC	EACH			
21168	BAND 1 # YL1440 FILAMENT CONNECTOR	EACH	21247	14/16 PIN IC INSERTING TOOL "LITTLE DIPPER" #4990	EACH			
21169	BAND 3 # YL1440 FILAMENT CONNECTOR	EACH	21248	IC REMOVING TOOL "FUTTERS" #565	EACH			
21170	4CX15000 FILAMENT CONNECTOR ASSY #172-409979 FOR NEC 10KW FBN-9100E FM TX SOCKET ASSY INCLUDING C106 & C107	EACH	21253	40 PIN IC SOCKET,GOLD PLATED C ONTACTS, R-N #ICT-406-S-T	EACH			
21200	<b>SEMICONDUCTOR; ACCESSORIES SEE S/L109 SERIES FOR DIL/DIP PLUGS &amp; SOCKETS</b>		21255	HEATSINK PC BOARD MOUNTING BRA CKET FOR 100 WATT MONITOR AMPL IFIER	EACH	21300	<b>ROTARY EQUIPMENT, FANS, REGULATORS &amp; SPARES</b>	
21202	2 CCT RIGHT ANGLE PCB CONNECTO R (2.54MM PITCH) SUITABLE FOR LEDS.	EACH	21260	TO3 INSULATOR	EACH	21303	BRUSH, CARBON, FOR BPT REGAVOL T TYPE AN	EACH
21203	TO3 TRANSISTOR SOCKET (SCREW 6 -32NC) SAMTE C #T0340	EACH	21262	TO220 INSULATOR (SMALL TAB MOU NTING)	EACH	21316	BRUSH FOR BERCO REGAVOLT REGUL ATOR TYPE AN, MODEL A411. BERCO # BR121	EACH
21207	TRANSISTOR STAND-OFF PAD FOR T O-5 CASE MCMURDO #TS01 -1392	EACH	21265	INSULATING BUSH FOR TO220 (USE 2.5MM SCREW) O/A LENGTH 3.7M M	EACH	21328	FAN,ROTRON"CARAVEL"CL3T2(T)#02 0191,(USES SKF #608-2RS BEARIN GS) 1400/1650 RPM,2 30V,25CM DIA,9CM D,HARRIS MW1-	EACH
21210	TO-18 TRANSISTOR STAND-OFF PAD (NOM. 5MM CLEARANCE)	EACH	21266	INSULATING BUSH FOR TO3 & TO66 (USE 3MM SCREW) O/A LENGTH 1. 5MM	EACH	21329	FAN,MK4 MUFFIN"BOXER",115V 50/ 60HZ,14W,3200RPM,100CFM (AMPEX #591-135) 12CM SQ X 4CM FR AME FOR 10CM DIA VENT,4 HOLE M	EACH
21211	HEAT SINK FOR JEDEC TO-5 CASE( 0.305-0.335 DIA),7.6-8.5MM DIA.	EACH	21267	INSULATING BUSH FOR TO3 & TO66 (USE 3MM SCREW) O/A LENGTH 6. 4MM	EACH	21330	FAN,MK4 MUFFIN #MU3A1 230VAC 1 4W,3200RPM,120MM SQ 40MM DEEP FRAME. 4 HOLE MOUNT,(SE E S/L 213-32 TO 34) SPARE FOR	EACH
21212	HEATSINK EXTRUSION,153MM L,BLA CK,THERM.R 1.8DEG.C/W,MULLARD #35D6CB	EACH	21268	TO3 INSULATOR,SILICONE RUBBER. GREASELESS SIL-PAD 40 0	EACH	21331	FAN,MK4 MUFFIN "VENTURI WHISPE R" 115V,50/60HZ,6W,1750RMP (AM PEX #591-027) 12CM SQ X 4CM FR AME FOR 10CM DIA VENT,4 HOLE M	EACH
21214	HEATSINK,BLACK,IERC #UP-TO-3-B	EACH	21269	TO-220 INSULATOR,SILICONE RUBB ER,GREASELESS SIL-PAD #400	EACH			
21215	HEAT SINK,FINNED,FOR JEDEC TO- 18 CASE (4-6MM DIA)	EACH	21274	STORAGE BIN (ANTI-STATIC),165M M D,100MM W,80MM H, ACROW #5 (SUITED FOR STORAGE OF STATIC SENSITIV	EACH	21332	MTG CLIP (OPTIONAL) FOR MK4 MU FFIN FAN S/L213-29 TO 31 (2 RE QUIRED)	EACH
21221	IC TERMINAL,8 WAY SINGLE IN-LI NE (2 REQUIRED PER DEVICE) MOL EX #M1938-4 (SEE S/L 212-3 9 FOR MOLEX BREAK-OFF TOOL FOR	EACH	21275	STORAGE BIN (ANTI-STATIC),350M M D,210MM W,150MM H, ACROW #3Z (SUITED	EACH	21333	FILTER ASSY(OPTIONAL)C/W MTG C LIPS FOR MK4 MUFFIN FAN S/L213 -29 TO 31	EACH