


# CURRENT TRANSFORMERS

## CATALOGUE AND PRICE LIST

# TRANSFORMER WINDERS LTD.



C.T. DIMENSIONS

TYPE	TO FIT BUS-BAR	ENCAPSULATED			TAPED (WITH FEET)		
		I. D. A	HEIGHT (INC. TERMS) B	WIDTH C	I. D. A	HEIGHT (INC. TERMS) B	WIDTH C
1.0	1" x 1/4"	27 mm 1 1/16"	120 mm 4 11/16"	98 mm 3 7/8"	25 mm 1"	120 mm 4 3/4"	100 mm 3 15/16"
1.5	2 - 1/4" x 1/4" or 1 - 1/2" x 1/4"	41 mm 1 5/8"	110 mm 4 5/16"	92 mm 3 5/8"	38 mm 1 1/2"	114 mm 4 1/2"	92 mm 3 5/8"
1.75	2 - 1/2" x 1/4"	44 mm 1 3/4"	140 mm 5 1/2"	113 mm 4 7/16"	44 mm 1 3/4"	140 mm 5 1/2"	110 mm 4 5/16"
2.5	3 - 2" x 1/4"	63 mm 2 1/2"	145 mm 5 11/16"	120 mm 4 11/16"	63 mm 2 1/2"	146 mm 5 3/4"	120 mm 4 3/4"
3.3	3 - 3" x 1/4"	84 mm 3 5/16"	160 mm 6 1/4"	145 mm 5 11/16"	83 mm 3 1/4"	170 mm 6 3/4"	140 mm 5 1/2"
4.4	2 - 4" x 1/4"	113 mm 4 7/16"	195 mm 7 11/16"	175 mm 6 7/8"	108 mm 4 1/4"	178 mm 7"	165 mm 6 1/2"



MANUFACTURED BY TRANSFORMER WINDERS LTD.

 37 CRUMMER ROAD,  
AUCKLAND, 2.

# TRANSFORMER WINDERS LTD.

MANUFACTURERS OF POWER, AUDIO, AND INSTRUMENT TRANSFORMERS

## "VARITRANS"



These New Zealand manufactured variable transformers are suitable for either panel or bench mounting.

Constructed of the highest quality materials, with a core of heat-treated cold-rolled grain oriented steel, these transformers exhibit extremely low losses, excellent regulation, and 100% overload capacity for short durations.

A Varitrans transformer provides pure sinewave, steplessly variable power over the range 0-260 volts for 230 volts input, with options of series or parallel ganging for specialised operations. In this way 400v, 2 or 3 phase outputs and larger current ratings can be achieved.

Bench mounted units for classroom or workshop use have input lead, mains switch, fuse, indicator light and 3 pin output socket mounted in an attractive and robust case.

Maximum Current	Dimensions	Weight	Price	Portable	Panel
2.5A	165 x 140 x 105mm	5.6Kg			
5A	165 x 140 x 120mm	6.5Kg			
7.5A	165 x 140 x 135mm	7.8Kg			
10A	250 x 220 x 120mm	8.5Kg			
15A	250 x 220 x 120mm	13.5Kg			


Prices include packaging and are ex factory Auckland. Quotations for O.E.M. quantities or special units will be given on request.

YOUR LOCAL DISTRIBUTOR

# TRANSFORMER WINDERS LTD.

MANUFACTURERS OF POWER, AUDIO, AND INSTRUMENT TRANSFORMERS

## ARC WELDERS



### TRANSWELD 100

Designed for the maximum power obtainable from a 230V AC domestic outlet, this light, rugged welder will weld continuously with up to 2.5mm (12 gauge) Rods.

Easily portable — 22Kg

Compact — 203 x 203 x 250mm



### TRANSWELD 150

Portable single phase welder for the larger workshop, garage or small manufacturing establishment. This welder will comfortably handle up to 4mm (10 gauge) rods with 50% duty cycle.

Weight: 34Kg

Dimensions: 260 x 240 x 230mm

Welding Leads (2 metre long) with spring earth clamp and lightweight rod holder.

Finished in hard wearing orange and black baked enamel.

Guaranteed for 12 months against defects due to faulty materials and workmanship.

YOUR LOCAL DISTRIBUTOR