



MARKLIFE

M1 Label Printer

Use Manual



1-17Pages English instruction

18-34Pages Manuel français

35-51Seite Deutsche Anweisungen

52-68Pagina Istruzioni italiane

69-85Página Instrucciones en español

Product introduction

- ① Opening button
- ② Power button
Long press for 3 seconds to turn on/off
- ③ Type-C



Power indicator status

Steady green light: power on/standby/charge completed

Red light ON : charging/out of paper/overheating/opening the cover

Red light flashing: low battery will cause weak handwriting please charge in time.

⚠ Please avoid direct contact with the print head to avoid damage, especially after printing, do not directly touch the print head immediately to prevent overheating.

App download and settings

Mobile Download

Search "**Marklife**" in the App Store



Settings


After entering the app, click to search for bluetooth devices, click to connect now.

(Note: Please do not search and connect a Bluetooth printer in the Bluetooth settings of your mobile phone)

Bluetooth connection




The label printer can't pair Bluetooth of the mobile phone



Note: Note:

1. Turn on phone Bluetooth;
2. Open APP click "UNLINK" find printer.




Android users need to authorize the address permission to search for Bluetooth devices and successfully connect to the printer.

This is a requirement of the Android system, not an APP requirement.

APP Connect Bluetooth Successfully

Install label stickers correctly



Install stickers - Stickers face out of the paper

Create label - Operation method 1:





Click "Scan" to scan the QR code on the label paper package to get the corresponding template.

Step: Homepage find Scan-Scan QR code on paper package-Confirm

Only the original label paper has the QR code

Create label - Operation method 2:



1) The label machine is installed with a gap sticker-----40mm*12mm, select the gap label.

2)The default size is shown here: 40mm *12mm,if you use other sizes of stickers, please select the correct size.

Replacement of consumables

- ① Opening the cover: in the direction of the arrow as shown, press the cover opening button to open the cover
- ② Consumables: in the direction shown in the figure, put the heat sensitive surface of the paper on the same side as the heat sensitive head



Safety and precautions

- ① There is a built-in lithium battery, please do not use it in the environment with temperature higher than 40 ℃; keep away from fire and other heat sources, and do not place it in the hot sun, such as closed car;
- ② Children should be charged and used under the supervision of adults. After full charge, please make sure to pull out the charging line in time to prevent overheating, short circuit or fire;
- ③ Do not put the product in fire or water to avoid battery short circuit or fire or burn;
- ④ The operating temperature range is 0 ℃ to 40 ℃, please do not exceed the recommended temperature range.



MARKLIFE

M1 Etikettendrucker

Verwenden Sie das Handbuch



1-17 Seiten Englischunterricht

18-34 Seiten Manuel Francais

35-51 Seite Deutsche Anweisungen

52-68 Seite ein Istruzioni Italiane

69-85P von Gina. Anleitung auf Spanisch

Produkteinführung

o Öffnungstaste

2 Power-Taste
Langes Drücken für 3
Sekunden zum Ein-/Aus-switchen

3 Typ-C



Status der Betriebsanzeige

Stetig grünes Licht: Einschalten/Standby/Ladevorgang abgeschlossen

Rotes Licht AN: Laden/Papiermangel/Überhitzung/Öffnen der Abdeckung. Rotes Licht

blinkt: Niedriger Akkustand führt zu schwacher Handschrift.

Laden Sie den Akku bitte rechtzeitig auf.

Bitte vermeiden Sie direkten Kontakt mit dem Druckkopf, um Schäden zu vermeiden, insbesondere danach
Berühren Sie den Druckkopf beim Drucken nicht direkt, um eine Überhitzung zu vermeiden

App-Download und Einstellungen

Mobiler Download

Suchen Sie im App Store nach „Marklife“.



Einstellungen

Klicken Sie nach dem Aufrufen der App auf „Suche nach Bluetooth-Geräten“ und klicken Sie auf „Jetzt verbinden“.

Hinweis: Bitte suchen und verbinden Sie keinen Bluetooth-Drucker in den Bluetooth-Einstellungen Ihres Mobiltelefons.)


Bluetooth-Verbindung



Der Etikettendrucker kann das Bluetooth des Mobiltelefons nicht koppeln

Hinweis: Hinweis:

1. Schalten Sie die Bluetooth-Funktion des Telefons ein.
2. Öffnen Sie die APP, klicken Sie auf „UNLINK“ und suchen Sie nach dem Drucker




Android-Benutzer müssen die Adressberechtigung für die Suche autorisieren Bluetooth-Geräte und erfolgreich an den Drucker anschließen.

APP Bluetooth verbinden
Erfolgreich

Dies ist eine Anforderung des Android-Systems, keine APP-Anforderung

Bringen Sie label-Aufkleber richtig an



Aufkleber anbringen – Die Aufkleber zeigen aus dem Papier heraus