


SUHNER Colour coding for RF connectors

CASA Modular Systems

P.O. Box 30028,

Lower Hutt, N.Z.



HUBER+SUHNER LTD

CH-9100 Herisau / Switzerland

Phone 071/531515 Telex 77426

Colour coding for RF connectors

The SUHNER colour identification system eliminates the risk of incorrect connections, makes it possible for untrained staff to be employed for operating the equipment, and ensures a simple and permanent identification of cables of different lengths or impedances.

The following aids to colour-coding are now available:

- Coloured plastic caps for SUHNER BNC plugs
- Coloured washers for SUHNER bulkhead receptacles
- Coloured reinforcing sleeves to prevent kinking for SUHNER crimp connectors

Coloured plastic caps for SUHNER BNC plugs



- Fit all SUHNER BNC plugs
- Simply push on
- After snapping into position can only be removed by force
- No tool required
- Can also be used on connectors already fitted
- Does not affect mechanical or electrical characteristics
- Material: Rilsan

Coloured washer for SUHNER BNC and TNC bulkhead receptacles





- Can be used with most SUHNER BNC and TNC single-hole mounting bulkhead receptacles
- No additional tool and no alteration of the mounting hole required when fitting
- Material: Anodised aluminium

Washers for use with 1" flange panel receptacles are in preparation

Coloured reinforcing sleeves to prevent kinking for SUHNER crimp connectors

- Outstanding kink prevention
- Increase the life of the lead assembly
- 10 different colours for cable identification
- Can be used for SUHNER crimp connectors of the BNC, TNC, N, UHF, H4 and M series with cable diameters ranging from 5 to 6.1 mm
- Material: Polyethylene, heat-resistant up to 70° C.



Order Number reference

Plastic cap fitting all SUHNER BNC plugs	black brown red orange yellow green blue violet grey white	61 BNC-0-0-7 61 BNC-1-0-7 61 BNC-2-0-7 61 BNC-3-0-7 61 BNC-4-0-7 61 BNC-5-0-7 61 BNC-6-0-7 61 BNC-7-0-7 61 BNC-8-0-7 61 BNC-9-0-7
Washer fitting SUHNER bulkhead receptacle type 22 BNC-50-0-5 22 BNC-75-0-4 22 TNC-50-0-2 22 TNC-75-0-2	black brown red orange yellow green blue violet grey white	73 Z-0-0-10 73 Z-1-0-10 73 Z-2-0-10 73 Z-3-0-10 73 Z-4-0-10 73 Z-5-0-10 73 Z-6-0-10 73 Z-7-0-10 73 Z-8-0-10 73 Z-9-0-10
Washer fitting SUHNER bulkhead receptacle type 22 BNC-50-0-3 22 BNC-75-0-1 22 TNC-50-0-1 22 TNC-75-0-1	black brown red orange yellow green blue violet grey white	73 Z-0-0-11 73 Z-1-0-11 73 Z-2-0-11 73 Z-3-0-11 73 Z-4-0-11 73 Z-5-0-11 73 Z-6-0-11 73 Z-7-0-11 73 Z-8-0-11 73 Z-9-0-11
Reinforcing sleeve to prevent kinking fitting SUHNER crimp connectors of the series BNC, TNC, N, UHF, H4, M for cables 5 mm dia. RG 58 C/U G 03233 RG 223/U etc.	black brown red orange yellow green blue violet grey white	78 Z-0-3-2 78 Z-1-3-2 78 Z-2-3-2 78 Z-3-3-2 78 Z-4-3-2 78 Z-5-3-2 78 Z-6-3-2 78 Z-7-3-2 78 Z-8-3-2 78 Z-9-3-2
Reinforcing sleeve to prevent kinking fitting SUHNER crimp connectors of the series BNC, TNC, N, UHF, H4, M for cables 6,1 mm dia. RG 59 B/U RG 62 A/U RG 54 A/U etc.	black brown red orange yellow green blue violet grey white	78 Z-0-4-2 78 Z-1-4-2 78 Z-2-4-2 78 Z-3-4-2 78 Z-4-4-2 78 Z-5-4-2 78 Z-6-4-2 78 Z-7-4-2 78 Z-8-4-2 78 Z-9-4-2

Washers for use with 1" flange panel receptacles are in preparation.