


SOCKET 2.5/6 ...


**Panel Mounting
UNINSULATED
To DIN 47296**



Type 25: Silver Conductors
Type 26: Gold Conductors

SOCKET 2.5/6 . . .
UNINSULATED . . .

Panel Mounting
With Cable Clamp



Type 27: Silver Conductors



Type 28: Gold Conductors

CABLE CLAMP DETAIL

CABLE SIZE	TYPE
4.5 – 5.0 mm O.D.	50
6.2 – 6.7 mm O.D.	52
7 – 7.5 mm O.D.	54
8 – 8.5 mm O.D.	56

SOCKET 2.5/6 ...

Panel Mounting
INSULATED
To DIN 47296



Type 31:


Silver Conductors

Type 32:

Gold Conductors

SOCKET 2.5/6 . . .
INSULATED . . .

Panel Mounting
With Cable Clamp



TYPE 33: Silver Conductors



TYPE 34: Gold Conductors

CABLE CLAMP DETAIL

CABLE SIZE	TYPE
4.5 – 5.0 mm O.D.	50
6.2 – 6.7 mm O.D.	52
7 – 7.5 mm O.D.	54
8 – 8.5 mm O.D.	56

**"U" LINK 2.5/6
BRIDGING . . .**



Without Monitoring



Type 37: Silver Conductors
Type 38: Gold Conductors

**"U" LINK 2.5/6 ...
BRIDGING ...**

With Monitoring




Type 39: Silver Conductors

Type 40: Gold Conductors

PLUG 2.5/6 . . .

Cord Connecting



CABLE SIZE	TYPE
4.5 -- 5.0 mm O.D.	50
6.2 -- 6.7 mm O.D.	52
7 -- 7.5 mm O.D.	54
8 -- 8.5 mm O.D.	56