

Cable Group Cross Reference

Below is a list of typical cables which fall into the cable group classifications relevant to the connectors outlined in this catalog.

Cable Group to Cable Type

Cable Group	Impedance	Cable Type
001	50	PSF1/4M (BBC), RG8A/U, RG213/U, URM67
001	75	RG11A/U, RG63B/U, RG114A/U, URM64
004	50	RG9B/U, RG214/U, URM91
004	75	RG13A/U, RG216/U, URM60
007	75	PSF1/2M (BBC), BELDEN 8281
009	50	RG303/U, URM72, URM108
010	50	RG58C/U, RG141A/U, URM43, URM76
012	75	URM70
022	50	RG174A/U, RG188A/U, RG316/U, URM95
022	75	RG179B/U, RG187A/U, TM3289, URM111
024	50	RG178B/U, RG196A/U, T3263, URM110
025	75	RG59B/U, RG62A/U, RG140/U, TM3304
027	75	TM3231
028	75	URM203, URM205
029	50	TM3250, TM3328
030	75	BT502A, BT2001
052	75	URM201, URM202, T3020, T3022
060	50	RG55B/U, RG142B/U, RG223/U, RG400/U URM301
062	75	BT500B, BT2003, BT2003A
073	50	RG402/U, UT141A
079	50	RG143A/U

Cable Type to Cable Group

Cable Type	Impedance	Cable Group
AMPHENOL 21-597	75	119
BELDEN 8281	75	007
BELDEN 9907	50	B10
BT500B	75	062
BT502A	75	030
BT502B	75	117
BT2001	75	030
BT2002	75	117
BT2003	75	062
BT2003A	75	062
BT3002	75	437
H100	50	434
H9588	50	373
MM10/75 (UKAEA)	75	334
MM11/50 (UKAEA)	50	339
PRECISION TUBES BA50085	50	285
PSF1/2M (BBC)	75	007
PSF1/3M (BBC)	75	366, 025
PSF1/4M (BBC)	50	001
RAYDEX RA768	75	768
RG6A/U	75	079
RG8A/U	50	001
RG9B/U	50	004
RG11A/U	75	001
RG13A/U	75	004
RG55B/U	50	060
RG58C/U	50	010
RG59B/U	75	A25, 025
RG62A/U	93	B25, 025
RG63B/U	75	001
RG71B/U	93	025
RG114A/U	75	001
RG122/U	75	B35
RG140/U	75	A25, 025
RG141A/U	50	010
RG142B/U	50	060
RG143A/U	50	079
RG174A/U	50	022
RG178B/U	50	024
RG179B/U	75	022
RG187A/U	75	022
RG188A/U	50	022
RG196A/U	50	024

Continued on next page.

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Cable Group Cross Reference

Cable Group to Cable Type (continued)

Cable Group	Impedance	Cable Type
079	75	RG6A/U
117	75	BT502B, BT2002
119	75	AMPHENOL 21-597
277	50	UT250-A
280	75	BT2001
285	50	UT85C, PRECISION TUBES BA50085
339	50	MM11/50 (UKAEA)
344	75	MM10/75 (UKAEA)
366	75	PSF1/3M (BBC), TM3304
373	50	BELDEN 9880, BELDEN 89880, H9588
434	50	POPE H100
437	75	BT3002, TZC750/24
B04	50	RG393/U
B10	50	BEDEN 9907, RG58C/U
A25	75	RG59B/U, RG140/U, URM90
B25	75	RG62A/U, RG210/U
B35	75	RG122/U

Cable Type to Cable Group (continued)

Cable Type	Impedance	Cable Group
RG210/U	75	025
RG212A/U	50	079
RG213/U	50	001
RG214/U	50	004
RG216/U	75	004
RG222/U	50	079
RG223/U	50	060
RG303/U	50	009
RG316/U	50	022
RG393/U	50	B04
RG402/U	50	073
T3020 (BICC)	75	052
T3022 (BICC)	75	052
T3263 (BICC)	50	024
TM3231 (BICC)	75	027
TM3250 (BICC)	75	029
TM3289 (BICC)	75	022
TM3304 (BICC)	75	025, 366
TM3306	50	022
TM3328 (BICC)	50	029
TZC750/24	75	437
URM43	50	010
URM60	75	004
URM64	75	001
URM67	50	001
URM70	75	012
URM72	50	009
URM76	50	010
URM90	75	A25, 025
URM91	50	004
URM95	50	022
URM108	50	009
URM110	50	024
URM111	75	022
URM201	75	052
URM202	75	052
URM203	75	028
URM205	75	028
URM301	50	060
URM302	50	060
UT85C	50	285
UT141A	50	073
UT250A	50	277
50S141R	50	073

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

These cross references are meant as guides for selecting functionally equivalent items and are subject to change.

These lists do not imply 100% conformance to the listed specifications, merely that the connector is form, fit and functionally an equivalent.

Qualification samples are available.

Contents

AMP	203
Amphenol	205
Huber-Suhner	210
Kings	212
Radial	217
Reference Equivalents	219

Competitive Cross Reference

AMP

AMP	M/A-COM	Description
1-221265-0	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58
1-221295-0	B35 E60 J010 X99	BNC Straight Clamp Jack, RG 58
1-225661-0	N15 A61 H373 X99	N Straight Crimp Plug, Ethernet, Belden 9880, 89880
1-225661-2	N15 A61 H010 X99	N Straight Crimp Plug, RG 58
1-225669-2	N15 B61 H010 X99	N Right Angle Crimp Plug, RG 58
1-227079-6	B35 A41 J022 X99	BNC Straight Crimp Plug, RG 174, 316
1-227086-0	N15 A61 H001 X99	N Straight Crimp Plug, RG 8
1-227086-2	N15 A61 H004 X99	N Straight Crimp Plug, RG 9, 13, 214, 216
1-329631-2	100004-50 X99	Hex Nut for BNC PCB Receptacle
1-329632-2	100024-50 X99	Lockwasher for BNC PCB Receptacle
1-330022-2	B30 Z01 H999 X99	BNC Plug Cap with Chain (no contact)
221185-2	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62
221185-5	B37 A41 J007 X99	BNC Straight Crimp Plug, Belden 8281
221185-8	B37 A41 J022 X99	BNC Straight Crimp Plug, RG 179
221199-2	B37 E43J B25 X99	BNC Straight Crimp Jack, RG 59, 62
221221-2	B37 H45J B25 X99	BNC Straight Crimp Jack, RG 59, 62
221221-5	B37 H45 J022 X99	BNC Straight Crimp Jack, RG 179, 316
221325-1	T35 P34 J999 X99	TNC Straight Jack-Jack Adapter
221402-2	B37 B28 JB25 X99	BNC Right Angle Crimp Plug, RG 59, 62
221500-1	T35 R53 J999 X99	TNC Bulkhead Jack-Jack Adapter
221506-1	T37 A41 JB25 X99	TNC Straight Crimp Plug, RG 59, 62
221509-1	T37 H45 JB25 X99	TNC Bulkhead Crimp Jack, RG 59, 62
221543-2	B35 P31 J999 X99	BNC Jack-Plug-Jack Adapter Tee
221551-3	B35 P34 J999 X99	BNC Straight Jack-Jack Adapter
221629-1	B35 Z10 J501 X99	BNC Plug with Chain
222117-1	B37 R88 J999 X99	BNC Bulkhead Jack-Jack Adapter
222165-2	B35 P28 J999 X99	BNC Right Angle Plug-Jack Adapter
225396-1	B35 E43 J010 X99	BNC Straight Crimp Jack, RG 58
225398-1	B35 H45 J010 X99	BNC Bulkhead Crimp Jack, RG 58
225557-2	T35 H45 J010 X99	TNC Bulkhead Crimp Jack, RG 58
225559-2	T35 B28 J010 X99	TNC Right Angle Crimp Plug, RG 58
225669-1	N15 B61 H004 X99	N Right Angle Crimp Plug, RG 9, 13, 214, 216
225669-2	N15 B61 H001 X99	N Right Angle Crimp Plug, RG 8, 213

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

AMP

AMP	M/A-COM	Description
225974-1	B35 B28 J010 X99	BNC Right Angle Crimp Plug, RG 58
227000-5	T35 A41 J010 X99	TNC Straight Crimp Plug, RG 58
227079-5	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58
227161-6	B35 N82 J999 X99	BNC PCB Right Angle Bulkhead Jack Receptacle
227222-6	B35 N83 J999 X99	BNC PCB Straight Jack Receptacle
227241-1	K70 A01 H334 X99	TWINAX Straight Plug, Belden 8227, 9207, Brand REX T8756A, IBM 736221
227682-1	K70 E03 H334 X99	TWINAX Straight Jack, Belden 8227, 9207, Brand REX T8756A, IBM 736221
227715-3	B35 M27 J999 X99	BNC Bulkhead Jack Receptacle
227758-2	T35 M27 J999 X99	TNC Bulkhead Jack Receptacle
227945-2	N15 P12 H999 X99	N Straight Jack-Jack Adapter
228226-1	B35 R88 J999 X99	BNC Bulkhead Jack-Jack Adapter
228284-1	K70 M08 H999 X99	TWINAX Bulkhead Jack Receptacle

This cross reference is meant as a guide for selecting functionally equivalent items and is subject to change.

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

AMPHENOL

Amphenol	M/A-COM	Description	M/A-COM Differences
31-2	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58	-
31-5	B35 E60 J010 X99	BNC Straight Clamp Jack, RG 58	-
31-6	B30 Z01 H999 X99	BNC Plug Cap With Chain (no contact)	-
31-9	B35 P28 J999 X99	BNC Right Angle Plug-Jack Adapter	-
31-10	B35 M46 J999 X99	BNC Bulkhead Insulated Jack Receptacle	-
31-12	B37 A70 J025 X99	BNC Straight Clamp Plug, RG 59, 62	75 ohm equivalent, pressure sleeve cable clamp
31-202	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58	-
31-203	B35 K07 J999 H99	BNC 4-Hole Panel Jack Receptacle	-
31-204	B35 B02 J010 X99	BNC Right Angle Clamp Plug, RG 58	Pressure sleeve cable clamp, cubic body
31-206	B35 H39 J010 X99	BNC Bulkhead Clamp Jack, RG 58	Pressure sleeve cable clamp
31-207	B37 H39 J025 X99	BNC Bulkhead Clamp Jack, RG 59, 62	75 ohm equivalent, pressure sleeve cable clamp
31-208	B35 P31 J999 X99	BNC Jack-Plug-Jack Adapter 50 ohm	-
31-215	B37 E60 J025 X99	BNC Straight Clamp Jack, RG 59, 62	75 ohm equivalent, pressure sleeve cable clamp
31-219	B35 P34 J999 X99	BNC Straight Jack-Jack Adapter	-
31-220H	B35 R87 J999 X99	BNC Bulkhead Jack-Jack Sealed Adapter	-
31-220N	B35 R88 J999 X99	BNC Bulkhead Jack-Jack Adapter	-
31-220N-75	B37 R88 J999 X99	BNC Bulkhead Jack-Jack Adapter	-
31-221	B35 M27 J999 X99	BNC Bulkhead Jack Receptacle	-
31-242	B37 A41 J022 X99	BNC Straight Crimp Plug, RG 179	75 ohm equivalent, different crimp tool
31-245	B37 H45 J022 X99	BNC Bulkhead Crimp Jack, RG 179, 316	75 ohm equivalent, different crimp tool
31-315	B35 A41 J022 X99	BNC Straight Crimp Plug, RG 174, 316	Different crimp tool
31-318	B37 H45 J022 X99	BNC Bulkhead Crimp Jack, RG 179, 316	75 ohm equivalent, different crimp tool
31-320	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58	-
31-320-1006	B35 A41 JB10 X99	BNC Straight Crimp Plug, RG 58, Belden 9907	-
31-321	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62	75 ohm equivalent
31-321-1000	B37 A41 J007 X99	BNC Straight Crimp Plug, Belden 8281	-
31-334	B35 B28 J010 X99	BNC Right Angle Crimp Plug, RG 58	Cubic body
31-336	B37 B28 JB25 X99	BNC Right Angle Clamp Plug, RG 59, 62	75 ohm equivalent, cubic body

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

AMPHENOL

Amphenol	M/A-COM	Description	M/A-COM Differences
31-342	B35 H45 J010 X99	BNC Bulkhead Crimp Jack, RG 58	-
31-343	B37 H45 JB25 X99	BNC Bulkhead Crimp Jack, RG 59, 62	75 ohm equivalent
31-850	B37 B02 J025 X99	BNC Right Angle Clamp Plug, RG 59, 62	75 ohm equivalent, Teflon insulator
31-2300	T35 K07 J999 H99	TNC Panel Jack Receptacle	-
31-2301	T35 M27 J999 X99	TNC Bulkhead Jack Receptacle	-
31-2318	T35 H45 J022 X99	TNC Bulkhead Crimp Jack, RG 174, 316	Different crimp tool
31-2367	T35 A41 J010 X99	TNC Straight Crimp Plug, RG 58	-
31-2368	T37 A41 JB25 X99	TNC Straight Crimp Plug, RG 59, 62	75 ohm equivalent
31-2382	T35 B28 J010 X99	TNC Right Angle Crimp Plug, RG 58	-
31-2383	T37 B28 JB25 X99	TNC Right Angle Crimp Plug, RG 59, 62	75 ohm equivalent
31-2389	T35 H45 J010 X99	TNC Bulkhead Crimp Jack, RG 58	-
31-3301	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58	Nickel body, pressure sleeve cable clamp
31-4320	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58	Nickel body
31-4321	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62	Nickel body
31-4343 (Equiv.)	B37 H45 JB25 X99	BNC Bulkhead Crimp Jack, RG 59, 62	Nickel body
31-4541	B37 A53 J025 X99	BNC Straight Clamp Plug, Quick Assy. RG 59, 62	75 ohm equivalent
31-4791	T35 P34 J999 X99	TNC Straight Jack-Jack 50 ohm Adapter	-
31-4803	B35 R50 J999 X99	BNC Bulkhead Jack-Jack Insulated Adapter	-
31-4803-75	B37 R50 J999 X99	BNC Bulkhead Jack-Jack Insulated Adapter	75 ohm equivalent
31-5141	B37 A41 J422 X99	BNC Straight Crimp Plug, Belden 8218	75 ohm equivalent
31-5158	B35 N14 J999 X99	BNC Straight Jack PCB Receptacle	4 legs vs 3, different footprint
31-5329	B35 N14 J999 X99	BNC Straight Jack PCB Receptacle	4 legs vs 3, different footprint, brass body
31-5431	B35 N82 J999 099	BNC Right Angle PCB Receptacle	Black housing
31-5486	B35 N88 J999 099	BNC Rt. Angle Low Profile Jack PCB Receptacle	Black Housing
31-71001	T37 A41 JB25 X99	TNC Straight Crimp Plug, RG 59, 62	-
31-71002	T37 H45 JB25 X99	TNC Bulkhead Crimp Jack, RG 59, 62	-
31-71004	B37 M27 J999 X99	BNC Bulkhead Jack Receptacle	-
31-71019	B37 P34 J999 X99	BNC Straight Jack-Jack Adapter	-
82-24	N15 K07 H999 C99	N 4-Hole Panel Jack Receptacle	-

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

AMPHENOL

Amphenol	M/A-COM	Description	M/A-COM Differences
82-36	N15 P08 H999 X99	N Jack-Plug-Jack Adapter	-
82-61	N15 A14 H001 X99	N Straight Clamp Plug, RG 8	Pressure sleeve cable clamp
82-62	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8	Pressure sleeve cable clamp
82-62	N15 G06 H004 C99	N 4-Hole Panel Clamp Jack, RG 9, 13, 214, 216	Pressure sleeve cable clamp
82-63	N15 E21 H001 X99	N Straight Clamp Jack, RG 8	Pressure sleeve cable clamp
82-63	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216	Pressure sleeve cable clamp
82-64	N15 P09 H999 X99	N Right Angle Plug-Jack Adapter	-
82-66	N15 R56 H999 X99	N Bulkhead Jack-Jack Adapter	-
82-97	N15 K07 H999 C99	N 4-Hole Panel Jack Receptacle	-
82-99	N15 P29 H999 X99	N Jack-Jack-Jack Adapter	-
82-100	N15 P10 H999 X99	N Straight Plug-Plug Adapter	-
82-101	N15 P12 H999 X99	N Straight Jack-Jack Adapter	-
82-102	N15 P08 H999 X99	N Jack-Plug-Jack Adapter	-
82-106	N10 Z01 H999 X99	N Plug Cap With Chain (no contact)	-
82-202	N15 A14 H001 X99	N Straight Clamp Plug, RG 8	Pressure sleeve cable clamp
82-208	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8	Pressure sleeve cable clamp
82-312	N15 A01 H004 X99	N Straight Clamp Plug, RG 9, 13, 214, 216	Pressure sleeve cable clamp
82-312	N15 A14 H001 X99	N Straight Clamp Plug, RG 8	Pressure sleeve cable clamp
82-326	N15 B03 H001 X99	N Right Angle Clamp Plug, RG 8	Pressure sleeve cable clamp, cubic body
82-326	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 214, 216	Pressure sleeve cable clamp, cubic body
82-336	N15 B61 H004 X99	N Right Angle Crimp Plug RG 9, 13, 214, 216	Nickel body, cubic body
82-336 Non-QPL	N15 B61 H001 X99	N Right Angle Crimp Plug, RG 8	Nickel body
82-340	N15 A61 H001 X99	N Straight Crimp Plug, RG 8	-
82-835	N15 B03 H001 X99	N Right Angle Clamp Plug, RG 8	Pressure sleeve cable clamp

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

AMPHENOL

Amphenol	M/A-COM	Description	M/A-COM Differences
82-835	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 214, 216	Pressure sleeve cable clamp
82-3208	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8	Pressure sleeve cable clamp
82-3208	N15 G06 H004 C99	N 4-Hole Panel Clamp Jack, RG 9, 13, 214, 216	Pressure sleeve cable clamp
82-4425	N15 A61 H004 X99	N Straight Crimp Plug, RG 9, 13, 214, 216	-
82-4426-1001	N15 A61 H373 X99	N Straight Crimp Plug, Ethernet, Belden 9880, 89880	-
82-5375	N15 A61 H010 X99	N Straight Crimp Plug, RG 58	-
82-5379	N15 B61 H010 X99	N Right Angle Crimp Plug, RG 58	Cubic body
82-5589	K70 A01 H334 X99	TWINAX Straight Clamp Plug, Belden 8227,9207	-
82-5590	K70 M08 H999 X99	TWINAX Bulkhead Jack Receptacle	-
82-5591	K70 E03 H334 X99	TWINAX Straight Clamp Jack, Belden 8227, 9207	-
82-5677	K70 P10 H999 X99	TWINAX Jack-Jack-Jack Adapter	-
82-5751	K70 Z16 H999 X99	TWINAX Plug Termination	-
4700-51	B35 Z10 J501 X99	BNC Plug Termination With Chain	Teflon insulator, 3 inch chain, 0.16 inch eyelet
4700-75	B35 Z10 J751 X99	BNC Plug Termination With Chain	Teflon insulator, 3 inch chain, 0.16 inch eyelet
8575	B37 B02 J025 X99	BNC Right Angle Clamp Plug, RG 59, 62	-
15425	N15 B03 H001 X99	N Right Angle Clamp Plug, RG 8	Pressure sleeve cable clamp
15425	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 214, 216	Pressure sleeve cable clamp
15975	N15 B03 H001 X99	N Right Angle Clamp Plug, RG 8	Pressure sleeve cable clamp
15975	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 214, 216	Pressure sleeve cable clamp
18750	N15 B74 H010 X99	N Right Angle Clamp Plug, RG 58	Pressure sleeve cable clamp
26850	K70 P05 H999 X99	TWINAX Jack-Plug-Jack Adapter	-
34025	N15 A55 H010 X99	N Straight Clamp Plug, RG 58	Pressure sleeve cable clamp
34525	N17 A55 H025 X99	N Straight Clamp Plug, RG 59, 62	75 ohm equivalent, pressure sleeve cable clamp

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

AMPHENOL

Amphenol	M/A-COM	Description	M/A-COM Differences
34750	N17 A55 H025 X99	N Straight Clamp Plug, RG 59, 62	75 ohm equivalent, pressure sleeve cable clamp
35025	N15 E31 H010 X99	N Straight Clamp Jack, RG 58	Pressure sleeve cable clamp
35275	N15 H41 H010 X99	N Clamp Bulkhead Jack, RG 58	Pressure sleeve cable clamp
35650-51	B35 Z10 J501 X99	BNC Plug Termination With Chain	3 inch chain, 0.16 inch eyelet
35650-75	B35 Z10 J751 X99	BNC Plug Termination With Chain	3 inch chain, 0.16 inch eyelet
36000	N15 G57 H010 C99	N 4-Hole Panel Clamp Jack, RG 58	Pressure sleeve cable clamp
36500	N17 E31 H025 X99	N Straight Clamp Jack, RG 59, 62	Pressure sleeve cable clamp
36775	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58	-
36800	B35 E43 J010 X99	BNC Straight Crimp Jack, RG 58	-
36825	T35 A41 J010 X99	TNC Straight Crimp Plug, RG 58	-
46650-51	B35 Z98 J501 X99	BNC Plug Termination	-
46650-75	B35 Z98 J751 X99	BNC Plug Termination	-
48000	N15 E21 H001 X99	N Straight Clamp Jack, RG 8	Pressure sleeve cable clamp
48000	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216	Pressure sleeve cable clamp
49000	N15 C20 H999 C99	N 4-Hole Panel Plug Receptacle	-
68150	B37 E43 JB2 X99	BNC Straight Crimp Jack, RG 59, 62	-
68175-1004	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62	-
69350	T37 A41 JB25 X99	TNC Straight Crimp Plug, RG 59, 62	-
73475	T35 A01 J022 X99	TNC Straight Clamp Plug, RG 174, 316	-
78750	T30 Z01 H999 X99	TNC Plug Cap With Chain (no contact)	-
79100	T35 R53 J999 X99	TNC Bulkhead Jack-Jack Adapter	-
79525	T37 A70 J025 X99	TNC Straight Clamp Plug, RG 59, 62	Pressure sleeve cable clamp
79875	T35 A70 J010 X99	TNC Straight Clamp Plug, RG 58	Pressure sleeve cable clamp

This cross reference is meant as a guide for selecting functionally equivalent items and is subject to change.

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

HUBER+SUHNER

Huber+Suhner	M/A-COM	Description	M/A-COM Differences
11BNC-50-2-13C	B35 A41 J022 X99	BNC Straight Crimp Plug, RG 174, 316	-
11BNC-50-3-1	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58	-
11BNC-50-3-4C	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58	-
11BNC-75-2-15C	B37 A41 J022 X99	BNC Straight Crimp Plug, RG 179	-
11BNC-75-4-3C	B37 A70 J025 X99	BNC Straight Clamp Plug, RG 59, 62	-
11BNC-75-4-4C	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62	-
11N-50-3-28C	N15 A61 H010 X99	N Straight Crimp Plug, RG 58	-
11N-50-3-4	N15 A55 H010 X99	N Straight Clamp Plug, RG 58	-
11N-50-7-43C	N15 A61 H004 X99	N Straight Crimp Plug, RG 9, 13, 214, 216	-
11N-75-4-3C	N17 A55 H025 X99	N Straight Clamp Plug, RG 59, 62, 75	-
13N-50-0-1	N15 C20 H999 C99	N Panel Jack Receptacle	Overall Length 1.40
16BNC-50-2-2C	B35 B02 J010 X99	BNC Right Angle Clamp Plug, RG 58	-
16BNC-50-3-13C	B35 B28 J010 X99	BNC Right Angle Crimp Plug, RG 58	-
16BNC-75-4-2C	B37 B02 J025 X99	BNC Right Angle Clamp Plug, RG 59, 62	-
16BNC-75-4-4C	B37 B28 JB25 X99	BNC Right Angle Crimp Plug, RG 59, 62	-
16N-50-3-26C	N15 B61 H010 X99	N Right Angle Crimp Plug, RG 58	-
16N-50-3-3C	N15 B74 H010 X99	N Right Angle Clamp Plug, RG 58	-
16N-50-7-9C	N15 B61 H004 X99	N Right Angle Crimp Plug, RG 9, 13, 214, 216	-
21BNC-50-3-12C	B35 E60 J010 X99	BNC Straight Clamp Jack, RG 58	-
21BNC-50-3-2C	B35 E43 J010 X99	BNC Straight Crimp Jack, RG 58	-
21BNC-75-4-2C	B37 E60 J025 X99	BNC Straight Clamp Jack, RG 59, 62	-
21BNC-75-4-4C	B37 E43 JB25 X99	BNC Straight Crimp Jack, RG 59, 62	-
21N-50-3-5C	N15 E31 H010 X99	N Straight Clamp Jack, RG 58	-
21N-50-7-8C	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216	-
22BNC-50-0-3	B35 M27 J999 X99	BNC Bulkhead Jack Receptacle	OAL 1.33, .629 Flange to interface
22BNC-75-0-1	B37 M27 J999 X99	BNC Bulkhead Jack Receptacle	-
22TNC-50-0-1	T35 M27 J999 X99	TNC Bulkhead Jack Receptacle	-
22TNC-75-0-2	T37 M27 J999 X99	TNC Bulkhead Jack Receptacle	-
23BNC-50-0-16	B35 K07 J999 H99	BNC Panel Jack Receptacle	-
23BNC-75-0-10	B37 K07 J999 H99	BNC Panel Jack Receptacle	-
23N-50-0-1	N15 K07 H999 C99	N Panel Jack Receptacle	-

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

HUBER+SUHNER

Huber+Suhner	M/A-COM	Description	M/A-COM Differences
23TNC-50-0-2	T35 K07 J999 X99	TNC Panel Jack Receptacle	-
23TNC-75-0-2	T37 K07 J999 X99	TNC Panel Jack Receptacle	-
24BNC-50-3-1C	B35 H45 J010 X99	BNC Bulkhead Crimp Jack, RG 58	-
24BNC-50-3-5C	B35 H39 J010 X99	BNC Bulkhead Clamp Jack, RG 58	-
24BNC-75-4-3C	B37 H45 JB25 X99	BNC Bulkhead Crimp Jack, RG 59, 62	-
24BNC-75-4-4C	B37 H39 J025 X99	BNC Bulkhead Clamp Jack, RG 59, 62	-
24N-50-3-10C	N15 H41 H010 X99	N Bulkhead Clamp Jack, RG 58	-
25N-50-3-4C	N15 G57 H010 C99	N 4-Hole Panel Clamp Jack, RG 58	-
31BNC-50-0-1	B35 P34 J999 X99	BNC Straight Jack-Jack Adapter	-
31BNC-75-0-1	B37 P34 J999 X99	BNC Straight Jack-Jack Adapter	-
31N-50-0-2	N15 P12 H999 X99	N Straight Jack-Jack Adapter	-
31TNC-50-0-1	T35 P34 J999 X99	TNC Straight Jack-Jack Adapter	-
32N-50-0-1	N15 P10 H999 X99	N Straight Plug-Plug Adapter	-
34BNC-50-0-1	B35 R50 J999 X99	BNC Bulkhead Jack-Jack Insulated Adapter	-
34BNC-75-0-1	B37 R50 J999 X99	BNC Bulkhead Jack-Jack Insulated Adapter	-
34N-50-0-51	N15 R56 H999 X99	N Bulkhead Jack-Jack Adapter	Maximum Panel .492
34TNC-50-0-1	T35 R53 J999 X99	TNC Bulkhead Jack-Jack Adapter	-
43BNC-50-0-1	B35 P31 J999 X99	BNC Jack-Plug-Jack Adapter	-
43BNC-75-0-1	B37 P31 J999 X99	BNC Jack-Plug-Jack Adapter	-
43N-50-0-1	N15 P08 H999 X99	N Jack-Plug-Jack Adapter	Height 1.377
46N-50-0-1	N15 P29 H999 X99	N Jack-Jack-Jack Adapter	-
53BNC-50-0-1	B35 P28 J999 X99	BNC Right Angle Plug-Jack Adapter	-
53BNC-75-0-1	B37 P28 J999 X99	BNC Right Angle Plug-Jack Adapter	-
53N-50-0-1	N15 P09 H999 X99	N Right Angle Plug-Jack Adapter	-
65BNC-50-0-1	B35 X06 J501 X99	BNC Earthed Plug Termination	OAL 1.22
65BNC-50-0-7	B35 Z98 J501 X99	BNC Plug Termination	-
82BNC-50-0-1	B35 N14 J999 X99	BNC PCB Straight Jack Receptacle	No Standoffs

This cross reference is meant as a guide for selecting functionally equivalent items and is subject to change.

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

KINGS

Kings	M/A-COM	Description	M/A-COM Differences
1206-5-5	N15 B61 H010 X99	N Right Angle Crimp Plug, RG 58	Nickel body, silver contact, not QPL'd
1345-4-33	B35 Z10 J501 X99	BNC Plug Termination With Chain	1 Watt resistor, 3 inch chain
1345-4-34	B35 Z10 J751 X99	BNC Plug Termination With Chain	1Watt resistor, 3 inch chain
1383-1-M06	N15 X41 H999 X99	N Jack Termination	1 Watt resistor
2024-11-9	B37 M27 J999 X99	BNC Bulkhead Jack Receptacle	Different panel cut out
2027-9-9	B37 K07 J999 H99	BNC 4-Hole Panel Jack Receptacle	Different panel cut out
2029-15-9	B37 P34 J999 X99	BNC Straight Jack-Jack Adapter	-
2029-16-5	B37 P31 J999 X99	BNC Jack-Plug-Jack Adapter	Cubic body
2029-17-9	B37 R50 J999 X99	BNC Bulkhead Jack-Jack Insulated Adapter	Plastic housing
2029-9-9	B37 R88 J999 X99	BNC Bulkhead Jack-Jack Adapter	-
KA-19-153	T35 H45 J010 X99	TNC Bulkhead Crimp Jack, RG 58	Nickel body
KA-19-43-M06	T37 H45 JB25 X99	TNC Bulkhead Crimp Jack, RG 59, 62	75 ohm
KA-19-60	T35 H45 J022 X99	TNC Bulkhead Crimp Jack, RG 174, 316	-
KA-59-103	T35 A41 J010 X99	TNC Straight Crimp Plug, RG 58	-
KA-59-143	T35 A70 J010 X99	TNC Straight Clamp Plug, RG 58	Pressure sleeve cable clamp
KA-59-212	T37 A70 J025 X99	TNC Straight Clamp Plug, RG 59, 62	75 ohm pressure sleeve cable clamp
KA-59-264	T35 B28 J010 X99	TNC Right Angle Crimp Plug, RG 58	-
KA-59-289	T35 A01 J022 X99	TNC Straight Clamp Plug, RG 174, 316	Pressure sleeve cable clamp, nickel body
KA-59-94	T37 A41 JB25 X99	TNC Straight Crimp Plug, RG 59, 62	75 ohm
KA-79-28	T35 M27 J999 X99	TNC Bulkhead Jack Receptacle	-
KA-79-39	T35 K07 J999 H99	TNC Panel Jack Receptacle	Nickel body, not QPL'd
KA-89-18	T30 Z01 H999 X99	TNC Plug Cap With Chain (no contact)	3 inch chain
KA-99-114-M06	T35 R53 J999 X99	TNC Bulkhead Jack-Jack Adapter	-
KA-99-62	T35 P34 J999 X99	TNC Straight Jack-Jack	-
KC-19-182	B37 H45 JB25 X99	BNC Bulkhead Crimp Jack, RG 59, 62	75ohm
KC-19-196	B35 H39 J010 X99	BNC Bulkhead Clamp Jack, RG 58	Pressure sleeve cable clamp
KC-19-250-M06	B35 H45 J010 X99	BNC Bulkhead Crimp Jack, RG 58	-
KC-19-268	B37 H39 J025 X99	BNC Bulkhead Clamp Jack, RG 59, 62	Pressure sleeve cable clamp

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

KINGS

Kings	M/A-COM	Description	M/A-COM Differences
KC-19-293-M06	B37 H45 J022 X99	BNC Bulkhead Crimp Jack, RG 179, 316	75 ohm
KC-19-93	B37 H45 J022 X99	BNC Bulkhead Crimp Jack, RG 179, 316	75 ohm
KC-39-38	B35 E43 J010 X99	BNC Straight Crimp Jack, RG 58	-
KC-39-43	B35 E60 J010 X99	BNC Straight Clamp Jack, RG 58	Pressure sleeve cable clamp
KC-39-45	B37 E43 JB25 X99	BNC Straight Crimp Jack, RG 59, 62	75 ohm
KC-39-54	B37 E60 J025 X99	BNC Straight Clamp Jack, RG 59, 62	75 ohm pressure sleeve cable clam
KC-59-139	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58	Pressure sleeve cable clamp
KC-59-152	B35 A41 J022 X99	BNC Straight Crimp Plug, RG 174, 316	-
KC-59-153	B35 B28 J010 X99	BNC Right Angle Crimp Plug, RG 58	Cubic body
KC-59-179	B35 02 J010 X99	BNC Right Angle Clamp Plug, RG 58	Cubic body, pressure sleeve cable clamp
KC-59-19	B37 B02 J025 X99	BNC Right Angle Clamp Plug, RG 59, 62	Cubic body, pressure sleeve cable clamp, nickel body, 75 ohm
KC-59-222	B37 B28 JB25 X99	BNC Right Angle Crimp Plug, RG 59, 62	Cubic body, nickel body, 75 ohm
KC-59-296	B37 A70 J025 X99	BNC Straight Clamp Plug, RG 59, 62	Pressure sleeve cable clamp, 75 ohm
KC-59-307	B37 A41 J422 X99	BNC Straight Crimp Plug, Belden 8218	75 ohm
KC-59-362	B37 A41 J022 X99	BNC Straight Crimp Plug, RG 179	75 ohm
KC-59-465	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62	75 ohm
KC-59-616-M06	B37 A41 J007 X99	BNC Straight Crimp Plug, Belden 8281	75 ohm
KC-59-632-M06	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58	Gold center contact
KC-59-673-M06	B37 A53 J025 X99	BNC Straight Clamp Plug, Quick Assy. RG 59, 62	75 ohm
KC-79-132	B35 K07 J999 H99	BNC 4-Hole Panel Jack Receptacle	Nickel body non QPL'd
KC-79-197	B35 M46 J999 X99	BNC Bulkhead Insulated Jack Receptacle	-
KC-79-274-M06	B35 N14 J999 X99	BNC Straight Jack PCB Receptacle	Gold center contact
KC-79-35	B35 M27 J999 X99	BNC Bulkhead Jack Receptacle	Gold contact
KC-89-48	B30 Z01 H999 X99	BNC Plug Cap With Chain (no contact)	3 inch chain
KC-89-49	B35 Z98 J501 X99	BNC Plug Termination	Nickel body, 50 ohm resistor
KC-89-57-M06	B35 Z98 J751 X99	BNC Plug Termination	-

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

KINGS

Kings	M/A-COM	Description	M/A-COM Differences
KC-99-30	B35 P34 J999 X99	BNC Straight Jack-Jack Adapter	Gold contact
KC-99-31	B35 P31 J999 X99	BNC Jack-Plug-Jack Adapter	Gold contact
KC-99-33	B35 R87 J999 X99	BNC Bulkhead Jack-Jack Sealed Adapter	Gold contact
KC-99-35	B35 P28 J999 X99	BNC Right Angle Plug-Jack Adapter	Gold contact
KC-99-54	B35 R50 J999 X99	BNC Bulkhead Jack-Jack Insulated Adapter	Plastic housing and threads
KC-99-95-M06	B35 R88 J999 X99	BNC Bulkhead Jack-Jack Adapter	Gold contact
KN-19-114-M06	N15 H32 H001 X99	N Clamp Bulkhead Jack, RG 8	King's cable group M only/pressure sleeve cable clamp
KN-19-114-M06	N15 H32 H004 X99	N Clamp Bulkhead Jack, RG 9, 13, 214, 216	King's cable group N only/pressure sleeve cable clamp
KN-19-121	N15 G57 H010 C99	N 4-Hole Panel Clamp Jack, RG 58	Pressure sleeve cable clamp
KN-19-22	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8	Pressure sleeve cable clamp, King's cable group M only
KN-19-22	N15 G06 H004 C99	N 4-Hole Panel Clamp Jack, RG 9, 13, 214, 216	Pressure sleeve cable clamp, King's cable group N only
KN-19-86	N15 H41 H010 X99	N Clamp Bulkhead Jack, RG 58	Pressure sleeve cable clamp
KN-39-01	N15 E31 H010 X99	N Straight Clamp, RG 58	Pressure sleeve cable clamp
KN-39-77	N15 E21 H001 X99	N Straight Clamp Jack, RG 8	Pressure sleeve cable clamp, King's cable group M only
KN-39-77	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216	Pressure sleeve cable clamp, King's cable group N
KN-39-84	N17 E31 H025 X99	N Straight Clamp Jack, RG 59, 62	Pressure sleeve cable clamp, 75 ohm
KN-59-104	N15 A61 H004 X99	N Straight Crimp Plug, RG 9, 13, 214, 216	No safety wire holes
KN-59-121	N15 A55 H010 X99	N Straight Clamp Plug, RG 58	Pressure sleeve cable clamp/no wire holes
KN-59-132	N15 A61 H001 X99	N Straight Crimp Plug, RG 8	-

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

KINGS

Kings	M/A-COM	Description	M/A-COM Differences
KN-59-179	N15 B03 H001 X99	N Right Angle Clamp Plug, RG 8	Nickel body, King's cable group M-1 only
KN-59-179	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 216	Nickel body, King's 214, cable group N-1 only
KN-59-204-M06	N15 A61 H010 X99	N Straight Crimp Plug, RG 58	No wire holes
KN-59-208	N15 A01 H004 X99	N Straight Clamp Plug, RG 9, 13, 214, 216	King's cable group N only
KN-59-208	N15 A14 H001 X99	N Straight Clamp Plug, RG 8	King's cable group M only
KN-59-213	N17 A55 H025 X99	N Straight Clamp Plug, RG 59, 62	75 ohm, pressure sleeve cable clamp
KN-59-241	N15 B61 H004 X99	N Right Angle Crimp Plug RG 9, 13, 214, 216	No wire holes
KN-59-244	N15 B61 H001 X99	N Right Angle Crimp Plug, RG 8	Nickel body, silver contact, no wire holes
KN-59-271	N15 B74 H010 X99	N Right Angle Clamp Plug, RG 58	No wire holes
KN-59-357-M06	N15 A61 H373 X99	N Straight Crimp Plug, Ethernet, Belden 9880, 89880	No wire holes
KN-79-40	N15 K07 H999 C99	N 4-Hole Panel Jack Receptacle	-
KN-79-45-M06	N15 C20 H999 C99	N 4-Hole Panel Plug Receptacle	-
KN-89-28	N10 Z01 H999 X99	N Plug Cap With Chain (no contact)	5 inch chain, 0.63 dia. eyelet
KN-99-34-M06	N15 R56 H999 X99	N Bulkhead Jack-Jack Adapter	-
KN-99-44	N15 P10 H999 X99	N Straight Plug-Plug Adapter	-
KN-99-48	N15 P08 H999 X99	N Jack-Plug-Jack Adapter	Cubic body
KN-99-50	N15 P12 H999 X99	N Straight Jack-Jack Adapter	-
KN-99-69	N15 P09 H999 X99	N Right Angle Plug-Jack Adapter	Cubic body
KN-99-71	N15 P29 H999 X99	N Jack-Jack-Jack Adapter	Cubic body
KU-59-07-M06	U40 A32 H010 X99	UHF Straight Clamp Plug, RG 58	Teflon insulation, clamp not crimp
KU-59-22	U40 A01 H004 X99	UHF Straight Solder Plug, RG 9, 13, 214, 216	Teflon insulation
U-59-99-M06	K70 A01 H334 X99	TWINAX Straight Clamp Plug, Belden 8227, 9207	-
KU-71-02-M06	U40 K03 H999 H99	UHF Panel Jack Receptacle	Teflon insulation
KU-79-19	U40 M10 H999 C99	UHF Bulkhead Jack Receptacle	-
KU-79-20	U40 K03 H999 H99	UHF Panel Jack Receptacle	-

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

KINGS

Kings	M/A-COM	Description	M/A-COM Differences
KU-79-51-M06	K70 M08 H999 X99	TWINAX Bulkhead Jack Receptacle	-
KU-89-05	U40 X09 H999 X99	UHF Reducing Adapter, 59, 62	-
KU-89-06	U40 X08 H999 X99	UHF Reducing Adapter, RG 58	-
KU-89-31-M06	K70 Z16 H999 X99	TWINAX Plug Termination	-
KU-99-08	U40 P06 H999 X99	UHF Straight Jack-Jack Adapter	-
KU-99-12	U40 P42 H999 X99	UHF Jack-Plug-Jack Adapter	Cubic body
UG-224/U	U40 R77 H999 X99	UHF Bulkhead Jack-Jack Adapter	"D" shaped mounting hole, nickel body

This cross reference is meant as a guide for selecting functionally equivalent items and is subject to change.

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

RADIAL

Radiall	M/A-COM	Description	M/A-COM Differences
R141010	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58	-
R141072	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58	-
R141075	B35 A41 J022 X99	BNC Straight Crimp Plug, RG 174, 316	-
R141156	B35 B02 J010 X99	BNC Right Angle Clamp Plug, RG 58	-
R141182	B35 B28 J010 X99	BNC Right Angle Crimp Plug, RG 58	-
R141220	B35 E43 J010 X99	BNC Straight Crimp Jack, RG 58	-
R141404	B35 K07 J999 H99	BNC Panel Jack Receptacle	-
R141412	B37 K07 J999 H99	BNC Panel Jack Receptacle	-
R141426161	B35 N14 J999 X99	BNC Straight Jack Receptacle	-
R141704	B35 P34 J999 X99	BNC Straight Jack-Jack Adapter	-
R141730	B35 R87 J999 X99	BNC Bulkhead Jack-Jack Adapter	-
R141770	B35 P28 J999 X99	BNC Right Angle Plug-Jack Adapter	-
R141780	B35 P31 J999 X99	BNC Jack-Plug-Jack Tee Adapter	-
R141812	B30 Z01 H999 X99	BNC Plug Cap with Chain	-
R142076	B37 A41 J022 X99	BNC Straight Crimp Plug, RG 179	-
R143557	T35 M27 J999 X99	BNC Bulkhead Jack Receptacle	-
R143704	T35 P34 J999 X99	TNC Straight Jack-Jack Adapter	-
R143812	T30 Z01 H999 X99	TNC Plug Cap with Chain (no contact)	-
R161010	N15 A55 H010 X99	N Straight Clamp Plug, RG 58	-
R161082	N15 A61 H010 X99	N Straight Crimp Plug, RG 58	-
R161088	N15 A61 H004 X99	N Straight Crimp Plug, RG 9, 13, 214, 216	-
R161168	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 214, 216	-
R161187	N15 B61 H004 X99	N Right Angle Crimp Plug, RG 9, 13, 214, 216	-
R161206	N15 E31 H010 X99	N Straight Clamp Plug, RG 58	-
R161218	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216	-
R161256	N15 G57 H010 C99	N 4-Hole Panel Clamp Jack, RG 58	-
R161404	N15 K07 H999 C99	N Panel Jack Receptacle	-
R161441	N15 C20 H999 C99	N Panel Jack Receptacle	-
R161703	N15 P10 H999 X99	N Straight Plug-Plug Adapter	-
R161705	N15 P12 H999 X99	N Straight Jack-Jack Adapter	-
R161753	N15 R56 H999 X99	N Bulkhead Jack-Jack Adapter	-
R161771	N15 P09 H999 X99	N Right Angle Plug-Jack Adapter	-
R161780	N15 P08 H999 X99	N Jack-Plug-Jack Adapter	-

M/A-COM, Inc.

North America: Tel. (800) 366-2266 ■ Asia/Pacific: Tel. +85 2 2111 8088 ■ Europe: Tel. +44 (1344) 869 595
 Fax (800) 618-8883 Fax +85 2 2111 8087 Fax +44 (1344) 300 020

Competitive Cross Reference

RADIAL

Radiall	M/A-COM	Description	M/A-COM Differences
R161782	N15 P29 H999 X99	N Jack-Jack-Jack Adapter	-
R161853	N10 Z01 H999 X99	N Plug Cap with Chain	-
R214075	B67 A43 T022 X99	SMB Straight Crimp Female, 75 Ohm	Solder Clamp
R214186	B67 B44 T022 X99	SMB Right Angle Crimp Female, 75 Ohm	Solder Clamp
R214312	B67 H45 T022 X99	SMB Bulkhead Crimp Male, 75 Ohm	Solder Clamp
R214426	B67 N07 T999 X99	SMB PCB Straight Receptacle Male, 75 Ohm	-
R214665	B67 N10 T999 X99	SMB PCB Right Angle Receptacle Male, 75 Ohm	-

This cross reference is meant as a guide for selecting functionally equivalent items and is subject to change.

M/A-COM, Inc.

North America: Tel. (800) 366-2266 ■ Asia/Pacific: Tel. +85 2 2111 8088 ■ Europe: Tel. +44 (1344) 869 595
Fax (800) 618-8883 Fax +85 2 2111 8087 Fax +44 (1344) 300 020

Competitive Cross Reference

REFERENCE EQUIVALENTS

Reference Equivalent	M/A-COM	Description
CW-123	B30 Z01 H999 X99	BNC Plug Cap With Chain (no contact)
IBM 1836444	B37 A53 J025 X99	BNC Straight Clamp Plug, Quick Assy. RG 59, 62
IBM 4178269	K70 P05 H999 X99	TWINAX Jack-Plug-Jack Adapter
IBM 6091068	K70 Z16 H999 X99	TWINAX Plug Termination
IBM 6851167	K70 P10 H999 X99	TWINAX Jack-Jack-Jack Adapter
IBM 7362179	K70 M08 H999 X99	TWINAX Bulkhead Jack Receptacle
IBM 7362229	K70 A01 H334 X99	TWINAX Straight Clamp Plug, Belden 8227, 9207
M-358	U40 P42 H999 X99	UHF Jack-Plug-Jack Adapter
MIL-C-23329/3-01, 3-03	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58
MIL-C-23329/3-05	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62
MIL-C-23329/3-15, 3-17	B35 H45 J010 X99	BNC Bulkhead Crimp Jack, RG 58
MIL-C-23329/3-19	B37 H45 JB25 X99	BNC Bulkhead Crimp Jack, RG 59, 62
MIL-C-23329/4-01, 4-03	T35 A41 J010 X99	TNC Straight Crimp Plug, RG 58
MIL-C-23329/4-05	T37 A41 JB25 X99	TNC Straight Crimp Plug, RG 59, 62
MIL-C-23329/4-13, 4-15	T35 H45 J010 X99	TNC Bulkhead Crimp Jack, RG 58
MIL-C-39012/01-0501	N15 A61 H004 X99	N Straight Crimp Plug, RG 9, 13, 214, 216
MIL-C-39012/05 B0003	N15 B61 H001 X99	N Right Angle Crimp Plug, RG 8
MIL-C-39012/05 B0003	N15 B61 H004 X99	N Right Angle Crimp Plug RG 9, 13, 214, 216
MIL-C-39012/16-0013	B35 A41 J010 X99	BNC Straight Crimp Plug, RG 58
MIL-C-39012/16-0015	B37 A41 JB25 X99	BNC Straight Crimp Plug, RG 59, 62
MIL-C-39012/16-0101	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58
MIL-C-39012/19-0015	B37 H45 JB25 X99	BNC Bulkhead Crimp Jack, RG 59, 62
MX-554	B35 Z10 J501 X99	BNC Plug Termination With Chain
MX-554	B35 Z10 J751 X99	BNC Plug Termination With Chain
MX-913	N10 Z01 H999 X99	N Plug Cap With Chain (no contact)
PL-258	U40 P06 H999 X99	UHF Straight Jack-Jack Adapter
PL-259	U40 A01 H004 X99	UHF Straight Solder Plug, RG 9, 13, 214, 216
SO-239	U40 K03 H999 C99	UHF Panel Jack Receptacle
SO-239A	U40 K03 H999 C99	UHF Panel Jack Receptacle
UG-21B/U	N15 A01 H004 X99	N Straight Clamp Plug, RG 9, 13, 214, 216
UG-21B/U	N15 A14 H001 X99	N Straight Clamp Plug, RG 8
UG-21D/U	N15 A01 H004 X99	N Straight Clamp Plug, RG 9, 13, 214, 216
UG-21D/U	N15 A14 H001 X99	N Straight Clamp Plug, RG 8

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

■ Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

■ Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

REFERENCE EQUIVALENTS

Reference Equivalent	M/A-COM	Description
UG-22B/U	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8
UG-22B/U	N15 G06 H004 C99	N 4-Hole Panel Clamp Jack, RG 9, 13, 214, 216
UG-22D/U	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8
UG-22D/U	N15 G06 H004 C99	N 4-Hole Panel Clamp Jack, RG 9, 13, 214, 216
UG-22E/U	N15 G06 H001 C99	N 4-Hole Panel Clamp Jack, RG 8
UG-22E/U	N15 G06 H004 C99	N 4-Hole Panel Clamp Jack, RG 9, 13, 214, 216
UG-23/U	N15 E21 H001 X99	N Straight Clamp Jack, RG 8
UG-23/U	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216
UG-23B/U	N15 E21 H001 X99	N Straight Clamp Jack, RG 8
UG-23B/U	N15 E21 H004 X99	N Straight Clamp Jack, RG 9, 13, 214, 216
UG-27A/U	N15 P09 H999 X99	N Right Angle Plug-Jack Adapter 50 ohm
UG-28A/U	N15 P29 H999 X99	N Jack-Jack-Jack Adapter
UG-29B/U	N15 P12 H999 X99	N Straight Jack-Jack Adapter
UG-30/U	N15 R56 H999 X99	N Bulkhead Jack-Jack Adapter
UG-57B/U	N15 P10 H999 X99	N Straight Plug-Plug Adapter
UG-58/U	N15 K07 H999 C99	N 4-Hole Panel Jack Receptacle
UG-58A/U	N15 K07 H999 C99	N 4-Hole Panel Jack Receptacle
UG-88/U	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58
UG-88C/U	B35 A11 J010 X99	BNC Straight Clamp Plug, RG 58
UG-89/U	B35 E60 J010 X99	BNC Straight Clamp Jack, RG 58
UG-107A/U	N15 P08 H999 X99	N Jack-Plug-Jack Adapter
UG-107B/U	N15 P08 H999 X99	N Jack-Plug-Jack Adapter
UG-160A/U	N15 H32 H001 X99	N Bulkhead Clamp Jack, RG 8
UG-160A/U	N15 H32 H004 X99	N Bulkhead Clamp Jack, RG 9, 13, 214, 216
UG-175/U	U40 X08 H999 X99	UHF Reducing Adapter, RG 58
UG-176/U	U40 X09 H999 X99	UHF Reducing Adapter, RG 59, 62
UG-260/U	B37 A70 J025 X99	BNC Straight Clamp Plug, RG 59, 62
UG-261B/U	B37 E60 J025 X99	BNC Straight Clamp Jack, RG 59, 62
UG-274A/U	B35 P31 J999 X99	BNC Jack-Plug-Jack Adapter
UG-290A	B35 K07 J999 H99	BNC 4-Hole Panel Jack Receptacle
UG-306/U	B35 P28 J999 X99	BNC Right Angle Plug-Jack Adapter
UG-363/U	U40 R77 H999 X99	UHF Bulkhead Jack-Jack Adapter
UG-492A/U	B37 R87 J999 X99	BNC Bulkhead Jack-Jack Sealed Adapter

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Competitive Cross Reference

REFERENCE EQUIVALENTS

Reference Equivalent	M/A-COM	Description
UG-536/U	N15 A55 H010 X99	N Straight Clamp Plug, RG 58
UG-594A/U	N15 B03 H001 X99	N Right Angle Clamp Plug, RG 8
UG-594A/U	N15 B03 H004 X99	N Right Angle Clamp Plug, RG 9, 13, 214, 216
UG-602/U	N17 E31 H025 X99	N Straight Clamp Jack, RG 59, 62
UG-603A/U	N17 A55 H025 X99	N Straight Clamp Plug, RG 59, 62
UG-680/U	N15 M33 H999 X99	N Bulkhead Jack Receptacle
UG-909/U	B35 H39 J010 X99	BNC Bulkhead Clamp Jack, RG 58
UG-910/U	B37 H39 J025 X99	BNC Bulkhead Clamp Jack, RG 59, 62
UG-914/U	B35 B02 J010 X99	BNC Right Angle Clamp Plug, RG 58
UG-914/U	B35 P34 J999 X99	BNC Straight Jack-Jack Adapter
UG-1094/U	B35 M27 J999 X99	BNC Bulkhead Jack Receptacle
UG-1185/U	N15 A01 H004 X99	N Straight Clamp Plug, RG 9, 13, 214, 216
UG-1185/U	N15 A14 H001 X99	N Straight Clamp Plug, RG 8
WANG 350-2076	T35 P34 J999 X99	TNC Straight Jack-Jack Adapter
WANG 350-3055	T35 R53 J999 X99	TNC Bulkhead Jack-Jack Adapter

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

■ Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

■ Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
0119574.....	183	2098-0323-54.....	141	5801-7985-63.....	136	906-91-605.....	184
0119574.....	184	2367-0000-54.....	145	5802-7985-63.....	136	906-91-634.....	184
0119574.....	184	2367-5001-54.....	145	5807-5000-09.....	134	906-91-635.....	184
0119574.....	185	2367-5002-54.....	145	5818-5002-10.....	135	906-91-649.....	184
0119574.....	185	2367-5006-54.....	145	5818-5003-10.....	135	906-91-650.....	184
0119574.....	186	2367-5015-54.....	145	5818-5004-10.....	135	906-91-920.....	186
0119673.....	183	2367-5016-54.....	145	5818-5005-10.....	135	906-92-633.....	185
0119730.....	192	2380-2240-00.....	151	5831-5001-10.....	134	906-92-634.....	185
0120010.....	192	2381-2241-00.....	151	5831-5002-10.....	134	906-92-635.....	185
0120011.....	192	2382-2240-00.....	151	5831-5003-10.....	134	906-93-572.....	185
0120012.....	192	2382-2241-00.....	151	5837-5002-10.....	135	906-93-604.....	185
0120013.....	192	2598-5006-54.....	128	5837-5003-10.....	135	906-93-637.....	185
0120249.....	189	2598-5006-54.....	140	5837-5006-10.....	135	906-93-638.....	185
0120250.....	189	2598-5007-54.....	128	5837-5010-63.....	135	906-93-682.....	185
0120559.....	189	2598-5007-54.....	140	5862-5002-10.....	137	906-93-683.....	185
0120560.....	189	2598-5314-54.....	140	5862-5003-10.....	137	906-93-686.....	185
0120984.....	192	2598-5342-54.....	150	5862-5004-10.....	137	906-95-605.....	184
0120985.....	192	2598-5379-54.....	128	5862-5007-13.....	138	906-95-634.....	184
0120992.....	193	2598-5380-54.....	128	5863-0000-10.....	137	906-95-635.....	184
0120993.....	193	2598-5380-54.....	140	5864-5001-10.....	137	911-90-505.....	183
0121143.....	189	2598-5401-54.....	150	5864-5002-10.....	137	911-91-505.....	183
0121144.....	189	2831-7316-02.....	127	5864-5003-10.....	137	911-95-522.....	183
0121190.....	190	2831-7341-02.....	127	5880-2240-00.....	140	914-90-505.....	183
0121191.....	190	2831-7388-02.....	127	5881-2241-00.....	140	914-91-505.....	183
0121192.....	190	2834-7316-02.....	127	5882-2240-00.....	140	914-95-522.....	183
0121193.....	190	2834-7341-02.....	127	5882-2241-00.....	140	921-99-100.....	191
0121194.....	190	2834-7358-02.....	127	5899-5004-54.....	138	921-99-103.....	191
0121195.....	190	2834-7388-02.....	127	900-108-505.....	187	921-99-114.....	192
0121196.....	190	2837-7316-02.....	127	900-108-533.....	187	921-99-130.....	191
0121197.....	190	2837-7341-02.....	127	900-108-600.....	187	921-99-131.....	191
0121198.....	190	2837-7358-02.....	127	900-109-659.....	187	921-99-500.....	191
0121199.....	190	2837-7388-02.....	127	900-91-837.....	183	921-99-503.....	191
0122505.....	189	5698-5014-54.....	128	901-99-562.....	189	921-99-506.....	190
0122506.....	189	5698-5014-54.....	141	901-99-639.....	189	921-99-514.....	192
0122703.....	189	5698-5015-54.....	128	901-99-911.....	189	9950-1100-23.....	147
0122715.....	193	5698-5015-54.....	141	906-90-604.....	184	9950-1200-23.....	147
0122716.....	193	5698-5015-54.....	141	906-90-637.....	184	9950-1305-23.....	147
2098-0105-54.....	141	5698-5017-54.....	128	906-90-638.....	184	9950-2100-23.....	149
2098-0323-54.....	128	5698-5017-54.....	141	906-91-546.....	184	9950-2200-23.....	149

M/A-COM, Inc.

North America: Tel. (800) 366-2266 ■ Asia/Pacific: Tel. +85 2 2111 8088 ■ Europe: Tel. +44 (1344) 869 595
Fax (800) 618-8883 Fax +85 2 2111 8087 Fax +44 (1344) 300 020

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
9950-2305-23	149	B30 Z04 • 999 X99	41	B35 E13 • 010 X99	16	B35 M13 • 999 X99	24
9950-3100-23	147	B35 A01 • 010 X99	9	B35 E20 • 010 X99	16	B35 M26 • 999 X99	24
9950-3200-23	147	B35 A01 • 022 X99	9	B35 E43 • 010 X99	17	B35 M27 • 999 X99	24
9950-3305-23	147	B35 A01 • 024 X99	9	B35 E43 • 022 X99	17	B35 M29 • 999 X99	24
9950-4100-XX	148	B35 A01 • 029 X99	9	B35 E43 • 060 X99	17	B35 M41 • 999 X99	24
9950-4200-01	149	B35 A01 • 030 X99	9	B35 E60 • 010 X99	16	B35 M43 • 999 X99	25
9950-4200-XX	148	B35 A01 • 073 X99	9	B35 E60 • 022 X99	16	B35 M46 • 999 X99	26
9950-4305-XX	148	B35 A03 • 001 X99	10	B35 G04 • 022 †99	18	B35 M49 • 999 X99	26
9952-1100-23	147	B35 A03 • 004 X99	10	B35 G04 • 024 †99	18	B35 M63 • 999 X99	24
9952-1200-23	147	B35 A04 • B10 X99	11	B35 G04 • 073 †99	18	B35 M66 • 999 X99	25
9952-1305-23	147	B35 A06 • 010 X99	8	B35 G06 • 010 †99	18	B35 M84 • 999 X99	24
9952-2100-23	149	B35 A07 • 010 X99	8	B35 G24 • 010 †99	18	B35 N14 • 999 X99	28
9952-2200-23	149	B35 A11 • 010 X99	9	B35 G44 • 010 †99	19	B35 N57 • 999 X99	28
9952-2305-23	149	B35 A18 • 010 X99	8	B35 G44 • 022 †99	19	B35 N61 • 999 X99	28
9952-3100-23	147	B35 A26 • 339 X99	14	B35 G44 • 060 †99	19	B35 N62 • 999 X99	29
9952-3200-23	147	B35 A26 • 344 X99	14	B35 G57 • 010 †99	18	B35 N63 • 999 X99	29
9952-3305-23	147	B35 A41 • 010 X99	10	B35 G57 • 022 †99	18	B35 N64 • 999 X99	29
9952-4100-XX	148	B35 A41 • 022 X99	10	B35 G57 • 060 †99	18	B35 N82 • 909 099	31
9952-4200-XX	148	B35 A41 • 060 X99	10	B35 H03 • 022 X99	21	B35 N82 • 909 999	31
9952-4305-XX	148	B35 A51 • B10 X99	43	B35 H03 • 024 X99	21	B35 N82 • 999 099	31
A55 P04 • 999 X99	35	B35 A52 • B10 X99	44	B35 H05 • 010 X99	20	B35 N82 • 999 999	31
A55 P04 • 999 X99	89	B35 A70 • 009 X99	8	B35 H06 • 010 X99	20	B35 N83 • 909 099	30
A55 P07 • 999 X99	36	B35 A70 • 010 X99	8	B35 H07 • 010 X99	20	B35 N83 • 909 999	30
A55 P08 • 999 X99	36	B35 A70 • 022 X99	8	B35 H14 • B10 X99	22	B35 N83 • 999 099	30
A55 P09 • 999 X99	89	B35 A70 • 060 X99	8	B35 H30 • 022 X99	20	B35 N83 • 999 999	30
A55 P21 E999 X99	103	B35 A71 • 027 X99	8	B35 H30 • 024 X99	20	B35 N88 • 909 099	31
A55 P22 E999 X99	104	B35 A98 H010 X99	12	B35 H39 • 009 X99	20	B35 N88 • 909 999	31
A55 P23 E999 X99	104	B35 B02 • 010 X99	13	B35 H39 • 010 X99	20	B35 N88 • 999 099	31
A55 P24 E999 X99	104	B35 B02 • 022 X99	13	B35 H39 • 022 X99	20	B35 N88 • 999 999	31
A55 P28 • 999 X99	36	B35 B12 • 010 X99	13	B35 H45 • 010 X99	22	B35 N94 • 909 099	32
A55 P28 • 999 X99	88	B35 B28 • 010 X99	13	B35 H45 • 022 X99	22	B35 N95 • 909 099	30
A55 P31 • 999 X99	37	B35 B28 • 022 X99	13	B35 H45 • 060 X99	22	B35 N98 • 999 X99	30
A55 P32 • 999 X99	89	B35 B28 • 060 X99	13	B35 H51 • 022 X99	23	B35 N99 • 999 X99	31
A55 P36 • 999 X99	37	B35 C86 • 999 †99	15	B35 H51 • B10 X99	23	B35 P17 • 999 X99	44
A55 P38 • 999 X99	37	B35 D76 • 999 X99	15	B35 K07 • 999 †99	26	B35 P18 • 999 X99	44
A57 P01 T999 X99	167	B35 E03 • 022 X99	16	B35 K14 • 999 †99	27	B35 P28 • 999 X99	33
B30 Z01 • 999 X99	41	B35 E03 • 030 X99	16	B35 K83 • 999 †99	27	B35 P31 • 999 X99	35
B30 Z02 • 999 X99	41	B35 E06 • 010 X99	16	B35 M08 • 999 X99	24	B35 P32 • 999 X99	32
B30 Z03 • 999 X99	41	B35 E07 • 010 X99	16	B35 M09 • 999 X99	25	B35 P34 • 999 X99	32

M/A-COM, Inc.

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
B35 P96 • 999 X99.....35		B37 A55 • 062 X99.....10		B37 E60 • 012 X99.....16		B37 M63 • 999 X9924	
B35 R50 • 999 X99.....34		B37 A55 • 117 X9910		B37 E60 • 022 X99.....16		B37 M66 • 999 X9925	
B35 R81 • 999 †99.....33		B37 A70 • 012 X99.....8		B37 E60 • 025 X99.....16		B37 M84 • 999 X9924	
B35 R87 • 999 X99.....34		B37 A70 • 022 X99.....8		B37 E60 • 052 X99.....16		B37 P28 • 999 X99.....33	
B35 R88 • 999 X99.....33		B37 A70 • 025 X99.....8		B37 E93 • 062 X99.....17		B37 P31 • 999 X99.....35	
B35 X06 • 501 X99.....40		B37 A70 • 030 X99.....8		B37 G44 • A25 †99.....19		B37 P32 • 999 X99.....32	
B35 X06 • 751 X99.....40		B37 A70 • 052 X99.....8		B37 G44 • B25 †9919		B37 P34 • 999 X99.....32	
B35 X13 • 999 X99.....42		B37 A70 • 062 X99.....8		B37 G57 • 012 †99.....18		B37 P96 • 999 X99.....35	
B35 X20 • 999 X99.....42		B37 A70 • 117 X998		B37 G57 • 022 †99.....18		B37 R50 • 999 X99.....34	
B35 X21 • 003 X99.....40		B37 A70 • 119 X998		B37 G57 • 025 †99.....18		B37 R81 • 999 †99.....33	
B35 X21 • 006 X99.....40		B37 A71 • 007 X99.....8		B37 G57 • 052 †99.....18		B37 R87 • 999 X99.....34	
B35 X21 • 010 X99.....40		B37 A71 • 027 X99.....8		B37 G57 • 119 †99.....18		B37 R88 • 999 X99.....33	
B35 X21 • 020 X99.....40		B37 A71 • 028 X99.....8		B37 G94 • 062 †99.....19		B37 X21 • 003 X99.....40	
B35 X25 • 999 X99.....42		B37 A71 • 079 X99.....8		B37 G94 • 117 † 9919		B37 X21 • 006 X99.....40	
B35 X60 • 999 X99.....38		B37 A74 • A25 X99.....12		B37 H07 • 025 X99.....20		B37 X21 • 010 X99.....40	
B35 X67 • 999 X99.....38		B37 A91 • 030 X9911		B37 H39 • 012 X99.....20		B37 X21 • 020 X99.....40	
B35 X68 • 999 X99.....39		B37 A91 • 062 X9911		B37 H39 • 022 X99.....20		B37 X30 • 999 X99.....42	
B35 X73 • 999 X99.....43		B37 A91 • 117 X9911		B37 H39 • 025 X99.....20		B37 X33 • 999 X99.....42	
B35 X78 • 999 X99.....43		B37 A98 HA25 X9912		B37 H39 • 052 X99.....20		B37 X36 • 999 X99.....42	
B35 Z10 • 501 X99.....39		B37 B02 • 012 X99.....13		B37 H40 • 025 X99.....20		B65 A01 G022 X99111	
B35 Z10 • 751 X99.....39		B37 B02 • 022 X99.....13		B37 H45 • 012 X99.....22		B65 A01 G024 X99111	
B35 Z11 • 999 X9938		B37 B02 • 025 X99.....13		B37 H45 • 022 X99.....22		B65 A01 G073 X99.....119	
B35 Z98 • 501 X99.....39		B37 B02 • 052 X99.....13		B37 H45 • A25 X9922		B65 A01 G285 X99.....119	
B35 Z98 • 751 X99.....39		B37 B02 • 062 X99.....13		B37 H45 • B25 X9922		B65 A01 J022 X99111	
B35 Z98 • 911 X99.....39		B37 B12 • 025 X99.....13		B37 H50 • 025 X99.....20		B65 A01 J024 X99111	
B35 Z98 • 916 X99.....39		B37 B28 • 012 X99.....13		B37 H51 • A25 X9923		B65 A01 J073 X99.....119	
B37 A04 • B25 X99.....11		B37 B28 • 022 X99.....13		B37 H79 • B25 X9921		B65 A01 J285 X99.....119	
B37 A07 • 025 X99.....8		B37 B28 • A25 X99.....13		B37 H95 • 062 X99.....23		B65 A61 G022 X99111	
B37 A26 • 062 X9914		B37 B28 • B25 X9913		B37 H95 • 117 X99.....23		B65 A61 G024 X99111	
B37 A41 • 007 X99.....10		B37 B92 • 062 X99.....14		B37 K07 • 999 †9926		B65 A61 J022 X99111	
B37 A41 • 012 X99.....10		B37 B92 • 117 X99.....14		B37 K14 • 999 †9927		B65 A61 J024 X99111	
B37 A41 • 022 X99.....10		B37 C86 • 999 †99.....15		B37 K83 • 999 †9927		B65 B02 G022 X99.....112	
B37 A41 • 366 X99.....10		B37 D76 • 999 X99.....15		B37 M08 • 999 X9924		B65 B02 G024 X99.....112	
B37 A41 • A25 X99.....10		B37 E21 • 025 X99.....16		B37 M09 • 999 X99.....25		B65 B02 G073 X99.....119	
B37 A41 • B25 X99.....10		B37 E22 • 025 X99.....16		B37 M13 • 999 X9924		B65 B02 G285 X99.....119	
B37 A41 • B35 X99.....10		B37 E43 • 012 X99.....17		B37 M26 • 999 X9924		B65 B02 J022 X99.....112	
B37 A47 • 025 X99.....8		B37 E43 • 022 X99.....17		B37 M27 • 999 X9924		B65 B02 J024 X99.....112	
B37 A48 • 025 X99.....9		B37 E43 • A25 X99.....17		B37 M29 • 999 X9924		B65 B02 J073 X99.....119	
B37 A53 • 025 X99.....9		B37 E43 • B25 X9917		B37 M49 • 999 X9926		B65 B02 J285 X99.....119	

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

■ Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

■ Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
B65 B37 G022 X99.....	112	B65 M18 J999 X99116		B67 A64 T437 XMP157		B67 H66 T022 XMP161	
B65 B37 G024 X99.....	112	B65 N07 G999 X99123		B67 A64 TA25 XMP157		B67 H66 T062 XMP161	
B65 B37 J022 X99.....	112	B65 N07 J999 X99123		B67 B42 T022 XMP.....160		B67 H66 T117 XMP.....161	
B65 B37 J024 X99.....	112	B65 N10 G999 X99124		B67 B42 T062 XMP.....160		B67 H66 T280 XMP161	
B65 D22 G999 X99113		B65 N10 J999 X99124		B67 B42 T117 XMP160		B67 H66 T437 XMP161	
B65 D22 J999 X99113		B65 N11 G999 X99122		B67 B42 T280 XMP.....160		B67 H66 TA25 XMP161	
B65 E06 G022 X99.....	113	B65 N11 J999 X99122		B67 B42 T437 XMP.....160		B67 H74 T022 XMP170	
B65 E06 G024 X99.....	113	B65 N25 G999 X99121		B67 B42 TA25 XMP160		B67 H74 T062 XMP170	
B65 E06 G073 X99120		B65 N25 J999 X99121		B67 B44 T022 XMP.....159		B67 H74 T437 XMP170	
B65 E06 G285 X99120		B65 N26 G999 X99121		B67 B44 T062 XMP.....159		B67 M08 G999 X99.....164	
B65 E06 J022 X99.....	113	B65 N26 J999 X99121		B67 B44 T117 XMP159		B67 M18 G999 X99.....164	
B65 E06 J024 X99.....	113	B65 N27 G999 X99123		B67 B44 T280 XMP.....159		B67 N08 T999 XTY165	
B65 E06 J073 X99120		B65 N27 J999 X99123		B67 B44 T437 XMP.....159		B67 N10 T999 XTY165	
B65 E06 J285 X99120		B65 N30 G999 X99124		B67 B44 T734 XMP.....159		B67 P32 G999 X99166	
B65 E66 G022 X99.....	114	B65 N30 J999 X99124		B67 B44 TA25 XMP159		B67 P34 G999 X99166	
B65 E66 G024 X99.....	114	B65 N31 G999 X99122		B67 H44 T022 XMP162		B67 Z03 T999 XMP.....170	
B65 E66 J022 X99.....	114	B65 N31 J999 X99122		B67 H44 T062 XMP162		B67 Z04 T999 XMP170	
B65 E66 J024 X99.....	114	B67 A44 T022 XMP157		B67 H44 T117 XMP.....162		B67 Z29 T999 XMP164	
B65 H05 G022 X9115		B67 A44 T062 XMP157		B67 H44 T280 XMP162		B67 Z31 T999 XMP164	
B65 H05 G024 X99115		B67 A44 T117 XMP157		B67 H44 T437 XMP162		C65 A01 G022 X99.....111	
B65 H05 G073 X99120		B67 A44 T280 XMP157		B67 H44 TA25 XMP162		C65 A01 G024 X99.....111	
B65 H05 G285 X99120		B67 A44 T437 XMP.....157		B67 H46 T022 XMP161		C65 A01 G073 X99.....119	
B65 H05 J022 X99115		B67 A44 TA25 XMP.....157		B67 H46 T062 XMP161		C65 A01 G285 X99.....119	
B65 H05 J024 X99115		B67 A53 T022 XMP158		B67 H46 T117 XMP.....161		C65 A01 J022 X99.....111	
B65 H05 J073 X99120		B67 A53 T062 XMP158		B67 H46 T280 XMP161		C65 A01 J024 X99.....111	
B65 H05 J285 X99120		B67 A53 T117 XMP158		B67 H46 T437 XMP161		C65 A01 J073 X99.....119	
B65 H48 G022 X99114		B67 A53 T280 XMP158		B67 H46 TA25 XMP161		C65 A01 J285 X99.....119	
B65 H48 G024 X99114		B67 A53 T437 XMP158		B67 H49 T022 XMP163		C65 A61 G022 X99.....111	
B65 H48 J022 X99114		B67 A53 TA25 XMP.....158		B67 H49 T062 XMP163		C65 A61 G024 X99.....111	
B65 H48 J024 X99114		B67 A54 T022 XMP158		B67 H49 T117 XMP.....163		C65 A61 J022 X99.....111	
B65 H65 G022 X99116		B67 A54 T062 XMP158		B67 H49 T280 XMP163		C65 A61 J024 X99.....111	
B65 H65 G024 X99116		B67 A54 T117 XMP158		B67 H49 T437 XMP163		C65 B02 G022 X99112	
B65 H65 J022 X99116		B67 A54 T280 XMP158		B67 H49 TA25 XMP163		C65 B02 G024 X99112	
B65 H65 J024 X99116		B67 A54 T437 XMP158		B67 H64 T022 XMP162		C65 B02 G073 X99119	
B65 M08 G999 X99.....	116	B67 A54 TA25 XMP.....158		B67 H64 T062 XMP162		C65 B02 G285 X99119	
B65 M08 J999 X99.....	116	B67 A64 T022 XMP.....157		B67 H64 T117 XMP.....162		C65 B02 J022 X99112	
B65 M09 G999 X99.....	115	B67 A64 T062 XMP157		B67 H64 T280 XMP162		C65 B02 J024 X99112	
B65 M09 J999 X99.....	115	B67 A64 T117 XMP157		B67 H64 T437 XMP162		C65 B02 J073 X99119	
B65 M18 G999 X99.....	116	B67 A64 T280 XMP157		B67 H64 TA25 XMP162		C65 B02 J285 X99119	

M/A-COM, Inc.

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
C65 B37 G022 X99112		C65 M18 J999 X99.....116		D75 K01 B999 R99103		GEX 608.....45	
C65 B37 G024 X99112		C65 N07 G999 X99.....123		D75 K01 E999 R99103		GEX 638.....45	
C65 B37 J022 X99112		C65 N07 J999 X99.....123		D75 X01 B004 X99101		GEX 644.....46	
C65 B37 J024 X99112		C65 N10 G999 X99.....124		D75 X01 E004 X99101		K70 A01 H334 X99.....173	
C65 D22 G999 X99113		C65 N10 J999 X99.....124		D75 X02 B010 X99101		K70 E03 H334 X99173	
C65 D22 J999 X99113		C65 N11 G999 X99122		D75 X02 E010 X99101		K70 M08 H999 X99.....173	
C65 E06 G022 X99113		C65 N11 J999 X99122		D75 X03 B001 X99102		K70 P05 H999 X99174	
C65 E06 G024 X99113		C65 N25 G999 X99.....121		D75 X03 B004 X99102		K70 P10 H999 X99174	
C65 E06 G073 X99120		C65 N25 J999 X99.....121		D75 X03 BB04 X99102		K70 Z16 H999 X99.....174	
C65 E06 G285 X99120		C65 N26 G999 X99.....121		D75 X03 E001 X99102		M80 X20 • 999 X9993	
C65 E06 J022 X99113		C65 N26 J999 X99.....121		D75 X03 E004 X99102		N10 Z01 • 999 X99.....90	
C65 E06 J024 X99113		C65 N27 G999 X99.....123		D75 X03 EB04 X99102		N10 Z03 • 999 X99.....90	
C65 E06 J073 X99120		C65 N27 J999 X99.....123		D75 X04 B010 X99102		N15 A01 • 004 X99.....74	
C65 E06 J285 X99120		C65 N30 G999 X99.....124		D75 X04 B060 X99102		N15 A14 • 001 X99.....74	
C65 E66 G022 X99114		C65 N30 J999 X99.....124		D75 X04 E010 X99102		N15 A14 • 004 X99.....74	
C65 E66 G024 X99114		C65 N31 G999 X99.....122		D75 X04 E060 X99102		N15 A15 • 004 X99.....74	
C65 E66 J022 X99114		C65 N31 J999 X99.....122		G30039.....194		N15 A16 • 434 X99.....74	
C65 E66 J024 X99114		D75 A01 B004 X99.....98		G30040.....195		N15 A17 • 004 X99.....74	
C65 H05 G022 X99115		D75 A01 E004 X99.....98		G30051.....195		N15 A54 • 010 X99.....75	
C65 H05 G024 X99115		D75 A02 B001 X99.....98		G30074.....195		N15 A55 • 009 X99.....75	
C65 H05 G073 X99.....120		D75 A02 B004 X99.....98		GE-507176		N15 A55 • 010 X99.....75	
C65 H05 G285 X99.....120		D75 A02 BB04 X9998		GE501176		N15 A55 • 022 X99.....75	
C65 H05 J022 X99115		D75 A02 E001 X99.....98		GE502176		N15 A55 • 060 X99.....75	
C65 H05 J024 X99115		D75 A02 EB04 X9998		GE508176		N15 A55 • 073 X99.....75	
C65 H05 J073 X99.....120		D75 A03 B999 X99.....100		GE511.....176		N15 A56 • 010 X99.....75	
C65 H05 J285 X99.....120		D75 A03 E999 X99.....100		GE512176		N15 A61 • 001 X99.....75	
C65 H48 G022 X99114		D75 E01 B004 X9999		GE513177		N15 A61 • 004 X99.....75	
C65 H48 G024 X99114		D75 E01 E004 X9999		GE514177		N15 A61 • 010 X99.....75	
C65 H48 J022 X99114		D75 E02 B001 X9999		GE535177		N15 A61 • 060 X99.....75	
C65 H48 J024 X99114		D75 E02 B004 X9999		GE536177		N15 A61 • 373 X99.....75	
C65 H65 G022 X99116		D75 E02 BB04 X9999		GEX 257.....46		N15 B02 • 004 X99.....76	
C65 H65 G024 X99116		D75 E02 E001 X9999		GEX 258.....45		N15 B03 • 001 X99.....76	
C65 H65 J022 X99116		D75 E02 E004 X9999		GEX 372.....45		N15 B03 • 004 X99.....76	
C65 H65 J024 X99116		D75 E02 EB04 X9999		GEX 373.....45		N15 B61 • 001 X99.....77	
C65 M08 G999 X99.....116		D75 G01 B004 R99.....100		GEX 374.....45		N15 B61 • 004 X99.....77	
C65 M08 J999 X99.....116		D75 G01 E004 R99.....100		GEX 375.....45		N15 B61 • 010 X99.....77	
C65 M09 G999 X99.....115		D75 G02 B999 R99.....101		GEX 605.....45		N15 B61 • 060 X99.....77	
C65 M09 J999 X99.....115		D75 G02 E999 R99.....101		GEX 606.....45		N15 B74 • 009 X99.....76	
C65 M18 G999 X99.....116		D75 H02 E277 X99102		GEX 607.....45		N15 B74 • 010 X99.....76	

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
N15 B74 • 060 X99.....76		N15 M33 • 999 X9982		N17 H41 • 025 X9980		ST108363199	
N15 C20 • 999 C9977		N15 M34 • 999 X9982		N17 K07 • 999 †9983		ST108403197	
N15 C46 • 999 C9984		N15 M35 • 999 X9982		N17 M33 • 999 X9982		ST108720197	
N15 E04 • 004 X99.....78		N15 P08 • 999 X99.....88		N17 P08 • 999 X99.....88		ST108721197	
N15 E21 • 001 X99.....78		N15 P09 • 999 X99.....86		N17 P09 • 999 X99.....86		ST108722197	
N15 E21 • 004 X99.....78		N15 P10 • 999 X99.....86		N17 P10 • 999 X99.....86		ST108723197	
N15 E30 • 010 X99.....78		N15 P12 • 999 X99.....86		N17 P12 • 999 X99.....86		ST108724197	
N15 E31 • 010 X99.....78		N15 P29 • 999 X99.....88		N17 P29 • 999 X99.....88		ST108725197	
N15 E31 • 060 X99.....78		N15 R07 • 999 X9987		N17 R30 • 999 †9987		ST108726197	
N15 E61 • 001 X99.....78		N15 R30 • 999 †9987		ST100539199		ST108727197	
N15 E61 • 004 X99.....78		N15 R56 • 999 X9987		ST100903199		ST108728197	
N15 E61 • 010 X99.....78		N15 S33 • 999 C9985		ST101502198		ST108729197	
N15 E61 • 060 X99.....78		N15 S50 • 999 C9985		ST101503198		ST108730197	
N15 G06 • 001 †99.....79		N15 T33 • 999 C99.....84		ST102110197		ST108731197	
N15 G06 • 004 †99.....79		N15 T53 • 999 C99.....85		ST102111197		ST108732197	
N15 G57 • 010 †99.....79		N15 X01 • 999 X99.....92		ST102112197		ST108733197	
N15 G57 • 022 †99.....79		N15 X02 • 999 X99.....92		ST102113197		ST108734197	
N15 G57 • 073 †99.....79		N15 X40 • 999 X99.....91		ST102114197		ST108735197	
N15 G61 • 001 †99.....79		N15 X41 • 999 X99.....91		ST102115197		ST108736197	
N15 G61 • 004 †99.....79		N15 X42 • 999 X99.....91		ST102116197		ST108737197	
N15 G61 • 010 †99.....79		N15 X43 • 999 X99.....92		ST102117197		ST108738197	
N15 G61 • 060 †99.....79		N15 Z02 • 999 X99.....90		ST102118197		ST108739197	
N15 H31 • 010 X9981		N17 A01 • 001 X99.....74		ST102119197		ST109403197	
N15 H31 • 022 X9981		N17 A14 • 001 X99.....74		ST102405-10.....177		ST110403197	
N15 H32 • 001 X9980		N17 A14 • 004 X99.....74		ST103842199		ST111403.....197	
N15 H32 • 004 X9980		N17 A55 • 012 X99.....75		ST104403197		ST112403197	
N15 H41 • 010 X9980		N17 A55 • 025 X99.....75		ST105403197		ST120957197	
N15 H41 • 022 X9980		N17 B03 • 001 X99.....76		ST106403197		T30 Z01 • 999 X9969	
N15 H41 • 073 X9980		N17 B03 • 004 X99.....76		ST106403197		T30 Z02 • 999 X9969	
N15 H61 • 001 X9981		N17 B74 • 012 X99.....76		ST106404197		T30 Z03 • 999 X9969	
N15 H61 • 9004 X9981		N17 B74 • 025 X99.....76		ST106405197		T30 Z04 • 999 X9969	
N15 H61 • 010 X9981		N17 E21 • 012 X99.....78		ST106406197		T35 A01 • 010 X9951	
N15 H61 • 060 X9981		N17 E21 • 025 X99.....78		ST106407197		T35 A01 • 022 X9951	
N15 K07 • 999 †9983		N17 E22 • 001 X99.....78		ST106408197		T35 A01 • 024 X9951	
N15 K11 • 999 †9983		N17 E22 • 004 X99.....78		ST106409197		T35 A01 • 073 X9951	
N15 K42 • 999 †9983		N17 G57 • 012 †99.....79		ST106410197		T35 A03 • 001 X9952	
N15 K45 • 999 C9984		N17 G57 • 025 †99.....79		ST106411197		T35 A03 • 004 X9952	
N15 M28 • 999 X9983		N17 H41 • 012 X9980		ST106412197		T35 A06 • 010 X9952	
N15 M32 • 999 X9982		N17 H41 • 022 X9980		ST107403197		T35 A07 • 010 X9952	

M/A-COM, Inc.

North America: Tel. (800) 366-2266 ■ Asia/Pacific: Tel. +85 2 2111 8088 ■ Europe: Tel. +44 (1344) 869 595
Fax (800) 618-8883 Fax +85 2 2111 8087 Fax +44 (1344) 300 020

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
T35 A11 • 010 X9951		T35 H39 • 009 X99.....59		T35 Z33 • 501 X9968		T37 H39 • 022 X99.....59	
T35 A41 • 010 X9951		T35 H39 • 010 X99.....59		T35 Z33 • 751 X9968		T37 H39 • 025 X99.....59	
T35 A41 • 022 X9951		T35 H39 • 022 X99.....59		T37 A07 • 025 X9952		T37 H45 • 012 X99.....60	
T35 A41 • 060 X9951		T35 H45 • 010 X99.....60		T37 A41 • 012 X9951		T37 H45 • 022 X99.....60	
T35 A70 • 009 X9952		T35 H45 • 022 X99.....60		T37 A41 • 022 X9951		T37 H45 • A25 X99.....60	
T35 A70 • 010 X9952		T35 H45 • 060 X99.....60		T37 A41 • 366 X9951		T37 H45 • B25 X9960	
T35 A70 • 022 X9952		T35 H51 • 022 X99.....60		T37 A41 • A25 X99.....51		T37 H51 • A25 X99.....60	
T35 A70 • 060 X9952		T35 H51 • B10 X9960		T37 A41 • B25 X99.....51		T37 H51 • B25 X9960	
T35 A71 • 027 X9952		T35 K07 • 999 †9963		T37 A41 • B35 X99.....51		T37 K07 • 999 †9963	
T35 B02 • 010 X9953		T35 K14 • 999 †9963		T37 A48 • 025 X9951		T37 K14 • 999 †9963	
T35 B02 • 022 X9953		T35 M09 • 999 X9962		T37 A70 • 012 X9952		T37 M09 • 999 X9962	
T35 B12 • 010 X9953		T35 M13 • 999 X9961		T37 A70 • 022 X9952		T37 M13 • 999 X9961	
T35 B28 • 010 X99.....54		T35 M27 • 999 X9961		T37 A70 • 025 X9952		T37 M27 • 999 X9961	
T35 B28 • 022 X99.....54		T35 M29 • 999 X9961		T37 A71 • 027 X9952		T37 M29 • 999 X9961	
T35 B28 • 060 X9954		T35 M49 • X9962		T37 A71 • 079 X9952		T37 M49 • 999 X9962	
T35 B95 • 001 X9953		T35 M58 • 999 X9961		T37 B02 • 012 X9953		T37 M58 • 999 X9961	
T35 B95 • 004 X9953		T35 M63 • 999 X9961		T37 B02 • 022 X9953		T37 M63 • 999 X9961	
T35 C86 • 999 †9954		T35 N82 • 909 09964		T37 B02 • 025 X9953		T37 P28 • 999 X9966	
T35 D76 • 999 X99.....55		T35 N82 • 909 99964		T37 B12 • 025 X9953		T37 P31 • 999 X9968	
T35 E03 • 022 X9955		T35 N82 • 999 09964		T37 B28 • 012 X9954		T37 P32 • 999 X9965	
T35 E03 • 024 X9955		T35 N82 • 999 99964		T37 B28 • 022 X9954		T37 P34 • 999 X9966	
T35 E07 • 010 X9956		T35 N83 • 909 09964		T37 B28 • A25 X9954		T37 R50 • 999 X9967	
T35 E43 • 010 X9956		T35 N83 • 909 99964		T37 B28 • B25 X99.....54		T37 R53 • 999 X9967	
T35 E43 • 022 X9956		T35 N83 • 999 09964		T37 C86 • 999 †9954		T37 R54 • 999 X9967	
T35 E43 • 060 X9956		T35 N83 • 999 99964		T37 D76 • 999 X99.....55		T37 R81 • 999 †X99.....66	
T35 E60 • 010 X9956		T35 N88 • 999 09965		T37 E43 • 012 X9956		U40 A01 H004 X99180	
T35 E60 • 022 X9956		T35 N88 • 909 99965		T37 E43 • 022 X9956		U40 A32 H010 X99180	
T35 G04 • 022 †9957		T35 N88 • 999 09965		T37 E43 • A25 X99.....56		U40 K03 H999 X99180	
T35 G04 • 024 †9957		T35 N88 • 999 99965		T37 E43 • B25 X99.....56		U40 M10 H999 X99180	
T35 G04 • 073 †9957		T35 P28 • 999 X9966		T37 E60 • 012 X9956		U40 P06 H999 X99181	
T35 G44 • 010 †9958		T35 P31 • 999 X9968		T37 E60 • 022 X9956		U40 P42 H999 X99181	
T35 G44 • 022 †9958		T35 P32 • 999 X9965		T37 E60 • 025 X9956		U40 R77 H999 X99181	
T35 G44 • 060 †9958		T35 P34 • 999 X9966		T37 G44 • A25 †99.....58		U40 X08 H999 X99180	
T35 G57 • 010 †9957		T35 R50 • 999 X9967		T37 G44 • B25 †99.....58		U40 X09 H999 X99180	
T35 G57 • 022 †9957		T35 R53 • 999 X9967		T37 G57 • 012 †9957		U67 A64 T022 XMP168	
T35 G57 • 060 †9957		T35 R54 • 999 X9967		T37 G57 • 022 †9957		U67 A64 T062 XMP168	
T35 H07 • 010 X9959		T35 R81 • 999 †X9966		T37 G57 • 025 †9957		U67 A64 T437 XMP168	
T35 H30 • 022 X9959		T35 Z10 • 501 X9968		T37 H07 • 025 X9959		U67 H64 T022 XMP168	
T35 H30 • 024 X9959		T35 Z10 • 751 X9968		T37 H39 • 012 X9959		U67 H64 T062 XMP168	

M/A-COM, Inc.

North America: Tel. (800) 366-2266
Fax (800) 618-8883

Asia/Pacific: Tel. +85 2 2111 8088
Fax +85 2 2111 8087

Europe: Tel. +44 (1344) 869 595
Fax +44 (1344) 300 020

Part Number Index

Part Number	Page
U67 H64 T437 XMP	168
U67 Z29 T999 XMP	169
U67 Z31 T999 XMP	169
X65 X08 G022 X99	117
X65 X08 G024 X99	117
X65 X08 J022 X99	117
X65 X08 J024 X99	117
X65 X09 G022 X99	117
X65 X09 G024 X99	117
X65 X09 J022 X99	117
X65 X09 J024 X99	117
X65 X10 G022 X99	118
X65 X10 G024 X99	118
X65 X10 J022 X99	118
X65 X10 J024 X99	118
X65 X11 G022 X99	118
X65 X11 G024 X99	118
X65 X11 J022 X99	118
X65 X11 J024 X99	118

M/A-COM, Inc.