

BergStik™

Product Overview and Web Guide

A
FCI

Design Flexibility
Fast Delivery
Competitive Pricing

FCI basics 





Explore the BergStik Universe

***Choose a
low cost,
industry
standard
part. . .***

Drawing Number	Number of Rows	Attachment	Orientation	Drawing Number	
54101	1	Through-hole	Vertical	68000	
				*69190	
54102	2			67996	
				*69192	
54103	3			68702	
				*69194	
54201	1	Surface-mount			
54202				2	
	1	Press-fit		94673	
	2			94674	
	3			95154	
55101	1	Through-hole	Right Angle	68015	
				*69191	
55102	2			68020	
				*69193	
56111*	1	Through-hole	Stacking	67817	
56131*				*86504	
56112*	2			78563	
56132*				*86823	
56242	2	Surface-mount			
* 5611_=.110"/2.79mm tail 5613_=.330"/8.38mm tail				* Separate part numbers for retentive tail parts.	

***...or select
from
thousands
of other
options***

Shortcut to drawings



Superior Features

Drawn wire contact has four high quality, finished contact surfaces.

High temperature plastic is standard

End-to-end and side-to-side stackable

Break-away, cut-to-length housings

Standoffs enable cleaning and elimination of contaminants

Press-fit or retentive leg options

Infinite Choices

Huge selection of posts and tails.
Customs also available


Single, Double or Triple Row

Seven plating options

Stacking configurations

Select-load option

Surface-mount or through-hole tails




Vertical

Right Angle



America's Telephone: 800-237-2374
www.fciconnect.com



BergStrip cut-to-length,
reeled product reduces costs
and shortens lead times