


[home](#)
[products](#)
[about us](#)
[contact us](#)
[business opportunities](#)
[request free sample](#)

Ordinance Waterseal Terminals

• For use with No.14-Single conductor cable - M13486/1-6 and No.12-Single conductor cable - M13486/1-7

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056700	No.6	0.140	0.360 0.218	0.250	1.340	0.220	0.022	0.245	0.098	0.035	0.074 0.051	0.094
7056701	No.8	0.169	0.410 0.343	0.281	1.340	0.220	0.022	0.245	0.098	0.035	0.074 0.042	0.156
7056702	No.10	0.193	0.410 0.343	0.281	1.340	0.220	0.022	0.245	0.098	0.035	0.074 0.042	0.156
7056703	1/4	0.260	0.594 0.437	0.360	1.562	0.220	0.022	0.245	0.098	0.035	0.050 0.033	0.200
7056704	5/16	0.320	0.594 0.500	0.390	1.562	0.220	0.022	0.245	0.098	0.035	0.050 0.028	0.240
7056705	3/8	0.385	0.594 0.510	0.441	1.592	0.220	0.022	0.245	0.098	0.035	0.050 0.027	0.250


[VIEW NATIONAL STOCK NUMBERS »](#)

THE AMERLINE CHALLENGE

We are so confident of our ability to deliver a connector that meets your requirements that we're proud to offer the Amerline Challenge. Take the Challenge and request your **free sample** today!

Take the Challenge »




• For use with No.14-Single conductor cable - M13486/1-5 and No.12 & 14-Multi-conductor cable

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056706	No.6	0.140	0.360 0.218	0.250	1.280	0.220	0.028	0.166	0.098	0.035	0.074 0.051	0.094
7056707	No.8	0.169	0.410 0.343	0.281	1.312	0.220	0.028	0.166	0.098	0.035	0.074 0.042	0.156
7056708	No.10	0.193	0.410 0.343	0.281	1.312	0.220	0.028	0.166	0.098	0.035	0.074 0.042	0.156
7056709	1/4	0.260	0.594 0.437	0.360	1.562	0.220	0.028	0.166	0.098	0.035	0.050 0.033	0.200
7056710	5/16	0.320	0.594 0.500	0.390	1.562	0.220	0.028	0.166	0.098	0.035	0.050 0.028	0.240
7056711	3/8	0.385	0.594 0.510	0.437	1.592	0.220	0.028	0.166	0.098	0.035	0.050 0.028	0.250

• For use with No.8-Single conductor cable - M13486/1-9

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056712	No.10	0.193	0.440 0.343	0.281	1.680	0.280	0.032	0.370	0.176	0.036	0.115 0.062	0.156
7056713	1/4	0.260	0.594 0.440	0.281	1.875	0.280	0.032	0.370	0.176	0.036	0.074 0.054	0.218

Waterseal Terminals





8364246 ONLY

7056714	5/16	0.320	0.594 0.531	0.469	1.970	0.280	0.032	0.370	0.176	0.036	0.074 0.043	0.250
7056715	3/8	0.385	0.594 0.531	0.437	1.970	0.280	0.032	0.370	0.176	0.036	0.074 0.043	0.250

• For use with No.8-Multi-conductor cable

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056716	No.10	0.193	0.440 0.343	0.281	1.680	0.280	0.036	0.251	0.176	0.036	0.120 0.062	0.156
7056717	1/4	0.260	0.594 0.440	0.281	1.875	0.280	0.036	0.251	0.176	0.036	0.074 0.054	0.218
7056718	5/16	0.320	0.594 0.531	0.469	1.970	0.280	0.036	0.251	0.176	0.036	0.074 0.053	0.250
7056719	3/8	0.385	0.594 0.531	0.437	1.970	0.280	0.036	0.251	0.176	0.036	0.074 0.043	0.250

• For use with No.6-Single conductor cable - M13486/1-10

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056720	No.10	0.193	0.531 0.437	0.250	1.780	0.350	0.038	0.432	0.218	0.029	0.140 0.053	0.156
7056721	1/4	0.260	0.594 0.470	0.250	1.875	0.350	0.038	0.432	0.218	0.029	0.155 0.053	0.218
7056722	5/16	0.320	0.650 0.531	0.375	2.031	0.350	0.038	0.432	0.218	0.029	0.115 0.041	0.250
7056723	3/8	0.385	0.650 0.531	0.375	2.031	0.350	0.038	0.432	0.218	0.029	0.155 0.041	0.250

• For use with No.6-Multi-conductor cable

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056724	No.10	0.193	0.531 0.437	0.250	1.781	0.350	0.025	0.348	0.218	0.029	0.140 0.053	0.156
7056725	1/4	0.260	0.594 0.470	0.250	1.906	0.350	0.025	0.348	0.218	0.029	0.155 0.053	0.218
7056726	5/16	0.320	0.650 0.531	0.375	2.031	0.350	0.025	0.348	0.218	0.029	0.115 0.041	0.250
7056727	3/8	0.385	0.650 0.531	0.375	2.031	0.350	0.025	0.348	0.218	0.029	0.155 0.041	0.250

• For use with No.2-Single conductor cable - M13486/1-12

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056728	1/4	0.260	0.718 0.656	0.453	2.650	0.410	0.036	0.620	0.347	0.040	0.140 0.080	0.344
7056729	5/16	0.320	0.718 0.656	0.453	2.650	0.410	0.036	0.620	0.347	0.040	0.140 0.080	0.344

7056730	3/8	0.385	0.718 0.656	0.453	2.650	0.410	0.036	0.620	0.347	0.040	0.140 0.080	0.344
7992775	1/2	0.515	0.812 0.734	0.453	2.843	0.410	0.036	0.620	0.347	0.040	0.140 0.080	0.406
8364246	3/8	0.396	0.718 0.656	0.532	4.046	0.410	0.036	0.620	0.347	0.040	0.140 0.080	0.344

• For use with No.0-Single conductor cable - M13486/1-14

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7056731	5/16	0.320	0.780 0.656	0.453	2.718	0.470	0.044	0.682	0.432	0.047	0.168 0.105	0.344
7056732	3/8	0.385	0.780 0.656	0.453	2.718	0.470	0.044	0.682	0.432	0.047	0.168 0.105	0.344
7335520	1/2	0.515	0.843 0.761	0.562	2.937	0.470	0.044	0.682	0.432	0.047	0.160 0.080	0.406

• For use with No.16-Single conductor cable - M13486/1-6

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7728640	No.6	0.142	0.343 0.281	0.218	1.203	0.109	0.016	0.145	0.061	0.021	0.074 0.035	0.125
7728764	No.8	0.168	0.406 0.281	0.266	1.203	0.141	0.016	0.145	0.061	0.021	0.050 0.030	0.125
7728777	No.10	0.193	0.406 0.280	0.266	1.203	0.141	0.016	0.145	0.061	0.021	0.050 0.030	0.125
7728778	1/4	0.260	0.594 0.406	0.344	1.375	0.109	0.016	0.145	0.061	0.021	0.039 0.019	0.218
7728779	5/16	0.320	0.594 0.406	0.344	1.375	0.172	0.016	0.145	0.061	0.021	0.039 0.019	0.218
7728780	3/8	0.385	0.609 0.515	0.344	1.400	0.109	0.016	0.145	0.061	0.021	0.039 0.019	0.250

• For use with No.4-Single conductor cable - M13486/1-11

Part No.	Screw Dia.	A Dia. + .020	B	C	D	E	F	G	H	K	L	M Min
7064829	3/8	0.385	0.781 0.594	0.375	2.187	0.350	0.035	0.495	0.274	0.035	0.135 0.069	0.359
8689218	No.10	0.193	0.594 0.500	0.281	1.968	0.350	0.035	0.495	0.274	0.035	0.143 0.083	0.218
8689219	1/4	0.260	0.594 0.500	0.281	1.968	0.350	0.035	0.495	0.274	0.035	0.143 0.083	0.218
8689220	5/16	0.320	0.781 0.594	0.375	2.187	0.350	0.035	0.495	0.274	0.035	0.140 0.069	0.359
8689221	1/2	0.515	0.797 0.734	0.453	2.343	0.350	0.035	0.495	0.274	0.035	0.140 0.054	0.406