

## Technical Characteristics

- **Overall Length**  
2.500 inches nominal
- **Center To Center Distance Between Mounting Facilities Parallel To Width**  
0.500 inches nominal single mounting facility
- **Winding Quantity**  
1
- **Operating Voltage Rating And Type At Specified Temp**  
67.0 volts teardrop, two holes type 4f single winding
- **Terminal Type And Quantity**  
11 pin all functions
- **Winding Dc Resistance Rating**  
5.0 kilohms nominal single winding
- **Mounting Facility Type And Quantity**  
4 threaded hole single mounting facility
- **Coil Quantity**  
1
- **Overall Width**  
1.810 inches nominal
- **Thread Series Designator**  
unc single mounting facility
- **Main Contact Maximum Voltage Rating In Volts**  
125.0 dc
- **Overall Height**

2.000 inches nominal

- **Mounting Facility Pattern**

rectangular single mounting facility

- **Center To Center Distance Between Mounting Facilities Parallel To Length**

1.312 inches nominal single mounting facility

- **Nominal Thread Size**

0.138 inches single mounting facility

- **Main Contact Load Current Rating At Maximum Rated Voltage**

10.0 amperes dc resistive load

- **Thread Class**

2b single mounting facility

- **Nonpile-Up Main Contact Arrangement**

3 pole, double throw, one position momentary

- **Duty Type**

continuous