

[HOME \(/\)](#)[ABOUT \(/ABOUT.CFM\)](#)[CONTACT \(/CONTACT.CFM\)](#)[LOGIN \(/SECURE/LOGIN-REGISTER.CFM\)](#)

Part Search...

## NSN 5965-00-937-1850

[Home \(/\)](#) / [Part Directories \(/directory.cfm\)](#) / [FSG \(/directory-listing-fsg.cfm\)](#)  
/ [59 \(/directory-listing-fscg.cfm?fsg=59\)](#)  
/ [5965 \(/directory-listing-nsn.cfm?fscg=5965\)](#) / [5965-00-937-1850](#)

### Product Details | HEADSET-MICROPHONE

5965-00-937-1850 An item consisting of a HEADSET, ELECTRICAL and a MICROPHONE (as modified) mounted on or supported from the head. It may include connecting cords, plugs, jacks, and switches. See also HEADSET-CHEST SET, ELECTRICAL.

**Part Alternates:** MK 1039/G, MK-1039/G, MK1039G, MK-526/G, MK526G, SMD700912, SM-D-700912, T330Z107J010AS, K100P10D, 10382, 2130230G4, 5965-00-937-1850, 00-937-1850, 5965009371850, 009371850


[Electrical and Electronic Equipment Components \(/directory-listing-fscg.cfm?fsg=59\)](#) | [Headsets, Handsets, Microphones and Speakers \(/directory-listing-nsn.cfm?fscg=5965\)](#)

Supply Group (FSG)	NSN Assign.	NIIN
<a href="#">59 (/directory-listing-fscg.cfm?fsg=59)</a>	18 NOV 1966	00-937- 1850



### Demand History | NSN 5965-00-937-1850

**Graph      Data**



### Cross Reference | NSN 5965-00-937-1850

Part Number	Cage Code	Manufacturer
10382	18068 (/cage-details.cfm?cage=18068)	ASTROCOM ELECTRONICS, INC.
MK 1039/G	80058 (/cage-details.cfm?cage=80058)	JOINT ELECTRONICS TYPE DESIGNATION SYSTEM
MK-1039/G	16575 (/cage-details.cfm?cage=16575)	SONETRONICS INC DBA SONETRONICS
MK-1039/G	81349 (/cage-details.cfm?cage=81349)	MILITARY SPECIFICATIONS PROMULGATED BY MILITARY
MK-526/G	80058 (/cage-details.cfm?cage=80058)	JOINT ELECTRONICS TYPE DESIGNATION SYSTEM
SM-D-700912	80063 (/cage-details.cfm?cage=80063)	US ARMY COMMUNICATIONS & ELECTRONICS MATERIEL READINESS

^

## Request a Quote

5965-00-937-1850 ▼

Quantity

Email

ADD TO QUEUE

## Comments | What our customers are saying...



*"Tried two other sources, neither of them res|  
done online, never spoke to anyone."*

- REX S. (/COMMENTS.CFM)

(/comments.cfm)

US Airforce

## Related Products | NSN 5965-00-937-1850



(/rfq/5965-00-937-1850.html), 5965-00-937-1851 (/rfq/5965-00-937-1851.html), 5965-00-937-1852 (/rfq/5965-00-937-1852.html), 5965-00-937-1853 (/rfq/5965-00-937-1853.html), 5965-00-937-1854 (/rfq/5965-00-937-1854.html), 5965-00-937-1855 (/rfq/5965-00-937-1855.html), 5965-00-937-1856 (/rfq/5965-00-937-1856.html), 5965-00-937-1857 (/rfq/5965-00-937-1857.html), 5965-00-937-1858 (/rfq/5965-00-937-1858.html), 5965-00-937-1859 (/rfq/5965-00-937-1859.html), 5965-00-937-1860 (/rfq/5965-00-937-1860.html), 5965-00-937-1861 (/rfq/5965-00-937-1861.html), 5965-00-937-1862 (/rfq/5965-00-937-1862.html), 5965-00-937-1863 (/rfq/5965-00-937-1863.html), 5965-00-937-1864 (/rfq/5965-00-937-1864.html), 5965-00-937-1865 (/rfq/5965-00-937-1865.html), 5965-00-937-1866 (/rfq/5965-00-937-1866.html), 5965-00-937-1867 (/rfq/5965-00-937-1867.html), 5965-00-937-1868 (/rfq/5965-00-937-1868.html), 5965-00-937-1869 (/rfq/5965-00-937-1869.html), 5965-00-937-1870 (/rfq/5965-00-937-1870.html), 5965-00-937-1871 (/rfq/5965-00-937-1871.html), 5965-00-937-1872 (/rfq/5965-00-937-1872.html), 5965-00-937-1873 (/rfq/5965-00-937-1873.html), 5965-00-937-1874 (/rfq/5965-00-937-1874.html), 5965-00-937-1875 (/rfq/5965-00-937-1875.html), 5965-00-937-1876 (/rfq/5965-00-937-1876.html), 5965-00-937-1877 (/rfq/5965-00-937-1877.html), 5965-00-937-1878 (/rfq/5965-00-937-1878.html), 5965-00-937-1879 (/rfq/5965-00-937-1879.html), 5965-00-937-1880 (/rfq/5965-00-937-1880.html), 5965-00-937-1881 (/rfq/5965-00-937-1881.html), 5965-00-937-1882 (/rfq/5965-00-937-1882.html), 5965-00-937-1883 (/rfq/5965-00-937-1883.html), 5965-00-937-1884 (/rfq/5965-00-937-1884.html), 5965-00-937-1885 (/rfq/5965-00-937-1885.html), 5965-00-937-1886 (/rfq/5965-00-937-1886.html), 5965-00-937-1887 (/rfq/5965-00-937-1887.html), 5965-00-937-1888 (/rfq/5965-00-937-1888.html), 5965-00-937-1889 (/rfq/5965-00-937-1889.html), 5965-00-937-1890 (/rfq/5965-00-937-1890.html), 5965-00-937-1891 (/rfq/5965-00-937-1891.html), 5965-00-937-1892 (/rfq/5965-00-937-1892.html), 5965-00-937-1893 (/rfq/5965-00-937-1893.html), 5965-00-937-1894 (/rfq/5965-00-937-1894.html), 5965-00-937-1895 (/rfq/5965-00-937-1895.html), 5965-00-937-1896 (/rfq/5965-00-937-1896.html), 5965-00-937-1897 (/rfq/5965-00-937-1897.html), 5965-00-937-1898 (/rfq/5965-00-937-1898.html), 5965-00-937-1899 (/rfq/5965-00-937-1899.html), 5965-00-937-1900 (/rfq/5965-00-937-1900.html), 5965-00-937-1901 (/rfq/5965-00-937-1901.html), 5965-00-937-1902 (/rfq/5965-00-937-1902.html), 5965-00-937-1903 (/rfq/5965-00-937-1903.html), 5965-00-937-1904 (/rfq/5965-00-937-1904.html)

## Technical Data | NSN 5965-00-937-1850



Characteristic	Specifications
EARPHONE ELEMENT TYPE	DYNAMIC
EARPHONE QUANTITY	2
EARPHONE IMPEDANCE RATING	15.0 OHMS NOMINAL
EARPHONE CONTROLLING AGENCY	JETDS
EARPHONE IDENTIFYING NUMBER	H-269/G TYPE NO.
MICROPHONE ELEMENT TYPE	DYNAMIC
IMPEDANCE RATING	150.0 OHMS NOMINAL
FREQUENCY RATING	3.5 KILOHERTZ NOMINAL
OUTPUT LEVEL RATING	MINUS 50DBM A 1000.0 HZ
CONTROLLING AGENCY	JETDS
IDENTIFYING NUMBER	M-138/G TYPE NO.
EARPHONE MOUNTING METHOD	IN BAR CUSHIONS SUSPENDED IN HELMET
MICROPHONE MOUNTING FACILITY	MICROPHONE MTD ON SWITCH HOUSING FASTENED TO LEFT SIDE OF HELMET
CONNECTOR TO JUNCTION CORD LENGTH	1.390 FEET
SWITCH	INCLUDED
TEST DATA DOCUMENT	81349-MIL-H-55535 SPECIFICATION



## Restrictions/Controls & Freight Information | NSN 5965-00-937-1850

Restictions		Freight
Category	Code	Description
Shelf-Life Code:	0	Nondeteriorative
Hazardous Material Indicator Code	P	There is no information in the HMIS; however, the NSN is in an FSC in Table II of Federal Standard 313 and an MSDS may be required by the user. The requirement for an MSDS is dependent on a hazard determination of the supplier or the intended end use of the product
Demilitarization Code:	A	Non-Munitions List Item/ Non-Strategic List Item - Demilitarization not required.
Controlled Inventory Item Code:	U	UNCLASSIFIED
Precious Metals Indicator Code:	A	Item does not contain precious metal
Criticality Code:	X	The item does not have a nuclear hardened feature or any other critical feature such as tolerance, fit restriction or application.

## Management | NSN 5965-00-937-1850



Army



Air Force



Navy



**Marines**

Category	Code	Description
Materiel Category and Inventory Manager	Q	Electronics Materiel (DLA/GSA Items)
Appropriation and Budget Activity	2	Stock Fund Secondary Items
Management Inventory Segment	1	REPARABLE ITEMS (Exclusive of Insurance and Provisioning Items.) This code will be used to identify serviceable or unserviceable items of a durable nature which when unserviceable normally can be repaired economically by depots or lower echelons of maintenance.
Specific Group/Generic Code	0	Medical Materiel
Weapons Systems/End Item or Homogeneous Group	00	DLA/GSA-Managed Items that cannot be identified to a specific Army Weapons Systems/End Item
Accounting Requirements Code	X	Expendable item. An item of Army property coded with an ARC of ?X? in the AMDF. Expendable items require no formal accountability after issue from a stock record account. Commercial and fabricated items similar to items coded ?X? in the AMDF are considered expendable items.
Source of Supply	SMS	Defense Logistics Agency Enterprise Business Systems
Agency	DA	Department of the Army
Service Organization	A	U.S. Army



Category	Code	Description
Reparability	F	If condemned or uneconomically repairable, then dispose at Direct Support (DS) level.
Acquisition Advice Codes	J	NOT STOCKED, CENTRALLY PROCURED # (NON-STOCKED ITEMS) IMM/Service centrally managed but not stocked item. Procurement will be initiated only after receipt of a requisition.
Controlled Item Code	U	UNCLASSIFIED
Shelf Life Code	0	Nondeteriorative
Purchasing	QTY UOM	1 EA : Each

## DID YOU KNOW WBPARTS IS SOCIAL? CHECK US OUT ON FACEBOOK

OUR PARTS KEEP THE WORLD MOVING. CHECK OUT THE MANY WAYS OUR SITE CAN HELP YOU.

**FACEBOOK ([HTTPS://WWW.FACEBOOK.COM/WBP](https://www.facebook.com/WBP))**

---



Copyrights © 2016 All Rights Reserved by WBPparts, Inc.

