







NOTES

- * Contracted line voltage number is indicated.
- ** -TR-3787, -TR-3788, -TR-3788A
-TR-3788B or -TR-3788C

TR -TR-3787/3788 SERIES
EXTERNAL VIEW

313067448
7K-3788/5587mL (7)

4.7
1/29




NOTE
UNLESS OTHERWISE INDICATED
RESISTANCE IN OHMS;
RESISTORS 1/4 WATT

M-930507-2



WG 3 4
CODE CONVERTER




NOTES

UNLESS OTHERWISE INDICATED
RESISTANCE IN OHMS;
CAPACITANCE IN FARADS;
RESISTORS 1/4 WATT

M-830506-2



3B12
GATE CONTROL
SECTION




NOTES

UNLESS OTHERWISE INDICATED
 RESISTANCE IN OHMS;
 CAPACITANCE IN FARADS;
 RESISTORS 1/4 WATT

M-830510-2



3B40
 GATE CONTROL
 SECTION





NOTES
 UNLESS OTHERWISE INDICATED
 ALL RESISTANCE IN OHMS;
 CAPACITANCE IN FARADS;
 RESISTORS $\frac{1}{4}$ WATT

M - 031057-5



3C401
 DECIMAL SCALER



3045
DIVIDER