

WORLD LEADER AND ORIGINATOR OF QUALITY SPECAILTY TOOLS FOR OVER 70 YEARS

WWW.NEWMANTOOLS.COM TEL 1-800-465-1384 FAX 1-800-605-2442



# **Inspection Mirrors**

### For all angle viewing

### Original All-Angle Ball Joint Mirrors with brushed finish stainless steel mirror backs.

Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing to 360°. Ullman's precision engineered links are manufactured from tempered spring steel to withstand the stresses of constant repositioning, move freely, hold desired position.

### K-2 SERIES



# K-2 Rectangular Telescoping Mirror

 $2\frac{1}{8}$ " x  $3\frac{1}{2}$ " mirror. Overall length  $11\frac{1}{4}$ ", extends to  $15\frac{1}{4}$ ". Std. pkg. 1 doz. Pkg. wt. 4 lbs. 3 oz.

### K-2L Rectangular Telescoping Mirror, extra long handle

 $2\frac{1}{8}$ " x  $3\frac{1}{2}$ " mirror. Overall length  $17\frac{1}{4}$ ", extends to  $27\frac{1}{2}$ ". Std. pkg. 1 pc. Pkg. wt. 7 oz.

# K-2M Rectangular Magnifying Telescoping Mirror

 $2\frac{1}{8}$ " x  $3\frac{1}{2}$ " mirror. Overall length  $11\frac{1}{4}$ ", extends to  $15\frac{1}{4}$ ". Std. pkg. 1 pc. Pkg. wt. 5 oz.

# K-2ML Rectangular Magnifying Telescoping Mirror

 $2\frac{1}{8}$ " x  $3\frac{1}{2}$ " mirror. Overall length  $17\frac{1}{4}$ ", extends to  $27\frac{1}{2}$ ". Std. pkg. 1 pc. Pkg. wt. 7 oz.

### **C-2 SERIES**



### C-2 Circular Telescoping Mirror

21/4" mirror diam. Overall length 10", extends to 14". Std. pkg. 1 doz. Pkg. wt. 3 lbs. 10 oz.

# C-2L Circular Telescoping Mirror, extra long handle

21/4" mirror diam. Overall length 16", extends to 26". Std. pkg. 1 pc. Pkg. wt. 6 oz.

# C-2M Circular Magnifying Telescoping Mirror

21/4" mirror diam. Overall length 10", extends to 14". Std. pkg. 1 pc. Pkg. wt. 5 oz.

# C-2ML Circular Magnifying Telescoping Mirror

2<sup>1</sup>/<sub>4</sub>" mirror diam. Overall length 16", extends to 26". Std. pkg. 1 pc. Pkg. wt. 6 oz.

### **S-2 SERIES**



### S-2 Circular Telescoping Mirror

3¹/4" mirror diam. Overall length 11", extends to 15". Std. pkg. 1 doz. Pkg. wt. 4 lbs.

# S-2L Circular Telescoping Mirror, extra long handle

 $3^{1}/_{4}$ " mirror diam. Overall length 17", extends to  $27^{1}/_{4}$ ". Std. pkg. 1 pc. Pkg. wt. 7 oz.

### **FEATURES**

- Replaceable clear glass mirrors for perfect reflection.
- Telescoping and pocket models.
- Non-rotating inner hex rods on telescopic models prevent mirrors from swinging out of alignment when in use.
- Insulating vinyl grip on all models.

### **A-2 SERIES**

### A-2 Circular Pocket Mirror

%" mirror diam. Overall length 7½". Std. pkg. 1 doz. Pkg. wt. 1 lb. 4 oz.

# A-2M Circular Magnifying Pocket Mirror

%" mirror diam. Overall length 7½". Std. pkg. 1 pc. Pkg. wt. 2 oz.

### **E-2 SERIES**



### E-2 Circular Pocket Mirror

11/4" mirror diam. Overall length 8". Std. pkg. 1 doz. Pkg. wt. 1 lb. 6 oz.

### E-2M Circular Magnifying

**Pocket Mirror** 

11/4" mirror diam. Overall length 8". Std. pkg. 1 pc. Pkg. wt. 2 oz.

### **B-2 SERIES**



# B-2 Oval Pocket Mirror 1" x 2" mirror.

Overall length 8½". Std. pkg. 1 doz. Pkg. wt. 1 lb. 7oz.



### **Refill Mirrors and Head Assemblies**

Refill Mirrors Only				
Model No.	Mirror Size	Pkg. Wt.		
B-2R	Oval 1" x 2"	2 oz.		
K-2R	21/8" x 31/2"	10 oz.		

Note: Refill Mirrors, Std. pkg. 1 doz.

Refill Head Assemblies			
	Model No.	Mirror Size	Pkg. Wt.
	A-2HD	%" dia.	1 oz.
	B-2HD	1" x 2" oval	1 oz.
	C-2HD	21/4" diam.	2 oz.
	E-2HD	11/4" diam.	1 oz.
	K-2HD	21/8" x 31/2"	2 oz.
	S-2HD	31/4" diam.	2 oz.
	I		

Refill Magnifying Mirrors Only					
Model No.	Mirror Size	Pkg. Wt.			
K-2MR	21/8" x 31/2"	1 oz.			
Refill Magnifying Mirrors					
Head Assemblies					
Model No.	Mirror Size	Pkg. Wt.			
A-2MHD	%" diam.	1 oz.			
C-2MHD	21/4" diam.	2 oz.			
E-2MHD	11/4" diam.	1 oz.			
K-2MHD	21/8" x 31/2"	2 oz.			



# **Telescoping Inspection Mirrors**

### For all angle viewing

- Clear glass mirror for perfect reflection.
- All-angle ball joint holds mirror firmly for 360° viewing.
- Mirror encased in rugged corrosion resistant brushed stainless steel.
- Comfortable textured cushion grip keeps handle secure even in wet or oily hands.

SEE PAGE 15 FOR DISPLAY

### \* LONGER, STRONGER AND LIGHTWEIGHT

Unique combination of features make these Inspection Mirrors the ones you will keep within reach at all times.



### Circular Telescoping Inspection Mirror

HT-E2

Stainless steel telescoping handle is strong, long, and lightweight.

11/4" mirror diam.

Telescopes from 61/2" to 35".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 2 oz.



### Circular **Telescoping** Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

21/4" mirror diam.

Telescopes from

Std. pkg. 1 doz. Pkg. wt. 3 lbs. 2 oz.



### **HT-S2**


### Circular **Telescoping** Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

31/4" mirror diam.

Telescopes from 61/2" to 291/2".

Std. pkg. 1 doz. Pkg. wt. 3 lbs.10 oz.





### HTB2-T

Oval **Telescoping** Inspection Mirror

1" x 2" oval mirror.

5 <sup>5</sup>/<sub>16</sub>" to 28 <sup>1</sup>/<sub>4</sub>".

Std. pkg. 1 doz.



### HTA2-T

Circular **Telescoping** Inspection Mirror

%" mirror diam.

Telescopes from 5 5/16" to 27 1/8".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 5 oz.



### HTE2-T

Circular **Telescoping** Inspection Mirror

11/4" mirror diam.

Telescopes from 5 <sup>5</sup>/<sub>16</sub>" to 27 <sup>1</sup>/<sub>2</sub>".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 6 oz.



Telescopes from

Pkg. wt. 1 lb. 6 oz.





# **Pocket Telescoping Inspection Mirrors**

Perfect for seeing behind or around pipes or panels. . . inspecting on the production line or to check hidden areas on engines, boats. Bright chrome-plated telescopic handles work smoothly. Double ball joints swivel for viewing a full 360°.

Precision engineered links of tempered spring steel withstand stress of constant repositioning, move freely and hold desired position. Clear glass mirrors for perfect reflection are replaceable, have brushed finish stainless steel backs.



Circular **Telescopic** Inspection Mirror

%" mirror diam.

Extends to 18". Closes down to 4½".

Std. pkg. 1 doz. Pkg. wt. 15 oz.



Circular **Telescopic** Inspection Mirror

11/4" mirror diam.

Extends to 181/2". Closes down to 41/2".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 10 oz.



Oval Telescopic Inspection Mirror

1" x 2" oval mirror.

Extends to 191/2". Closes down to 41/2".

# **Pocket Telescoping Inspection Mirror** with Magnetic Pick-up Tools

- Two handy tools in one!
- All-angle ball joints holds mirror firmly at any angle.
- Powerful long-life magnet.

Strong long-life magnet is ideal for retrieving nuts, bolts and tools in hard-to-reach areas.

### A-2TM

Circular Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

%" round mirror and magnetic pick-up tool

Telescopes 5 <sup>5</sup>/<sub>8</sub>" to 19 <sup>1</sup>/<sub>2</sub>".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 6 oz.

# E-2TM

Circular Telescopic Inspection Mirror/ Magnetic **Pick-Up Tool** 

11/4" round mirror and magnetic pick-up tool

Telescopes 5 5/8" to 19 7/8".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 7 oz.



### B-2TM

**Oval Telescopic** Inspection Mirror/ Magnetic Pick-Up Tool

1" x 2" oval mirror and magnetic pick-up tool

Telescopes  $5^{5}$ /8" to  $20^{3}$ /4".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 8 oz.



# Telescoping Magnifying Glass



### Magnifies part numbers, serial numbers and hidden areas for better viewing.

- Shatter resistant magnifying head telescopes 6 1/8" to 361/8".
- All-angle ball joint holds magnifying head firmly at any angle.
- Stainless steel telescoping handle is long, strong and lightweight.
- Comfortable textured cushion grip handle will not slip in wet or oily hands.

### **MG-2**

2 3/8" diam. magnifying head.

Std. pkg. 1 doz.

# **Inspection Mirrors**

### Welding and **Inspection Mirrors**

Heavy-duty with extra powerful magnetic base

Perfect for welding in awkward places. Mounts and adjusts in seconds to bring hidden areas into full view.



### Retangular **Magnetic Base** Inspection Mirror

21/8" x 31/2" quick-change replacable mirror

Std. pkg. 1 pc. Pkg. wt. 1 lb.





Circular **Magnetic Base Inspection Mirror** 

31/4" mirror diam.

Std. pkg. 1 pc. Pkg. wt. 41/4 oz.





Pkg. wt. 3 lbs. 4 oz.

Circular

Std. pkg. 1 pc.

Pkg. wt. 31/2 oz.



# **Neodymium-Iron-Boron Magnets**

# Magnetic Pick-Up Tools

# Telescoping MegaMag<sup>®</sup> Magnetic Pick-up Tool

### Lifts 16 lbs.

Goblet-shaped head pushes flux to the top of the magnet.

### GM-2

- Telescopes from 7 1/8" to 30 1/4".
- Head shields the sides of the magnet from attaching to unwanted metal surfaces
- Stainless steel handle is long, strong and lightweight
- Comfortable textured cushion pistol grip keeps handle secure even in wet or oily hands.

Std. pkg. 1 doz. Pkg. wt. 3 lbs. 3 oz.

MegaMag Patent numbers: 6392517, D446701



### **Dual Tool**

Telescoping MegaMag<sup>®</sup> Magnetic Pick-Up Tool with Inspection Mirror.

Lifts 16 lbs.

Mirror with metal base mounts to MegaMag in seconds to bring hidden areas into full view.

### GMC-2

- 21/4" diam. mirror
- Telescopes from 9" to 34<sup>1</sup>/<sub>4</sub>".

Std. pkg. 1 doz. Pkg. wt. 4 lbs. 7 oz.

PATENT PENDING



# Telescoping Magnetic Pick-Up Tools with Powercap®

Lifts at least 45% with the Powercap, and it shields the sides of the magnet from attaching to unwanted metal surfaces.

- Stainless steel handle is long, strong and lightweight.
- Pocket clip keeps it handy and secure
- Comfortable textured cushion grip keeps handle secure even in wet or oily hands.

SEE PAGE 15 FOR DISPLAY

Powercap Patent numbers: 5999074, 5945901, D413497, D397006

### **HT-1**

Powercap® Telescoping Magnetic Pick-up Tool

Lifts 11/2 lbs. over 2 lbs with Powercap®

Telescopes from 6 5/8" to 331/4".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 5 oz.

### HT-2

Powercap® Telescoping Magnetic Pick-up Tool

Lifts 31/2 lbs. over 5 lbs with Powercap®

Telescopes from 6 \(^{5}\mathbb{8}\)" to 33\(^{1}/\_{4}\)".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 5 oz.

# allman HT-2

### **HT-3**

Powercap® Telescoping Magnetic Pick-up Tool

Lifts 5 lbs. over 10 lbs with Powercap®

Telescopes from  $6 \frac{3}{4}$ " to  $30\frac{1}{4}$ ".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 8 oz

### Pocket Telescoping Magnetic Pick-Up Tools

# HT-5DIS Counter top display contains five red and five black HT-5. Std. pkg. 12 pcs. Pkg. wt. 14 oz.

### **HT-5**

Powercap® Pocket Telescoping Magnetic Pick-up Tool

Lifts 11/2 lbs. over 3 lbs with Powercap®

Telescopes from  $5^{1}/2^{1}$  to  $25^{1}/2^{1}$ .

Std. pkg. 1 doz. Pkg. wt. 3 lbs. 5 oz.

# 1

### No. 19X

Pocket Telescoping Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 3<sup>1</sup>/<sub>2</sub> lbs.

Telescopes from  $5 \frac{7}{8}$ " to  $25 \frac{5}{8}$ ".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 2 oz.

Chrome-Plated

# No. 15X\*

Pocket Telescoping Magnetic Pick-up Tool

Picks up ferrous metal objects weighing 11/2 lbs.

Telescopes from  $5 \frac{7}{8}$ " to  $25 \frac{9}{16}$ ".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 2 oz.

\*Available in 15XOR Bright Orange 15XGR Neon Green 15X Chrome-Plated



www.newmantools.com tel 1-800-465-1384

fax 1-800-605-2442



# Neodymium-Iron-Boron Magnets cont.

# Magnetic Pick-Up Tools

Neodymium-Iron-Boron Magnets have greater pick-up power and outperforms the standard Alnico V magnets 4 to 1



No. 21X

Telescoping with Rotating Aluminum Head

Powerful enough to pick up ferrous metal objects weighing 5 lbs.

Ball joint holds aluminum head firmly at any angle

Insulating vinyl grip

Telescopes from 16<sup>3</sup>/<sub>4</sub>" to 26<sup>1</sup>/<sub>2</sub>".

Std. pkg. 1 doz. Pkg. wt. 5 lbs. 5 oz.



No. 14X

Flex Magnet Retrieving Tool



Bendable aluminum shaft remains in position

Long 219/16" reach

Std. pkg. 1 doz. Pkg. wt. 2 lbs.



### **Easy to Retrieve**

No. 12X

Flexible On/Off Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 1½ lbs.

Flexible for snaking through difficult areas

Simply push plunger to activate magnet. To deactivate magnet release button.

22" long.

Std. pkg. 1 doz. Pkg. wt. 3 lbs. 2 oz.



Deactivated



### **Super Strength**

**No. 8X** 

Pocket Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 1<sup>1</sup>/<sub>2</sub> lbs.

Pencil shaped 6" aluminum handle with handy pocket clip





# Alinco V Magnets

# Magnetic Pick-Up Tools

The original all-angle magnetic retrieving tool with Molded Nylon Heads

This is the original magnetic pick-up tool that is perfect for retrieving nuts, bolts, even metal hand tools dropped while working on engines, boats or any place where pipes, panels or parts get in the way.

Perfect for use under water, oil, etc.







# No. 4T Pocket Telescopic Magnetic Pick-up Tool

Extends to a full 19<sup>1</sup>/<sub>2</sub>", yet closes down to 4<sup>1</sup>/<sub>2</sub>".

Std. pkg. 1 doz. Pkg. wt. 1 lb. 1 oz.



### 17<sup>1</sup>/<sub>2</sub>" Spring-Flex Magnetic Pick-up Tool

Tightly wound flexible shaft of spring tempered steel links to probe easily into most remote areas for ferrous metal objects. High power permanent magnet provides a lifetime of pulling power.

Overall length 171/2"

Std. pkg. 1 doz. Pkg. wt. 3 lbs. 3 oz.

### No. 6FL

### 25" Spring-Flex Magnetic Pick-up Tool

Same as 6F but with overall length 25".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 12 oz.



### No. 9

### Magnetic Pick-up Tool Insulated Pocket Magnet

Made of insulating polypropylene — unaffected by oil or gasoline — virtually unbreakable. Powerful life-long magnet. Pencil shaped, 6"long. Supplied with pocket clip

Std. pkg. 1 doz. Pkg. wt. 12 oz.



### No. 10-T

### Pocket Telescopic Magnetic Pick-up Tool

Extends out to 18<sup>1</sup>/<sub>4</sub>". Closes down to convenient 5<sup>3</sup>/<sub>4</sub>" pocket size.

# **Additional Magnetic** and Retrieving Tools

### No. 5

### Magnetizer/Demagnetizer

Magnetizes and demagnetizes screwdrivers and other small tools.

Overall size 11/16" x 11/16" x 11/16".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 1 oz.







TO DEMAGNETIZE





### NO. 7 **Magnetic Safety Feeder Tool**

Feeds and retrieves hard-to-handle ferrouse metal parts. Reduces press accidents. Permanent magnet lifts up to 10 lbs. Chrome finished with easy grip fluted handle.

Overall length 14".

Std. pkg. 1 pc. Pkg. wt. 12 oz.





### No. 16 **Flexible Spring Claw**

Overall length 231/2".

Std. pkg. 1 doz. Pkg. wt. 2 lbs. 12 oz.

### No. 17

### **Flexible Spring Claw**

Overall length 131/2".

Std. pkg. 1 doz. Pkg. wt. 2 lbs.





# Scribers, Hooks & Picks

### No. 1830 **Pocket Scriber**

Sharp tungsten carbide tip cuts into hard surfaces. leaves clear mark on metal, glass, plastic, tools.

All-in-one "Push-Click" SAFETY COVER on tungsten carbide with magnetic pick up.

Overall length 5 7/16".

Std. pkg. 1 doz. Pkg. wt. 15 oz.



just pull cover down - and twist. It locks in

### No. 1820

**Utility Packing Hook with** magnetic pick-up handle

Hook is used for removing springs, wadding, washers, "O" rings — prying stuck gaskets loose.

Handy steel hook for any tool box; repairmen, technicians, service personnel. With a strong steel shaft, hook, aluminum handle, and magnetic end to retrieve dropped nuts, bolts, washers, parts.

Overall length 7".

Std. pkg. 1 doz. Pkg. wt. 15 oz.



### **Double Pointed Scriber**

Scriber has straight and 90° angle points for marking in awkward places

Heat-treated, bright polished, high carbon needle steel points. For technician or craftsman who need a sharp marking tool that works in cramped quarters, as well as, in regular applications. Knurled aluminum handle gives sure grip.

Overall length 91/2".






# Scribers, Hooks & Picks

- Remove small fuses, "O" rings
- Separate small wires in awkward places
- Retrieve nuts, bolts, washers, and loose parts too small to pick-up with fingers
- Mark metal, plastic, surfaces





### H4W


### 4-Piece Hook & Pick Set

Set includes these four screw-in tips plus handle.

Overall length 6 9/16".

Std. pkg. 12 pcs. Pkg. wt. 1 lb. 10 oz.

Comes packaged in zippered top vinyl pouch.




### **MP-6**

### 5-Piece Micro Pick Set

These picks are ideal for soldering, glueing, positioning, adjusting and retrieving small parts. The needle tips are made of a high quality stainless steel and the set comes packaged in a zippered top vinyl pouch.

Overall length 5 9/16".

Std. pkg. 12 pcs. Pkg. wt. 1 lb. 2 oz.



### PSP-4

# 4-Piece Hook & Pick Set with Screwdriver Type Handles

Each hook and pick is made of high carbon polished steel and is permanently inserted into a sturdy plastic handle.

Overall length 5 1/16".

Std. pkg. 12 pcs. Pkg. wt. 2 lbs. 10 oz.

Sold as set or individually.

# Scribers, Hooks & Picks











# 9 3/4" long




### CHP4-L

### 4 Piece Individual Hook and Pick Set

Available as a set or individually. Cushioned textured grip will not slip in wet or oily hands. Threaded replacement picks are available

Std. pkg. 12 pcs. Pkg. wt. 3 lbs. 3 oz.



# 9 3/4" long

### CHP6-L

### 6 Piece Individual Hook and Pick Set

Available as a set or individually

Cushioned textured grip will not slip in wet or oily hands

Threaded replacement picks are available

Std. pkg. 12 pcs. Pkg. wt. 4 lbs. 7 oz.

# 6 7/8" long




### CHP4

### 4 Piece Individual Hook and Pick Set

Each hook and pick is made of high carbon polished steel and is permanently attached to a cushioned textured grip that will not slip in wet or oily hands

Std. pkg. 12 pcs. Pkg. wt. 2 lbs. 5 oz.

# 6 5/16" long



### **PH-4**

### 4 Piece Individual Hook and Pick Set

Each hook and pick is made of high carbon polished steel and is permanently attached to a hex shaped aluminum handle.

Std. pkg. 12 pcs. Pkg. wt. 2 lbs.

# Heavy-Duty Ratchet Piston Ring Compressors

Special processing doubles tension-band life.

Enlarged crimped edge prevents compressor from entering cylinder.

Highest quality tempered blue spring steel.

# **Specialized Tools for Mechanics**

### RC-1

### Piston Ring Compressor

 $2^{1}/8$ " to 5" capacity.

Fits all passenger cars. 2-band ratchet type.

Std. pkg. 1 doz. Pkg. wt. 8 lbs. 6 oz.



### RC-2

### Piston Ring Compressor

31/2" to 7" capacity.

Fits all light trucks. 2-band ratchet type.

Std. pkg. 1 doz. Pkg. wt. 9 lbs. 8 oz.



### RC-0

### Piston Ring Compressor

21/k" to 5" capacity.

Low priced non-ratchet type.

Fits all passenger cars and light trucks.

Std. pkg. 1 doz. Pkg. wt. 4 lbs. 4 oz.



Same as RC-0 but with key. Std. pkg. 1 doz. Pkg. wt. 5 lbs. 4 oz.

### Not Illustrated

### RC-0S

### **Piston Ring Compressor**

1<sup>1</sup>/<sub>2</sub>" to 4" capacity. Low priced non-ratchet type. For sports cars, out-boards, lawn mowers. Std. pkg. 1 doz. Pkg. wt. 3 lbs. 14 oz.

### **RC-90S**

Same as RC-0S but with key. Std. pkg. 1 doz. Pkg. wt. 9 lbs. 12 oz.

# RC-T3

### Piston Ring Compressor

31/2" to 7" capacity.

Fits all heavy trucks, tractors and diesels. 4-band ratchet type. Overall height 6<sup>1</sup>/<sub>2</sub>".

Std. pkg. 1 pc. Pkg. wt. 1 lb. 11 oz.



# Universal Spark Plug Gap Gauge

### **Easy to Read**

### **SG-2**

- Scaled from .020" to .100" (0.5mm to 2.4mm).
- Pewter plating makes the inches and millimeters more legible for the user to read.
- Easy accurate spark plug adjustment.
- Flanged edge for electrode bending.
- Beveled round hole for opening gap.
- 1½" diameter.

Std. pkg. 1 doz. Pkg. wt. 10 oz.





### 1/4 in. Bit Holder

### BH-2

Holds up to 21 — 1/4" bits.
 Made from a sturdy unbreakable vinyl.

Ullman's new Bit Holder keeps bits neat and organized which prevents loss of bits that would normally be scattered in a tool drawer or on a tool bench. Handy pocket size — ideal for carrying bits to the job.

Std. pkg. 1 doz. Pkg. wt. 1lb.

This sturdy vinyl holder holds up to 21 bits securely, yet they are easy to remove when needed.



# *Mechanical Screw Starters*

# For ferrous or non-ferrous screws

Tool releases and resets automatically. Slender aluminum or electric-shock resistant nylon handles, for easy access into close areas.

Should a screw, washer or nut be dropped into a hard-to-reach area, it can easily be retrieved by turning the tool around and using the strong full 1" permanent magnet on the opposite end of the aluminum handle screw starter.

### Standard Slotted Screw Starters

# Aluminum in 4 sizes

### **D-**1

Screw Starter
Overall Length 2 5/8".
Std. pkg. 10 ea.
Pkg. wt. 9 oz.

### **D-2**

**Screw Starter**With pocket clip
Overall Length 5 5/8".
Std. pkg. 10 ea.

### **D-3**

Screw Starter

Pkg. wt. 12 oz.

Overall Length 9 5/8". Std. pkg. 10 ea. Pkg. wt. 1 lb. 2 oz.

### **D-4**

Screw Starter

Overall Length 15 1/8". Std. pkg. 6/bulk. Pkg. wt. 9 oz.



### Electric Shock-Resistant Nylon Handles in 4 sizes

### N-1

**Nylon Screw Starter** Overall Length 2 <sup>11</sup>/<sub>16</sub>". Std. pkg. 5/box.

Pkg. wt. 2 oz.

### N-2

**Nylon Screw Starter** 

Overall Length 6 1/8". Std. pkg. 5/box. Pkg. wt. 3 oz.

### N-3

**Nylon Screw Starter** Overall Length 9 1/8".

Overall Length 9 1/8". Std. pkg. 5/box. Pkg. wt. 4 oz.

### **N-4**

**Nylon Screw Starter** 

Overall Length 15 <sup>3</sup>/<sub>16</sub>". Std. pkg. 5/box. Pkg. wt. 6 oz.

# Phillips Head Screw Starters

# Aluminum in 4 sizes

### **PD-9**

Screw Starter

Overall Length 2 <sup>3</sup>/<sub>4</sub>". Std. pkg. 10 ea. Pkg. wt. 9 oz.

### **PD-10**

Screw Starter

With pocket clip Overall Length 5 <sup>3</sup>/<sub>4</sub>". Std. pkg. 10 ea. Pkg. wt. 12 oz.

### **PD-11**

**Screw Starter** 

Overall Length 9 3/4". Std. pkg. 10 ea. Pkg. wt. 1 lb. 2 oz.

### **PD-12**

Screw Starter

Overall Length 15 1/4". Std. pkg. 6/bulk. Pkg. wt. 9 oz.



### Electric Shock-Resistant Nylon Handles in 4 sizes

### **PN-9**

**Nylon Screw Starter** 

Overall Length 2 <sup>13</sup>/<sub>16</sub>". Std. pkg. 5/box. Pkg. wt. 2 oz.

### **PN-10**

**Nylon Screw Starter** 

Overall Length 6<sup>1</sup>/<sub>4</sub>". Std. pkg. 5/box. Pkg. wt. 3 oz.

### **PN-11**

**Nylon Screw Starter** 

Overall Length 9<sup>1</sup>/<sub>4</sub>". Std. pkg. 5/box. Pkg. wt. 4 oz.

### **PN-12**

**Nylon Screw Starter** 

Overall Length 15 <sup>5</sup>/<sub>16</sub>". Std. pkg. 5/box. Pkg. wt. 6 oz.





### **Double-Ended Screw Starters**

# Mechanical Screw Starters

# For ferrous or non-ferrous screws

No more fumbling with hard-to-position screws!

A simple twist of the Ullman alloy steel bit and screw is firmly held, ready for trouble-free starting.

# Double-Ended Nylon Screw Starter

### DE-1

With Phillips and Slotted Heads

Overall Length 9".

Std. pkg. 1 doz.. Pkg. wt. 1 lb. 2 oz.



### **Double-Ended Aluminum Screw Starter**

### DE-2

With Phillips and Slotted Heads

Overall Length 61/4".

Std. pkg. 1 doz.. Pkg. wt. 15 oz.



SLOTTED

# For ferrous or non-ferrous screws and nuts

One quick "snap" and the tool is set . . . gripping screw or nut tight for easy starting.

Bright-dipped anodized sure-grip aluminum handle with blades of high carbon spring steel.

# Phillips /Torx® Screw Starter

### F-2

Fits TORX® screws sizes T-10, T-15, T-20, T-25, T-27 and T-30. Also fits most Allen-Hex and Phillips screws.

Handy pocket clip. Permanent magnet at opposite end retrieves nuts or screws dropped in hard-to-reach areas.

For headlight bezel, turnlight assemblies, mirror mounts, exterior trim, carburetor and ignition systems.

Overall Length 5 5/8".

Std. pkg. 1 doz.. Pkg. wt. 1 lb. 2 oz.



### **Nut Starter**

### **G-2**

Fits Sizes: 4-40 Thread 3/32" 2.5 mm to 5/16" 8 mm

- Snap in Nut
- Start Threads
- Self Releasing

Use on small size nuts to start nut on bolt thread.

Releases from nut as threads are engaged.

Overall Length 51/8".





# Socket Carry-Racks & Holders

### MegaMag® Socket Rack


Strong Neodymium-Iron-Boron Magnets keep 1/4", 3/8", and 1/2" drive sockets together, organized and ready to use.

The magnetic force on the back holds the rack loaded with sockets to any flat metal surface, and the plastic coated rail prevents scratches to painted surfaces.



## Socket Holders with Heavy-Duty Spring Clips

Bright, durable, plated steel rail with slide-on spring clips to hold sockets tight and rattleproof. Screw into tool chest drawer or hang.



# Socket Carry-Racks with Vinyl Grips

Bright, durable, plated steel rail with slide-on spring clips to hold sockets tight and rattleproof, yet easily removable. Heavy vinyl handle with socket drive size displayed on top.



WE SET THE STANDARDS

DISPLAY FOR NEW HIGH TECH MAGNETIC PICK-UP TOOLS AND INSPECTION MIRRORS



# HT-DISP eye catching counter or shelf display holds three each:

- HT-1 lifts 11/2 pounds, over 2 pounds with POWERCAP® telescopes from 65/8" to 331/4".
- HT-2 lifts 3<sup>1</sup>/<sub>2</sub> pounds, over 5 pounds with POWERCAP® telescopes from 6<sup>5</sup>/<sub>8</sub>" to 33<sup>1</sup>/<sub>4</sub>".
- HT-3 lifts 5 pounds, 10 pounds with POWERCAP® telescopes from 6<sup>3</sup>/<sub>4</sub>" to 30<sup>1</sup>/<sub>4</sub>".
- HTE-2 with 1<sup>1</sup>/<sub>4</sub>" mirror for viewing in tight areas telescopes from 6<sup>1</sup>/<sub>2</sub>" to 35".
- HTC-2 with 2<sup>1</sup>/<sub>4</sub>" mirror for viewing in less restricted areas telescopes from 6<sup>1</sup>/<sub>2</sub>" to 36<sup>3</sup>/<sub>8</sub>".
- HTS-2 with 31/4" mirror for brightest clearest viewing with room to maneuver telescopes from 61/2" to 291/2".

www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442



### distributed by:

Newman Tools Inc. 185 Iber Rd. Ottawa, Ontario, Canada K2S 1E7 Tel 613-836-6776 Fax 613-836-9070 www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442

## **CATALOG NO. 108**

© ULLMAN DEVICES CORPORATION 2004 PRINTED IN U.S.A.