




ACCESSORIES & NOZZLES

Techspan carry a comprehensive range of accessories and nozzles to suit the Leister hot air tools.

Here we have listed many of the standard range available. This listing is by no means the full extent of possible accessories available, so please contact us with your exact requirements to ensure you are using the correct nozzle for your specific application.

Whether you need to effect Plastic Fabrication or you have an Industrial hot air requirement, Techspan can assist you in specifying the best solution.

106.982		Elongated Pendulum Welding Nozzle 5mm, length 150mm. Push fit on Triac / Diode.
106.983 106.984		Draw nozzles for 3mm or 4mm welding rod as required. Screw on to Triac and Diode. Compatible element housing required.
106.985 106.986 106.987		Draw nozzle for 5.7 and 7mm triangular profiled welding rod. Screw on to Triac / Diode. Compatible element housing required.
106.98 8		Screw on Tacking jet. Screw on to Triac / Diode. Compatible element housing required.
106.989 106.990 106.991		Speed welding nozzles - 3, 4 or 5mm round profile. Push fit on Pendulum Welding nozzle.
106.992 106.993		Speed welding nozzle for 5,7 or 7mm profiled welding rod as required. Push fit on Pendulum Welding nozzle.




Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

106.996		Tacking jet. For joining sheet and pipes. Push fit on Pendulum Welding nozzle.
107.137		Speed welding nozzle for welding tape 8mm x 2mm. Push fit on Pendulum Welding nozzle.
107.144		Standard nozzle 5mm. Push fit on a Hot Jet S / Labor S.
100.303		Pendulum welding nozzle. Push fit on Triac / Diode.
105.622		Screw on Pendulum welding nozzle 5mm. Screw on to Triac / Diode. Compatible element housing required.
107.258		Wide slot nozzle 70x10mm. Push fit on Electron.
107.270		Wide slot nozzle 150x12mm. Push fit on Electron.



Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.328		Hinged reflector 65x75mm for uniform shrinking, warming and forming. Push fit on Electron.
107.331		Hinged reflector nozzle 70mm. Push fit on Electron.
107.340		Tunnel nozzle 45x250mm. Push fit on Electron.
107.344		Welding mirror / Hot plate. 135mm dia, Teflon coated. Push fit on Triac / Diode.
107.346		Welding mirror / Hot plate. 230mm dia, Teflon coated. Push fit on Electron.
107.347		Welding mirror / Hot plate nozzle. 530mm Long. Push fit on Electron.





Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.354		Refined steel filter for Robust blower.
Welding Rod Tri Profile		Triangular profiled Thermoplastic welding rod. Available in various materials. 5mm or 7mm Triangular.
Welding Rod Round	3mm, 4mm or 5mm round	Round profiled Thermoplastic welding rod. Available in various materials. 3mm or 4mm or 5mm Round.
Welding Rod Tape profile		Tape profiled Thermoplastic welding rod. Available in various materials. 8mm x 2mm Tape.
RTK		Rod Test Kit. Plastics Identification kit.
112.628		Welding shoe comp, fillet weld 10mm for Weldmax
112.627		Welding shoe comp, fillet weld 8mm for Weldmax
112.625		Welding shoe comp, fillet weld 6mm for Weldmax
112.630		Welding shoe comp, fillet weld 5mm for Weldmax
112.624		Welding shoe comp, V-seam 10mm for Weldmax
112.623		Welding shoe comp, V-seam 8mm for Weldmax
112.621		Welding shoe comp, V-seam 6mm for Weldmax
112.629		Welding shoe comp, V-seam 5mm for Weldmax
112.830		Welding shoe comp , blank. for Weldmax




Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

106.975		Single-arm high temp silicon pressure roller, width 40mm
106.981		Steel pressure roller for profiled welding custom seals.
107.123		Wide slot nozzle 20mm for overlap welding. Push fit on Triac
107.142		Wide slot nozzle 20mm for overlap welding. Push fit on Hot Jet
106.972		Brass pressure roller
106.974		High temp silicon roller, width 80mm.
106.976		PTFE pressure roller, width 28mm
107.124		Angled nozzle 20mm, 90° bend for overlap welding. Push fit on Triac


Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.125		Angled nozzle 20mm, 60° bend for overlap welding. Push fit on Triac
107.129		Wide-slot nozzle 60mm for overlap welding. Push fit on Triac
107.130		Wide-slot nozzle 40mm, 60° bend for overlap weld- ing. Push fit on Triac
107.131		Wide-slot nozzle 80mm for overlap welding . Push fit on Triac
107.132		Wide-slot nozzle 40mm for overlap welding. Push fit on Triac
107.133		Wide-slot nozzle 40mm with holes for overlap welding. Push fit on Triac
107.266		Wide-slot nozzle 75x2mm for overlap welding. Push fit on Electron

Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.154		Pendulum welding nozzle 5mm. Push fit on Ghibli
107.307		Soldering reflector 27x35mm. Push fit on Ghibli
107.308		Reflector Nozzle 34x50mm. Push fit on Ghibli
107.309		Reflector Nozzle 20x35mm. Push fit on Ghibli
107.310		Reflector Nozzle 20x35mm. Push fit on Hot-Jet
107.311		Reflector Nozzle 34x50mm. Push fit on Hot-Jet
107.312		Reflector Nozzle 24x25mm for shrinking of shrink tubing and moulded parts in PVC,PE. Push fit on Hot-Jet
107.313		Spoon reflector 27x35mm for shrinking of shrink tubing and moulded parts in PVC,PE. Push fit on Ghibli
107.315		Hinged reflector 70x12mm. Push fit on Ghibli

Australia:



P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

LEISTER ACCESSORIES & NOZZLES

ACCESSORIES & NOZZLES

107.316		Hinged reflector 84x14mm. Push fit on Ghibli
107.324		Shrink Reflector Nozzle. Push fit on Pendulum Welding nozzle.
107.325		Reflector Nozzle 17x34mm. Push fit on Ghibli
107.326		Tunnel 25x150mm. Push fit on Triac & Diode
107.327		Tunnel 85x85mm. Push fit on Electron
107.330		Hinged reflector. Push fit on Electron
107.333		Tunnel Nozzle 130x130mm. Push fit on Electron
107.337		Reflector Nozzle. Push fit on Triac & Diode.
107.338		Reflector Nozzle. Push fit on Triac & Diode
107.339		Reflector 17x34mm. Push fit on Triac & Diode

Australia:




P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

LEISTER ACCESSORIES & NOZZLES

ACCESSORIES & NOZZLES

107.299		Air flow off/on switch - pneumatic 5 bar Air supply interruption device. Push-fit on Robust blower.
107.295		Air flow off/on switch - manual switch Air supply interruption device. Push-fit on Silence blower..
107.296		Air flow off/on switch - pneumatic 5 bar Air supply interruption device. Push-fit on Silence blower.
101.681		Air hose 14 mm for connection of tools Diode / 700 / Labo 34 to blower.
101.031		Hose clip for 14 mm air hose
107.350		Air hose 19 mm for connection of Heater 3000 to blower.
107.290		Hose clip for 19 mm air hose




Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.354		Stainless steel filter push-fit on air intake of robust blower
108.623		Motor capacitor 220V for Robust blower
104.017		Motor capacitor 110V for Robust blower
107.281		Hose connection adaptor, push-fit on Robust blower, for connection of 3 Heaters Diode / 700 / Labo 34
107.293		Hose connection adaptor, push-fit on Robust blower.
107.298		Hose connection adaptor, push-fit on Robust blower.
107.286		Air hose 38 mm
107.287		Hose clip for 38 mm and 60 mm hose
107.288		Air hose 60 mm for the AirPack blower and heater connection
107.291		Hose connection adaptor for 38 mm hose. Push-fit on AirPack blower
107.292		Hose connection adaptor for 38 mm hose. Push-fit on air AirPack blower
107.278		Hose connection adaptor for 60mm hose. Push-fit on AirPack blower

Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

LEISTER ACCESSORIES & NOZZLES

ACCESSORIES & NOZZLES

107.245		Nozzle Round profile 40mm
107.246		Flange connector
107.247		Extension nozzle 200x40 mm
107.248		Stainless steel filter
107.259		Wide slot nozzle 150x12 mm, push-fit on 5000 / Hotwind S
107.260		Wide slot nozzle 85x15 mm, push-fit on electron
107.262		Wide slot nozzle 300x4 mm, push-fit on 5000 / Hotwind s
107.329		Reflector Nozzle 75 mm
107.336		Reflector Nozzle 110 mm

Australia:



P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

LEISTER ACCESSORIES & NOZZLES

ACCESSORIES & NOZZLES

107.342		Tunnel Nozzle 400x50 mm
107.244		Round nozzle 50 mm
107.267		Wide slot nozzle 500x15 mm
107.272		Wide slot nozzle 300x12 mm
107.273		Extension nozzle 500x60 mm
107.274		Wide slot nozzle 130x17 mm
107.275		Flange connector
107.277		Stainless steel filter

Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.341		Tunnel Reflector 370x160 mm
107.282		Flange connector, push-fit on protection tube
107.311		Reflector Nozzle 50x35 mm
107.152		De-soldering nozzle 12 mm, for de-soldering
Special		De-soldering nozzles for SMD components
107.310		Reflector Nozzle 20x35
107.324		Reflector Nozzle 10 mm. Push fit on Pendulum Welding nozzle.
107.003		90° Nozzle
107.250		Flange connector


Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

ACCESSORIES & NOZZLES

107.255		Extension nozzle 36.5 x 160 mm
107.256		160 x 100 mm angled nozzle
107.257		Tubular nozzle, 600 mm,
107.258		Wide slot nozzle 70 x 10 mm
107.270		Wide slot nozzle 150 x 12 mm
107.331		Hinged Reflector Nozzle 70 mm x 70mm
107.340		Tunnel Nozzle 45 x 250 mm
107.245		Round nozzle 40 mm
107.246		Flange connector push-fit on protection tube

Australia:


P O Box 1012, Mascot, NSW 1460, Sydney
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

LEISTER ACCESSORIES & NOZZLES

ACCESSORIES & NOZZLES

107.247		Extension nozzle 200 x 40 mm
107.253		Tubular nozzle, length 700 mm
107.259		Wide slot nozzle 150 x 12
107.260		Wide slot nozzle 85 x 15
107.262		Wide slot nozzle 300 x 4 mm
107.265		Angled nozzle, 120 x 112 mm
107.244		Round nozzle 50 mm
107.267		Wide slot nozzle 500 x 15 mm
107.268		Tubular nozzle, 1200 mm slot 1000 mm

Australia:

P O Box 1012, Mascot, NSW 1460, Sydney
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com

New Zealand:

P O Box 15-262 New Lynn, Auckland, New Zealand
 Ph: 1-800 148 791 Fx: 1-800 148 799
sales@techspanonline.com www.techspanonline.com