# Ouickset

# **Quickset Adjustable Torque Screwdrivers** Torque range from 0.2 to 9 N.m

Quickset Adjustable Torque Screwdrivers are calibrated scale tools that can be used for the accurate and consistent application of torque in any manufacturing, engineering or servicing environment. Their adjustability and wide range of torque make them suitable for a broad range of applications. These tools are durable, easy to use and the unique Slipping Technology means that the risk of over or under tightening is eliminated.

Quickset 6 FH



T-Bar is not included with the Ergo Quickset

Screwdriver Range

Slipping Mechanism Incorrect tightening is impossible



### INDUSTRY SECTORS

Maintenance & Repair









### Quickset Adjustable Torque Screwdrivers (ISO and Imperial Scales)

Absolute accuracy and consistency. Accurate process control is ensured by eliminating under and over tightening due to the unique Slipping Technology

Calibrated scale. A visible scale allows the user to adjust the tool to their desired torque setting, enabling a range of different torque settings to be applied

Ease of use. Tools can be used with confidence by operators at any skill level, due to unique slipping mechanism

Easy to set up. Fast and accurate to set, using the guick and clear to read micrometer style setting scale

Improved production quality. Accurate torgue application reduces the likelihood of warranty and rework

- Increased production efficiency. Increased operator comfort and productivity, from the smooth reset action of the tool and the ergonomic design
- Long tool life. High quality, robust construction. Many years of dependable service are provided by the robust design and hard-wearing materials, that include stainless steel and aluminium

Operational versatility. These versatile tools are ideal for a wide range of applications, due to their adjustability and wide torque range



### Additional features

Accessories. See pages 84-95

- EPA compliant alternative available. See page 32
- Optional Lock On T-Bar for larger models of screwdriver, provides extra leverage when required. (Order Code: P29530)
- Tool can be kept accurate and up to date with our Calibration service. See page 98 for details

/ant to know ho to use this too

Yoti Tube

For more information: Tool Selector; gedore-torque.com/tool-selector Telephone; +44 (0) 1483 894 476 Videos; www.youtube.com/gedore-torque Email; salesandrepairs@gedore-torque.com

Order	← Calibrated Range – →								
Code	Model	Range	ليتتبلينينا	Drive	k mm >	J ġ J	Repeatability	ISO 6789 Class	Colour
016040	Quickset Minor Metric FH	20-120 cN.m	1 cN.m	< <u>1/4</u>	169	165	+/- 6%	2D	Blue
016060	Quickset Minor Imp FH	20-120 ozf.in	1 ozf.in	$\langle \frac{1}{4} \rangle$	169	165	+/- 6%	2D	Blue
016070	Quickset Minor Ibf.in FH	2-12 lbf.in	0.1 lbf.in	< <u>\/</u> _	169	165	+/- 6%	2D	Blue
016500	Quickset 6 FH	1-6 N.m	0.1 N.m	$\langle \frac{1}{4} \rangle$	184	335	+/- 6%	2D	Blue
016600	Quickset 50 FH	5-50 lbf.in	1 lbf.in		184	335	+/- 6%	2D	Blue
016700	Quickset 9 FH	4-9 N.m	0.1 N.m	< <u>1/4</u>	184	335	+/- 6%	2D	Blue
016800	Quickset 80 FH	30-80 lbf.in	1 lbf.in	< <u>\/</u> 4	184	335	+/- 6%	2D	Blue

## Dual Scale Ouickset Screwdrivers Available:

Order	← Calibrated Range										
Code	Model	ISO	ليتتبلينينا	Imperial	ليتتبلينينا	Drive	k mm >	J ġ J	Repeatability	ISO 6789 :y Class	Colour
016011	Quickset Minor DS	20-120 cN.m	1 cN.m	20-120 ozf.in	1 ozf.in	$\left< \frac{1}{4} \right>$	160	158	+/- 6%	2D	Blue
016550	Quickset 6 DS	1-6 N.m	0.1 N.m	5-50 lbf.in	1 lbf.in	< <u>1/4</u> >	169	340	+/- 6%	2D	Blue