



## PAGE

|     |                                   |
|-----|-----------------------------------|
| 274 | Design Castors                    |
| 278 | Twin Wheel Castors                |
| 283 | Furniture Castors and Accessories |
| 284 | Sockets for Stem Type Castors     |
| 285 | Industrial Castors                |
| 289 | Adjustable Glides                 |
| 294 | Furniture Glides                  |

# CASTORS & GLIDES

## Design Castors

### Disky 2

- wheel designed for trolleys, filing cabinets, tables and furniture
- fixing by swivel square plate or bolt
- aluminum paint hubcap
- grey body, black hard wheel


ogTM

| CODES                | A  | B   | C  | D  | Load rating (kg) | Pack size |
|----------------------|----|-----|----|----|------------------|-----------|
| <b>800.85013.630</b> | 80 | 110 | 43 | B1 | 80               | 70        |
| <b>800.85047.630</b> | 80 | 110 | 43 | P  | 80               | 70        |



Aluminium Body  
Black Wheel  
.630

| Fixing Table (D)   |                      |
|--------------------|----------------------|
| B1                 | P                    |
| Bolt<br>M10 x 15mm | Plate<br>47mm Square |
|                    |                      |



### Disky 2 with Brake


- wheel designed for trolleys, filing cabinets, tables and furniture
- fixing by swivel square plate or bolt
- aluminum paint hubcap
- with brake
- grey body, black hard wheel

| CODES                | A  | B   | C  | D  | Load rating (kg) | Pack size |
|----------------------|----|-----|----|----|------------------|-----------|
| <b>800.85112.630</b> | 80 | 110 | 43 | B2 | 80               | 70        |
| <b>800.85113.630</b> | 80 | 110 | 43 | B1 | 80               | 70        |
| <b>800.85147.630</b> | 80 | 110 | 43 | P  | 80               | 70        |



Aluminium Body  
Black Wheel  
.630

| Fixing Table (D)   |                    |                      |
|--------------------|--------------------|----------------------|
| B1                 | B2                 | P                    |
| Bolt<br>M10 x 15mm | Bolt<br>M12 x 25mm | Plate<br>47mm Square |
|                    |                    |                      |



## Design Castors



800.90113.635



800.90147.630

### Rotola with Brake

- cutting edge design wheel
- a rolling body combines with a virtually non-existent wheel-hub
- fixing by swivel square plate or bolt
- special sizes and finishes on request
- zinc support

| CODE          | A  | B   | C  | D  | Load rating (kg) | Pack size |
|---------------|----|-----|----|----|------------------|-----------|
| 800.90147.630 | 90 | 120 | 32 | P  | 70               | 30        |
| 800.90113.635 | 90 | 120 | 32 | B1 | 70               | 30        |




Aluminium Body  
Black Wheel  
.630



Aluminium Body  
Grey Wheel  
.635

| Fixing Table (D)   |                      |
|--------------------|----------------------|
| B1                 | P                    |
| Bolt<br>M10 x 15mm | Plate<br>47mm Square |
|                    |                      |



# CASTORS & GLIDES



## Design Castors

### Formula 40

- stylish wide profile twin wheel castor
- fixing by swivel square plate
- zinc support




| CODE          | A  | B  | C  | D | Load rating (kg) | Pack size |
|---------------|----|----|----|---|------------------|-----------|
| 800.40047.630 | 40 | 45 | 68 | P | 50               | 100       |



Aluminium Body  
Black Wheel  
.630

|                      |
|----------------------|
| Fixing Table (D)     |
| P                    |
| Plate<br>47mm Square |
|                      |



### Formula 40 with brake

- stylish wide profile twin wheel castor
- fixing by swivel square plate
- zinc support
- with brake




| CODE          | A  | B  | C  | D | Load rating (kg) | Pack size |
|---------------|----|----|----|---|------------------|-----------|
| 800.40147.630 | 40 | 45 | 68 | P | 50               | 100       |



Aluminium Body  
Black Wheel  
.630

|                      |
|----------------------|
| Fixing Table (D)     |
| P                    |
| Plate<br>47mm Square |
|                      |



## Design Castors



ogTM



### Formula 60

- stylish wide profile twin wheel castor
- fixing by swivel square plate or bolt
- zinc support

| CODES         | A  | B  | C  | D  | Load rating (kg) | Pack size |
|---------------|----|----|----|----|------------------|-----------|
| 800.60047.630 | 60 | 75 | 74 | P  | 80               | 60        |
| 800.60013.635 | 60 | 75 | 74 | B1 | 80               | 60        |



Aluminium Body  
Black Wheel  
.630



Aluminium Body  
Grey Wheel  
.635

| Fixing Table (D)   |                      |
|--------------------|----------------------|
| B1                 | P                    |
| Bolt<br>M10 x 15mm | Plate<br>62mm Square |
|                    |                      |



ogTM



### Formula 60 with brake

- stylish wide profile twin wheel castor
- fixing by swivel square plate or bolt
- zinc support
- with brake

| CODES         | A  | B  | C  | D  | Load rating (kg) | Pack size |
|---------------|----|----|----|----|------------------|-----------|
| 800.60147.630 | 60 | 75 | 74 | P  | 80               | 60        |
| 800.60113.635 | 60 | 75 | 74 | B1 | 80               | 60        |



Aluminium Body  
Black Wheel  
.630



Aluminium Body  
Grey Wheel  
.635

| Fixing Table (D)   |                      |
|--------------------|----------------------|
| B1                 | P                    |
| Bolt<br>M10 x 15mm | Plate<br>62mm Square |
|                    |                      |

## Twin Wheel Castors

### Hooded

- nylon twin wheel castor with hood
- available in 30mm, 40mm and 50mm diameter
- various fixing options
- refer to page 284 for adaptors for stem type castors
- hard wheel

| CODES                | A  | B  | C  | D  | Load rating (kg) | Pack size |
|----------------------|----|----|----|----|------------------|-----------|
| <b>043030</b>        | 30 | 42 | 32 | P  | 15               | 70*       |
| <b>801.40005.572</b> | 40 | 52 | 41 | B2 | 35               | 175       |
| <b>043040</b>        | 40 | 56 | 41 | P  | 25               | 50*       |
| <b>801.40040.572</b> | 40 | 52 | 41 | S  | 35               | 175       |
| <b>801.50009.572</b> | 50 | 59 | 50 | B1 | 50               | 100       |
| <b>801.50005.572</b> | 50 | 59 | 50 | B2 | 50               | 100       |
| <b>043050</b>        | 50 | 65 | 46 | P  | 30               | 40*       |
| <b>801.50040.572</b> | 50 | 59 | 50 | S  | 50               | 100       |
| <b>801.50016.572</b> | 50 | 65 | 45 | U1 | 50               | 77        |

\* sold as sets of 4, 043030, 043040 and 043050

| Fixing Table (D)    |                      |                      |                   |                   |      |
|---------------------|----------------------|----------------------|-------------------|-------------------|------|
| B1                  | B2                   | P                    | U1                | U2                | S    |
| Bolt<br>3/8" x 20mm | Bolt<br>5/16" x 20mm | Plate<br>42mm Square | U Bracket<br>16mm | U Bracket<br>19mm | Stem |
|                     |                      |                      |                   |                   |      |



### Hooded with Brake

- nylon twin wheel castor with hood
- various fixing options
- refer to page 284 for adaptors for stem type castors
- hard wheel

| CODES                | A  | B  | C  | D  | Load rating (kg) | Pack size |
|----------------------|----|----|----|----|------------------|-----------|
| <b>801.50109.572</b> | 50 | 62 | 45 | B1 | 50               | 100       |
| <b>801.50105.572</b> | 50 | 62 | 45 | B2 | 50               | 100       |
| <b>801.50142.572</b> | 50 | 62 | 45 | P  | 50               | 100       |
| <b>801.50140.572</b> | 50 | 62 | 45 | S  | 50               | 100       |


| Fixing Table (D)    |                      |                      |      |
|---------------------|----------------------|----------------------|------|
| B1                  | B2                   | P                    | S    |
| Bolt<br>3/8" x 20mm | Bolt<br>5/16" x 20mm | Plate<br>42mm Square | Stem |
|                     |                      |                      |      |



## Twin Wheel Castors

### Unhooded


- nylon twin wheel castor, unhooded
- available in 40mm, 50mm and 75mm diameter
- various fixing options
- refer to page 284 for adaptors for stem type castors
- hard wheel



| CODES         | A  | B  | C  | D  | Load rating (kg) | Pack size |
|---------------|----|----|----|----|------------------|-----------|
| 800.40005.572 | 40 | 45 | 38 | B2 | 35               | 240       |
| 800.40040.572 | 40 | 45 | 38 | S  | 35               | 240       |
| 800.50009.572 | 50 | 57 | 50 | B1 | 50               | 100       |
| 800.50005.572 | 50 | 57 | 50 | B2 | 50               | 100       |
| 043055        | 50 | 60 | 46 | P  | 30               | 40*       |
| 800.50040.572 | 50 | 57 | 50 | S  | 50               | 100       |
| 800.75009.572 | 75 | 85 | 46 | B1 | 60               | 100       |
| 800.74002.572 | 75 | 82 | 53 | P  | 60               | 100       |
| 800.74040.572 | 75 | 82 | 53 | S  | 60               | 100       |

\* sold as sets of 4, 043055

| Fixing Table (D)                                                                      |                      |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| B1                                                                                    | B2                   | P                                                                                     | S                                                                                     |
| Bolt<br>3/8" x 20mm                                                                   | Bolt<br>5/16" x 20mm | Plate<br>42mm Square                                                                  | Stem                                                                                  |
|  |                      |  |  |



### Unhooded with Brake

- nylon twin wheel castor, unhooded
- available in 40mm, 50mm and 75mm diameter
- various fixing options
- refer to page 284 for adaptors for stem type castors
- hard wheel

| CODES         | A  | B  | C  | D  | Load rating (kg) | Pack size |
|---------------|----|----|----|----|------------------|-----------|
| 800.50109.572 | 50 | 55 | 44 | B1 | 50               | 100       |
| 800.75109.572 | 75 | 85 | 46 | B1 | 60               | 100       |

| Fixing Table (D)                                                                      |
|---------------------------------------------------------------------------------------|
| B1                                                                                    |
| Bolt<br>3/8" x 20mm                                                                   |
|  |

## Twin Wheel Castors

### Europa with Brake

- nylon twin wheel castor, unhooded
- hard wheel
- rivetted wheel for additional strength
- plate or bolt fixing

| CODES                | A  | B  | C  | D  | Load rating (kg) | Pack size |
|----------------------|----|----|----|----|------------------|-----------|
| <b>800.77765.572</b> | 75 | 85 | 44 | B1 | 70               | 100       |
| <b>800.77742.572</b> | 75 | 85 | 44 | P  | 70               | 100       |

| Fixing Table (D)                                                                  |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| B1                                                                                | P                                                                                 |
| Bolt<br>3/8" x 25mm                                                               | Plate<br>42mm Square                                                              |
|  |  |




### Rotare

- heavy duty nylon twin wheel castor, unhooded
- hard wheel
- rivetted wheel for additional strength
- swivel bolt fixing

| CODE                 | A  | B  | C  | D  | Load rating (kg) | Pack size |
|----------------------|----|----|----|----|------------------|-----------|
| <b>800.73065.572</b> | 75 | 84 | 52 | B1 | 120              | 100       |

| Fixing Table (D)                                                                    |  |
|-------------------------------------------------------------------------------------|--|
| B1                                                                                  |  |
| Bolt<br>3/8" x 25mm                                                                 |  |
|  |  |




### Sigma Grey

- nylon twin wheel castor, unhooded with grey polyurethane wheel
- soft wheel, ideal for hard floors
- swivel plate fixing
- C = width

| CODE                 | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>800.50042.587</b> | 50 | 60 | 45 | P | 50               | 100       |

| Fixing Table (D)                                                                    |  |
|-------------------------------------------------------------------------------------|--|
| P                                                                                   |  |
| Plate<br>38mm Square                                                                |  |
|  |  |




### Sigma Grey with Brake

- nylon twin wheel castor, unhooded with grey polyurethane wheel
- soft wheel, ideal for hard floors
- swivel plate fixing
- C = width

| CODE                 | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>800.50142.587</b> | 50 | 60 | 45 | P | 50               | 100       |


| Fixing Table (D)                                                                    |  |
|-------------------------------------------------------------------------------------|--|
| P                                                                                   |  |
| Plate<br>38mm Square                                                                |  |
|  |  |



## Twin Wheel Castors

### Europa Grey

- nylon twin wheel castor, unhooded with polyurethane wheel
- soft wheel, ideal for hard floors
- rivetted wheel for additional strength
- swivel plate or bolt fixing



Black  
Grey  
Wheel  
.587




Grey  
Black  
Wheel  
.588

| CODES         | A  | B  | C  | D  | Load rating (kg) | Pack size |
|---------------|----|----|----|----|------------------|-----------|
| 800.77842.587 | 75 | 85 | 44 | P  | 70               | 100       |
| 800.77865.587 | 75 | 85 | 44 | B1 | 70               | 100       |
| 800.77842.588 | 75 | 85 | 44 | P  | 70               | 100       |

| Fixing Table (D)                                                                     |                                                                                      |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| B1                                                                                   | P                                                                                    |
| Bolt<br>3/8" x 25mm                                                                  | Plate<br>42mm Square                                                                 |
|  |  |

### Europa Grey with Brake

- nylon twin wheel castor, unhooded with polyurethane wheel
- soft wheel, ideal for hard floors
- rivetted wheel for additional strength
- swivel plate or bolt fixing



Black  
Grey  
Wheel  
.587



Grey  
Black  
Wheel  
.588

| CODES         | A  | B  | C  | D  | Load rating (kg) | Pack size |
|---------------|----|----|----|----|------------------|-----------|
| 800.77942.587 | 75 | 85 | 44 | P  | 70               | 80        |
| 800.77965.587 | 75 | 85 | 44 | B1 | 70               | 100       |
| 800.77942.588 | 75 | 85 | 44 | P  | 70               | 100       |

| Fixing Table (D)                                                                      |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| B1                                                                                    | P                                                                                     |
| Bolt<br>3/8" x 25mm                                                                   | Plate<br>42mm Square                                                                  |
|  |  |

## Twin Wheel Castors



### Hooded Twin Wheel

- 50mm wheel diam
- Plate 38mm Sq.
- Black


| CODES                | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>801.50102.572</b> | 50 | 62 | 45 | P | 50               | 100       |



| Fixing Table (D)                                                                  |                                                                                   |                                                                                   |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| B1                                                                                | B2                                                                                | P                                                                                 | S                                                                                 |
| Bolt<br>3/8" x 20mm                                                               | Bolt<br>5/16" x 20mm                                                              | Plate<br>42mm Square                                                              | Stem                                                                              |
|  |  |  |  |




## Furniture Castors & Accessories



### Recessed Castors

- twin wheel
- swivel
- hard wheel
- black finish


| CODES                | A  | B  | D        | Load rating (kg) | Pack size |
|----------------------|----|----|----------|------------------|-----------|
| <b>854.40181.572</b> | 46 | 20 | recessed | 50               | 500       |



### Wheel

- single plastic wheel
- hard wheel
- 1/4" hole size
- black finish

| CODE                 | A  | B  | Load rating (kg) | Pack size |
|----------------------|----|----|------------------|-----------|
| <b>889.04200.002</b> | 42 | 14 | n/a              | 500       |



### Castor Cup


- castor sits inside cup to limit movement
- suits 50mm twin wheel castors
- Australian made
- black finish

| CODE                 | A  | B  | C  | Pack size |
|----------------------|----|----|----|-----------|
| <b>876.80502.002</b> | 80 | 14 | 50 | 300       |

## Sockets for Stem Type Castors

### Round Type Sockets


- round adaptor to attach castor to tube
- for use with stem type castors and glides
- stem simply pushes into socket
- 31mm length
- black finish



| CODES                | A    | Wall    | Pack size |
|----------------------|------|---------|-----------|
| <b>816.11118.002</b> | 1"   | 1.2     | 500       |
| <b>816.11198.002</b> | 3/4" | 1.2-1.6 | 1000      |
| <b>816.11228.002</b> | 7/8" | 1.2-1.6 | 1000      |

### Square Type Sockets


- square adaptor to attach castor to tube
- 31mm length
- black finish



| CODES                | A/B | Wall    | Pack size |
|----------------------|-----|---------|-----------|
| <b>816.12608.002</b> | 1"  | 1.2-1.6 | 500       |

### Grip Neck Sockets

- socket to enable simple attachment to board
- for use with stem type castors
- socket can be knocked into 9.5mm hole in timber and stem pushes into socket
- suitable for MDF, soft woods
- zinc finish




| CODE                 | A  | B   | Pack size |
|----------------------|----|-----|-----------|
| <b>816.28088.352</b> | 31 | 9.5 | 3000      |

## Industrial Castors

### Certo

- single nylon wheel
- natural or black hard wheels
- several size options
- swivel plate fixing




| CODES         | A   | B   | C  | D | Load rating (kg) | Pack size |
|---------------|-----|-----|----|---|------------------|-----------|
| 890.05048.570 | 50  | 72  | 20 | P | 40               | 100       |
| 890.05048.572 | 50  | 72  | 20 | P | 40               | 100       |
| 890.06048.570 | 60  | 82  | 22 | P | 45               | 72        |
| 890.06048.572 | 60  | 82  | 22 | P | 45               | 72        |
| 890.07548.570 | 75  | 101 | 22 | P | 50               | 50        |
| 890.07548.572 | 75  | 101 | 22 | P | 50               | 50        |
| 890.10055.570 | 100 | 135 | 24 | P | 60               | 20        |
| 890.10055.572 | 100 | 135 | 24 | P | 60               | 20        |




| Fixing Table (D)                                                                      |
|---------------------------------------------------------------------------------------|
| P                                                                                     |
| Plate<br>60mm Square                                                                  |
|  |

### Certo with Brake

- single nylon wheel
- natural or black hard wheels
- several size options
- swivel plate fixing
- with brake



| CODES         | A  | B   | C  | D | Load rating (kg) | Pack size |
|---------------|----|-----|----|---|------------------|-----------|
| 891.05048.570 | 50 | 72  | 20 | P | 40               | 77        |
| 891.05048.572 | 50 | 72  | 20 | P | 40               | 77        |
| 891.06048.570 | 60 | 82  | 22 | P | 45               | 53        |
| 891.06048.572 | 60 | 82  | 22 | P | 45               | 53        |
| 891.07548.570 | 75 | 101 | 22 | P | 50               | 45        |
| 891.07548.572 | 75 | 101 | 22 | P | 50               | 45        |



| Fixing Table (D)                                                                      |
|---------------------------------------------------------------------------------------|
| P                                                                                     |
| Plate<br>60mm Square                                                                  |
|  |


# CASTORS & GLIDES

## Industrial Castors

### Duo

- double nylon wheel
- hard wheel
- swivel plate fixing

| CODE          | A  | B  | C    | D | Load rating (kg) | Pack size |
|---------------|----|----|------|---|------------------|-----------|
| 883.05048.572 | 50 | 73 | 2x18 | P | 60               | 60        |




| Fixing Table (D)     |
|----------------------|
| P                    |
| Plate<br>68mm x 48mm |
|                      |



### Duo with Brake

- double nylon wheel
- hard wheel
- swivel plate fixing
- with brake

| CODE          | A  | B  | C    | D | Load rating (kg) | Pack size |
|---------------|----|----|------|---|------------------|-----------|
| 884.05048.572 | 50 | 73 | 2x18 | P | 60               | 60        |




| Fixing Table (D)     |
|----------------------|
| P                    |
| Plate<br>68mm x 48mm |
|                      |



### Mozzo

- single polyurethane wheel
- soft wheel, ideal for hard floors
- various size and fixing options
- grey wheel with zinc hub

| CODES         | A   | B   | C  | D  | Load rating (kg) | Pack size |
|---------------|-----|-----|----|----|------------------|-----------|
| 893.05042.587 | 50  | 72  | 18 | P  | 40               | 167       |
| 893.05081.587 | 50  | 72  | 18 | FP | 40               | 125       |
| 893.06048.587 | 60  | 82  | 22 | P  | 50               | 72        |
| 893.06082.587 | 60  | 82  | 22 | FP | 50               | 63        |
| 893.07548.587 | 75  | 101 | 22 | P  | 50               | 50        |
| 893.07590.587 | 75  | 101 | 22 | H  | 50               | 67        |
| 893.10048.587 | 100 | 121 | 22 | P  | 60               | 37        |




| Fixing Table (D) |                      |             |
|------------------|----------------------|-------------|
| H                | P                    | FP          |
| 10mm Bolt Hole   | Plate<br>42mm Square | Fixed Plate |
|                  |                      |             |



## Industrial Castors



| Fixing Table (D)                                                                  |
|-----------------------------------------------------------------------------------|
| P                                                                                 |
| Plate<br>60mm Square                                                              |
|  |




### Mozzo with Brake

- single polyurethane wheel
- soft wheel, ideal for hard floors
- various size options
- swivel plate fixing
- grey wheel with zinc hub

| CODES                | A   | B   | C  | D | Load rating (kg) | Pack size |
|----------------------|-----|-----|----|---|------------------|-----------|
| <b>894.05042.587</b> | 50  | 72  | 18 | P | 40               | 100       |
| <b>894.06048.587</b> | 60  | 82  | 22 | P | 50               | 50        |
| <b>894.07548.587</b> | 75  | 101 | 22 | P | 50               | 45        |
| <b>894.10048.587</b> | 100 | 121 | 22 | P | 60               | 33        |



| Fixing Table (D)                                                                    |
|-------------------------------------------------------------------------------------|
| P                                                                                   |
| Plate<br>51mm x 31mm                                                                |
|  |




### Toro

- single polyurethane wheel
- soft wheel, ideal for hard floors
- swivel plate fixing
- grey wheel with zinc hub cap

| CODE                 | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>893.07621.587</b> | 76 | 92 | 37 | P | 36               | 100       |



| Fixing Table (D)                                                                    |
|-------------------------------------------------------------------------------------|
| P                                                                                   |
| Plate<br>51mm x 31mm                                                                |
|  |



### Toro with Brake

- single polyurethane wheel
- soft wheel, ideal for hard floors
- swivel plate fixing
- grey wheel with zinc hub cap
- with brake

| CODE                 | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>896.07621.587</b> | 76 | 92 | 37 | P | 36               | 100       |


## Industrial Castors

### Stern

- single rubber wheel
- swivel plate fixing
- black rubber wheel

| CODE                 | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>880.05052.562</b> | 50 | 67 | 20 | P | 30               | 125       |

| Fixing Table (D)     |
|----------------------|
| P                    |
| Plate<br>50mm x 30mm |
|                      |




### Stern with Brake

- single rubber wheel
- swivel plate or stem fixing
- black rubber wheel
- C = width
- with brake

| CODES                | A  | B  | C  | D | Load rating (kg) | Pack size |
|----------------------|----|----|----|---|------------------|-----------|
| <b>881.05040.562</b> | 50 | 67 | 20 | S | 30               | 125       |
| <b>881.05052.562</b> | 50 | 67 | 20 | P | 30               | 125       |

| Fixing Table (D)     |      |
|----------------------|------|
| P                    | S    |
| Plate<br>50mm x 30mm | Stem |
|                      |      |




### Pact


- single rubber wheel
- soft wheel, ideal for hard floors
- rivetted wheel for additional strength
- swivel plate fixing
- C = width
- zinc hub cap

| CODE                 | A  | B   | C  | Load rating (kg) | Pack size |
|----------------------|----|-----|----|------------------|-----------|
| <b>887.08048.352</b> | 80 | 103 | 44 | 55               | 60        |

| Fixing Table (D)     |
|----------------------|
| P                    |
| Plate<br>60mm Square |
|                      |




## Adjustable Glides



### Troy

- furniture glides with plastic base
- non swivel
- compatible with artia insert nuts, refer to page 352
- black finish


| CODES         | A  | B     | C  | Pack size |
|---------------|----|-------|----|-----------|
| 810.62530.572 | 26 | 5/16" | 30 | 900       |



### Atlas

- furniture glides with plastic base
- non swivel
- compatible with artia insert nuts, refer to page 352
- black finish

| CODES          | A  | B     | C  | Pack size |
|----------------|----|-------|----|-----------|
| 810.63338.572  | 29 | 3/8"  | 38 | 1000      |
| 810.63425.572  | 29 | 1/4"  | 25 | 1400      |
| 810.63525.572  | 29 | 5/16" | 25 | 1200      |
| 810.65338.572  | 35 | 3/8"  | 38 | 700       |
| P765-5/16X25BL | 35 | 5/16" | 25 | 800       |
| P766-3/8X38BL  | 43 | 3/8"  | 38 | 500       |
| P766-10X38BL   | 43 | M10   | 38 | 500       |



### Dome

- furniture glides with nylon base
- non swivel
- domed base design
- compatible with artia insert nuts, refer to page 352
- black finish


| CODES           | A  | B     | C  | Pack size |
|-----------------|----|-------|----|-----------|
| N1498-5/16X35BL | 38 | 5/16" | 35 | 500       |
| N1499-3/8X29BL  | 49 | 3/8"  | 29 | 400       |
| N1500-3/8X41BL  | 51 | 3/8"  | 41 | 400       |
| N1500-M12X52    | 51 | M12   | 52 | 200       |

## Adjustable Glides

### Sixty

- furniture glides with nylon base
- non swivel
- domed base design
- compatible with artia insert nuts, refer to page 352
- black finish


| CODES                | A  | B    | C  | Pack size |
|----------------------|----|------|----|-----------|
| <b>810.60338.572</b> | 60 | 3/8" | 38 | 500       |



### Mini

- non swivel
- black finish


| CODE                 | A  | B    | C  | Pack size |
|----------------------|----|------|----|-----------|
| <b>810.51413.572</b> | 25 | 1/4" | 13 | 2000      |



### Titan

- furniture glides with nylon base and steel shell
- non swivel
- various size and thread options
- compatible with artia insert nuts, refer to page 352
- black, chrome or nickel plated finishes

| CODES                  | A  | B     | C  | Pack size |
|------------------------|----|-------|----|-----------|
| <b>810.49338.572</b>   | 25 | 3/8"  | 38 | 700       |
| <b>810.49338.340</b>   | 25 | 3/8"  | 38 | 700       |
| <b>810.49525.572</b>   | 25 | 5/16" | 25 | 1000      |
| <b>810.49525.340</b>   | 25 | 5/16" | 25 | 1000      |
| <b>810.48525.572 *</b> | 25 | 5/16" | 25 | 1000      |
| <b>810.59338.340 *</b> | 32 | 3/8"  | 38 | 500       |
| <b>810.50425.340</b>   | 35 | 1/4"  | 25 | 800       |
| <b>810.50322.340</b>   | 35 | 3/8"  | 22 | 700       |
| <b>810.50338.340</b>   | 35 | 3/8"  | 38 | 600       |
| <b>810.50375.340</b>   | 35 | 3/8"  | 75 | 400       |
| <b>810.50525.340</b>   | 35 | 5/16" | 25 | 700       |
| <b>P751-5/16X1NP</b>   | 35 | 5/16" | 25 | 600       |
| <b>810.50525.572</b>   | 35 | 5/16" | 25 | 500       |
| <b>P758-5/16X1/2CH</b> | 43 | 5/16" | 13 | 400       |
| <b>N747-3/8X11/2CH</b> | 60 | 3/8"  | 38 | 150       |



Black  
.572




Chrome  
.340



Nickel  
Plated  
NP

\* with slot


## Adjustable Glides



### Redge

- furniture glide with nylon base and metal shell
- non swivel
- compatible with artia insert nuts, refer to page 352
- no hex
- zinc plated finish


| CODE                  | A  | B     | C  | Pack size |
|-----------------------|----|-------|----|-----------|
| <b>N1461-5/16X3ZP</b> | 38 | 5/16" | 76 | 300       |



### Shell

- furniture glide with nylon base and metal shell
- compatible with artia insert nuts, refer to page 352
- nickel plated finish

| CODES         | A  | B     | C  | Pack size |
|---------------|----|-------|----|-----------|
| <b>047460</b> | 30 | 1/4"  | 25 | 500       |
| <b>047465</b> | 35 | 5/16" | 25 | 500       |
| <b>047470</b> | 35 | 3/8"  | 38 | 250       |



### Extend

- furniture glide with nylon base and metal shell
- non swivel
- compatible with artia insert nuts, refer to page 352
- nickel plated and chrome finishes

| CODES                      | A  | B    | C  | Pack size |
|----------------------------|----|------|----|-----------|
| <b>N1495-3/8X3NP</b>       | 35 | 3/8" | 76 | 300       |
| <b>N1495S-3/8X11/2CH *</b> | 35 | 3/8" | 38 | 400       |

\* with slot



Nickel  
Plated  
NP




Chrome  
CH

## Adjustable Glides

### Surface

- furniture glide with nylon base and metal shell
- non swivel
- heavy duty 64mm base
- compatible with artia insert nuts, refer to page 352
- nickel plated finish


| CODE                 | A  | B    | C  | Pack size |
|----------------------|----|------|----|-----------|
| <b>P754-3/8X38NP</b> | 64 | 3/8" | 38 | 200       |



### Rotator

- furniture glide with nylon base and metal shell
- swivel
- compatible with artia insert nuts, refer to page 352
- chrome and nickel plated finishes

| CODES                  | A  | B     | C  | Pack size |
|------------------------|----|-------|----|-----------|
| <b>P745-3/8X11/2NP</b> | 35 | 3/8"  | 38 | 500       |
| <b>P745-5/16X1NP</b>   | 35 | 5/16" | 25 | 700       |




### Pivot

- furniture glide with nylon base
- swivel
- comes with or without shell
- compatible with artia insert nuts, refer to page 352
- black and chrome finishes

| CODES                 | A  | B     | C  | Pack size |
|-----------------------|----|-------|----|-----------|
| <b>N1424-5/16X1BL</b> | 33 | 5/16" | 25 | 100       |



## Adjustable Glides



### GBA M8 Assembly

- glide and bracket assembly
- simple height adjustment system for cabinets and furniture
- U bracket attaches to cabinet side
- screw driver slot
- bracket size - 34mm height x 37mm width x 30mm depth

| CODE                   | A  | B  | C  | Pack size |
|------------------------|----|----|----|-----------|
| <b>810.15870.352 *</b> | 32 | M8 | 60 | 300       |


\* with slot



### GBA 5/16 Assembly

- glide and bracket assembly
- simple height adjustment system for cabinets and furniture
- U bracket attaches to cabinet side
- screwdriver slot
- zinc plated finish


| CODE           | A  | B     | C  | Pack size |
|----------------|----|-------|----|-----------|
| <b>P756GBA</b> | 32 | 5/16" | 85 | 150       |



### GBA U Bracket

- bracket for GBA 5/16
- zinc plated finish

| CODES           | A  | B  | C  | Pack size |
|-----------------|----|----|----|-----------|
| <b>P756-22P</b> | 36 | 38 | 32 | 250       |



### GBA Glide

- glide for GBA U
- screw driver slot
- zinc plated finish

| CODE                    | A  | B     | C  | Pack size |
|-------------------------|----|-------|----|-----------|
| <b>P756S-5/16X85ZP*</b> | 32 | 5/16" | 85 | 500       |

\* with slot

# CASTORS & GLIDES



## Furniture Glides

### Roto

- nylon mushroom shape glide
- hard base, ideal for softer surfaces
- bolt (3/8 x 25mm) or stem fixing
- refer to page 284 for adaptors for stem type glide
- 45mm height
- black finish


| CODES         | A  | B    | C  | D | Pack size |
|---------------|----|------|----|---|-----------|
| 872.44509.572 | 70 | 3/8" | 20 | B | 200       |
| 872.44540.572 | 70 | -    | -  | S | 200       |



872.44540.572



872.44509.572



### 214 & 245

- plastic glide
- screw fix
- black finish


| CODES         | A  | B  | C   | Pack size |
|---------------|----|----|-----|-----------|
| 871.21436.002 | 57 | 37 | 4.5 | 200       |
| 871.24550.002 | 50 | 27 | 5.5 | 1000      |



871.24550.002




871.21436.002



### Push in Glide

- simple push in glide
- fits into 11mm hole of office chair bases
- black finish

| CODE         | A  | B  | Pack size |
|--------------|----|----|-----------|
| N1402X7/16BL | 38 | 11 | 1000      |



### Tack

- impact resistant round plastic head
- item 047423 is oval head 2 nail version
- natural, black and light brown finishes


| CODES  | A     | B | Finish      | Pack size |
|--------|-------|---|-------------|-----------|
| 047400 | 16    | 6 | natural     | 1000      |
| 047402 | 16    | 6 | black       | 1000      |
| 047403 | 16    | 6 | light brown | 1000      |
| 047405 | 19    | 6 | natural     | 1000      |
| 047409 | 19    | 6 | light brown | 1000      |
| 047410 | 22    | 6 | natural     | 1000      |
| 047413 | 22    | 6 | light brown | 1000      |
| 047423 | 42x19 | 6 | light brown | 1000      |



047405



047403



Natural



Black



Light Brown

\* sold as box 1000