DATA SHEET

P.O. Box 38-828 PETONE, Wellington Phone - (64-4) 9393 777 FAX - (64-4) 9393 778

Date - 08th October, 2001

e-mail = sales@casa.co.nz

Ref - HANDLES.FRP

HANDLES (Rack & Cabinet Fixing etc.)



Our STANDARD 90 x 50 x 6 Brackets are designed for fixing apparatus to Aerial Masts and Towers etc. (using CASA's Stainless U-Bolts or Coach Screws etc.). They provide durable fixing and grounding points for Telecommunications Aerials, EMP Devices and other externally mounted Electrical, Electronic and other equipments in a wide range of environments.

Special Features Include:-

- 1) 4 x M8 Tapped Holes (UNC and other thread forms can be made to order) for grounding and other attachments
- 2) Wide range of Tube and Pipe sizes can be accommodated using CASA's U-Bolts etc.
- 3) "Standard" Coaxial "N" Connector mounting or custom fixing holes to suit EMP devices etc.
 4) Pre-packaged KITs including all related, U-Bolts + nuts, washers etc. can be supplied to customer specifications

Provisional Specification Details: (see physical details on reverse of this data sheet)

| | Standard Sizes:- | Length = 90mm (3-1/2 inch) |
|-------------------|---|-----------------------------------|
| | (others available subject design details) | Width = 50mm (2 inch) |
| | | Height = 50mm (2 inch) |
| | | Thickness = 6mm (1/4 inch) |
| \longrightarrow | Tapped Threads Available:- | M6, M8, M10, M12 etc. |
| | (other thread forms undertaken to special order) | (1/4", 5/16", 3/8" UNC/UNEF etc.) |
| \longrightarrow | Materials:- | Stainless 304 |
| | (other alloys & materials subject to special order) | (316, Aluminum , Steel etc.) |
| \longrightarrow | Fixing / Clearance Holes:- | Diameter + 0.5mm |
| | (generally depends upon requirements of other parts) | (recommended) |
| | Tensile Rating:- | (to be calculated) |
| | Weight:- | (type / model specific) |
| | Size:- (Length x Flange Width x Thickness as below) | (type / model specific) |
| | Packaging: (CASA's welded Polyethylene bags and labels) | Loose or as required |

Part Number:- BKT-LxWxT-FH-MD-MAT(suffix)

Please compose a Part Number. according to this system and use on your official order.

BKT- Prefix to indicate "BracKeT"

LxWxT- Profile Size of Angle Length x Width x Thickness in mm.

FH- The "Fixing Hole" for the attached device in mm

MD- Tube "Mast" Diameter MAXIMUM in millimeters

MAT _MATerial designator where "SS" = Stainless Steel, "AL" = Aluminum etc.

(suffix) Special adder/suffix, drawing, job ref. etc.



CASA File Ref.: DATA-SHT.FRP 10/11/92

