

Product data sheet

Specifications



APC NetShelter SX, Server Rack Enclosure, 48U, Shock Packaging, 2000 lbs, Black, 2258H x 750W x 1070D mm

AR3157SP

Overview

Presentation NetShelter SX cabinet and packaging system designed to safely integrate, transport, unload and deploy up to 2000 lbs (907 kg) of IT equipment. The cabinet is paired with a shock absorbing pallet, unloading ramp, and impact resistant shell. The system has been engineered, tested and approved for secure shipment of fully converged systems such as being certified with Cisco® for pre-racking and shipping Cisco Unified Computing System (UCS).

Lead Time Usually Ships within 6 Weeks

Main

| | |
|----------------------------------|--|
| Product Or Component Type | Rack enclosure |
| Number Of Rack Unit | 48U |
| Provided Equipment | Baying hardware Documentation CD Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels |

Physical

| | |
|-----------------------------------|---|
| Height | 225.8 cm |
| Width | 75 cm |
| Depth | 107 cm |
| Net Weight | 169.09 kg |
| Colour | Black |
| Mounting Preference | No preference |
| Mounting Mode | Not rack-mountable |
| Maximum Mounting Depth | 91.49 cm |
| Minimum Mounting Depth | 26.19 cm |
| Rack Width | 19" |
| Marking | 14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 18 gauge side panels |
| Permanent Permissible Load | 1020.58 kg dynamic 1700.97 kg static |

Conformance

| | |
|------------------|-----------------------------------|
| Standards | UL 2416 UL 60950-1 EIA-310E |
|------------------|-----------------------------------|

Packing Units

| | |
|-------------------------------------|----------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 245.1 cm |
| Package 1 Width | 132.1 cm |
| Package 1 Length | 110.5 cm |
| Package 1 Weight | 283.5 kg |

Contractual warranty

| | |
|-----------------|--------------------------|
| Warranty | 5 year repair or replace |
|-----------------|--------------------------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Reach Free Of Svhc

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)
